

Product Change
Announcement

Improved dietary management
of phenylketonuria



Aminogran Food Supplement Aminogran Mineral Mixture

Allen & Hanburys Ltd., pioneers in the development of products for the dietary management of phenylketonuria, are now able to announce important modifications to Aminogran, already well established as an advance in therapy.

- * Separate packs obviating wastage of mineral mixture.
- * Larger packs providing a more convenient and practical supply unit.
- * New mineral mixture formulation in line with recent research findings.¹
- * New dosage recommendations allowing use of the product from infancy.²

1 Lawson et al (*Arch. Dis. Childh.* 1977 52 62)

2 See new Data Sheet for details.

Aminogran Food Supplement

A mixture of L-amino acids, including all the essential amino acids except phenylalanine. In packs of 500g.

Aminogran Mineral Mixture

All the necessary minerals plus trace elements for balanced nutrition in the correct proportions for human needs. In packs of 250g.

Data Sheets and Monograph giving full prescribing information are available on request.



Aminogran is a trade mark of
ALLEN & HANBURY LTD LONDON E2 6LA

PROTECT THE NEXT GENERATION

Phadebas[®] Dry Spot TSH Test in screening for congenital hypothyroidism

TSH - screening for

- Highest sensitivity
- Excellent discrimination
- Low recalls, low administrative costs


Phadebas[®] Dry Spot TSH Test

- RIA with two 3 mm discs
- Fast and flexible procedure
- Not labour - intensive
- Test range: 7-200 μ U hTSH/ml blood


Pharmacia Diagnostics AB
Uppsala, Sweden



Argentina Laboratorios Dr. Gador y Cia., S.A.C.I. Casilla de Correo 4041 1006 BUENOS AIRES. **Australia** Pharmacia (South Seas) Pty. Ltd. P.O. Box 175 4 Byfield Street NORTH RYDE N.S.W. 2113. **Austria** Pharmacia Gesellschaft m.b.H. Rathausplatz 4 A-1010 WIEN. **Belgium** N.V. Pharmacia Belga S.A. Bld. Gen. Jacqueslaan 26 B-1050 BRUSSELS. **Brazil** Empresa Medimex Importação e Comércio Ltda. Rua Cardoso Marinho, 40 Caixa Postal 33-ZC-00 RIO DE JANEIRO. **Canada** Pharmacia (Canada) Ltd. 2044 boul. St. Régis Blvd. DORVAL, Québec H9P 1H6. **Denmark** Pharmacia AS, Herredsejvejen DK-3400 HILLEROD. **Finland** Pharmacia OY Norrskensvagen 6, SF-02100 ESBO. **France** Pharmacia France S.A. Rue de Marly Parly 2 F-78150 LE CHESSAY. **German Federal Republic** Deutsche Pharmacia G.m.b.H. Munzinger Strasse 9 Postfach 5480 D-7800 FREIBURG. **Great Britain** Pharmacia (G.B.) Ltd. Paramount House 75 Uxbridge Road LONDON W5 5SS. **Greece** G.A. Kambanis Imports-Exports-Representations 3 Irindanou Street ATHENS 612. **Italy** Importex Chimici Farmaceutici S.p.A. P.O. Box 457 Via Flavia 122/124 I-34100 TRIESTE. **Mexico** Internacional Cientifica S.A. Apartado Postal 2-807 Angel del Campo 17-A MEXICO 12 D.F. **The Netherlands** Gist-Brocades N.V. Diagnostics Dept. P.O. Box 324 Frijastraat 7-9 RIJSWIJK (Z.H) 2109. **Norway** Norsk Pharmacia A/S Postboks 2005 Grünerlokka OSLO 5. **Portugal** J.A. Baptista D'Almeida Lda. Apartado 1339 LISBOA 1. **Spain** Alom, Paseo del Monte 34 BARCELONA 12. **Sweden** Pharmacia Norden AB Diagnostics Dept. Box 159 751 04 UPPSALA 1. **Switzerland** Pharmacia -pdf- (Schweiz) A.G. 214 Seefeldstrasse CH-8034 ZUERICH. **USA** Pharmacia Diagnostics Division of Pharmacia Inc. 800 Centennial Avenue PISCATAWAY New Jersey 08854. **Other countries** Pharmacia Diagnostics AB Box 17 S-751 03 UPPSALA 1 Sweden.



Simplicity itself



The Codman Shunt range, available only from Downs, has proved outstandingly popular with British surgeons. Here's why.

UNI-SHUNT*—the unique one piece shunt.

Simple and easy to insert, it's one piece construction reduces the risk of infection and need for revision.

ACCU-FLO*—the guaranteed system which offers complete flexibility.

The Accu-Flo range of shunts offer the surgeon a complete system from which to choose.

They are also guaranteed to function at the stated pressure. Renowned for their consistently high quality and low cost—up to 20% less than some competitive products—Accu-Flo shunts are also double sterile wrapped.

The whole range is available from stock, so there's no delay when ordering. For more details, fill in the coupon.

Downs Surgical

—simply the best

*Registered trade names

Monatsschrift für Kinder- heilkunde

Organ der Deutschen Gesellschaft für Kinderheilkunde

126. Band · Heft 1 · Januar 1978

Übersichten

H. Spiess

Kindertuberkulose heute (Tuberculosis in Infancy Nowadays) 1

W. Droese, H. Stolley, M. Kersting

„Beikost“ für Säuglinge im 1. Lebenshalbjahr bei Ernährung mit industriell hergestellten Milch-nahrungen (On Additional Food for Young Infants on Commercially Prepared Milk Formulae Before the Age of Four Months) 6

J. Lorber

Der Rückschlag des Pendels bei der Behandlung der Myelomeningocele (The Swing of the Pendulum in the Treatment of Myelomeningocele) 9

Originalien

P. Peller, O. Goetz

Lebererkrankungen und Zytomegalievirusinfektion (Hepatic Disease in Childhood and Cytomegalovirus Infection) 14

D. Schuler, T. Révész, Á. Horváth, O. Domján, L. István, P. Kassai, P. Kemény, R. Koós, M. W. Laub, K. Székely, L. Velkey, M. Vincellér, I. Virág

Ergebnisse und Probleme bei der Behandlung der kindlichen Leukämien in Ungarn (Results and Problems in the Treatment of Childhood Leukaemia) 19

H. Scherf, M. W. Köllermann, R. Busch

Nachweis antikörperbeladener Bakterien im Urin-sediment bei kindlichen Harnwegsinfektionen (Antibody-Coated Bacteria in Urine Sediment of Children with Urinary Tract Infections) 23

W. Muntean, B. H. Belohradsky, K. Riegel, W. Marget

Erkennung bakterieller Infektionen durch spezifische Antikörpertiter-Bestimmung in der

Annual subscription: DM 154, - plus postage

Neugeborenenperiode (Recognition of Bacterial Infections in Newborns by Measuring Specific Antibody-Titres) 27

H. Rosegger, W. D. Müller

Die Behandlung des Atemnotsyndroms Neugeborener mittels kontinuierlich positiven Atemweg-druckes über zwei kurze Nasentuben (Nasen-CPAP) [Clinical Experience with the Use of Continuous Positive Airway Pressure Delivered by the Nasal Route (N-CPAP)] 32

K. Schenck, G. Deegener

Zur diagnostischen Effizienz des Körper-Koordinationstests für Kinder (KTK) [On the Diagnostic Efficiency of the Body-Coordination-Test for Children (KTK)] 40

Kasuistik

W. E. Brandeis, H. Geiger, R. Hellmann

Das Nierenkarzinom im Kindesalter. Kasuistik und Literaturübersicht (Renal Cell Carcinoma in Childhood. Case Report and Review of the Literature) 44

H. Frisch, I. Hammerer, F. Bichler, P. Umach

Thrombo-embolischer Verschluss der Aorta ascendens bei hypoplastischem Linksherz-Syndrom. Plötzlicher Tod am 3. Lebenstag (Thrombo-Embolic Occlusion Disease of the Aorta Ascendens in a Patient with Hypoplastic Left Heart Syndrome) 49

K. H. Schäfer

Professor Dr. J. B. Mayer 70 Jahre 52


Tagesgeschichte 54

Indexed in Current Contents



Springer-Verlag Berlin Heidelberg New York

Atopic Allergy?



a hereditary predisposition?

"In children with a double parental history of atopic disease the incidence of such disease was higher than in children with a single such heredity in whom, however, the incidence was higher than in children without any parental history of atopic disease."

When history and examination are equivocal the use of IgE as a parameter for atopic allergy either for diagnostic or predictive purposes should be decisive.

Kjellman, N-I Max: Immunoglobulin E and Atopic Allergy in Children. Linköping University Medical Dissertations 36, 1976.

Phadebas IgE PRIST®

(Paper Radio Immuno Sorbent Test)

The test to predict atopic allergies in children.

Pharmacia Diagnostics AB
Uppsala · Sweden



Argentina Laboratorios Dr. Gador y Cia., S.A.C.I. Casilla de Correo 4041 1006 BUENOS AIRES. Australia Pharmacia (South Seas) Pty. Ltd. P.O. Box 175 4 Byfield Street NORTH RYDE N.S.W. 2113. Austria Pharmacia Gesellschaft m.b.H. Rathausplatz 4 A-1010 WIEN. Belgium N.V. Pharmacia Belga S.A. Blvd. Gen. Jacquesele 28 B-1050 BRUSSELS. Brazil Empresa Medimax Importação e Comércio Ltda. Rua Cardoso Marinho, 40 Caixa Postal 33-ZC-00 RIO DE JANEIRO. Canada Pharmacia (Canada) Ltd. 2044 boul. St. Régis Blvd. DORVAL, Québec H9P 1H6. Denmark Pharmacia AS, Herredsejlen DK-3400 HILLERÖD. Finland Pharmacia OY Norskensvägen 6, SF-02100 ESSO. France Pharmacia France S.A. Rue de Marly Parly 2 F-78150 LE CHESNAY. German Federal Republic Deutsche Pharmacia G.m.b.H. Münzinger Strasse 9 Postfach 5480 D-7800 FREIBURG. Great Britain Pharmacia (G.B.) Ltd. Paramount House 75 Uxbridge Road LONDON W5 5SS. Greece G.A. Kambanis Imports-Exports-Representations 3 Iridonou Street ATHENS 612. Italy Importex Chimici Farmaceutici S.p.A. P.O. Box 467 Via Flavia 122/124 I-34100 TRIESTE. Mexico Internacional Científica S.A. Apartado Postal 2-807 Angel del Campo 17-A MEXICO 12 D.F. The Netherlands Gist-Brocades N.V. Diagnostics Dept. P.O. Box 324 Frijsdijkstraat 7-9 RIJSWIJK (ZH) 2109. Norway Norsk Pharmacia A/S Postboks 2005 Grünerløkka OSLO 5. Portugal J.A. Baptista D'Almeida Lda. Apartado 1339 LISBOA 1. Spain Atom, Paseo del Morío 34 BARCELONA 12. Sweden Pharmacia Norden AB Diagnostics Dept. Box 159 751 04 UPPSALA 1. Switzerland Pharmacia -pdf- (Schweiz) A.G. 214 Seefeldstrasse CH-8034 ZÜRICH. USA Pharmacia Diagnostics Division of Pharmacia Inc. 800 Centennial Avenue PRISCATAYWAY New Jersey 08854. Other countries Pharmacia Diagnostics AB Box 17 5-751 03 UPPSALA 1 Sweden.

A few facts about monocomponent insulin from Europe's largest insulin manufacturer.

MC

means monocomponent, a designation unique to Novo insulins.

MC


means a level of insulin purity unique to Novo which has been characterised by the following specification:

a-component	not detectable
Proinsulin like substances	<1ppm
Glucagon like substances	<1ppm
Pancreatic polypeptide	<0.01ppm
Somatostatin	<0.01ppm
VIP (vasoactive intestinal polypeptide)	<0.01ppm

MC

means a range of insulins providing a unique combination of purity and flexibility of administration.

MC




NOVO INDUSTRI A/S
Copenhagen, Denmark

For further information (incl. data sheets) please write to:

NOVO LABORATORIES LTD
Ringway House, Bell Road,
Daneshill East, Basingstoke, Hampshire RG24 0QN.



A new cutaneous pO₂ monitor from Kontron



This new technique is being used on an increasing scale to supplement blood gas analysis of high-risk neonates by continuously monitoring and recording cutaneous pO₂ via a temperature-stable, non-invasive sensor.

Features of the new instrument include:

- ✿ Built in chart recorder
- ✿ Dual temperature setting for sensor 43°C or 44°C
- ✿ Rapid response to changes in oxygen partial pressure
- ✿ Maximum/minimum alarm call

For demonstrations and full information about this Monitor, please complete the slip below and post to Dr. Peter Hargreaves, Kontron Instruments Limited, PO Box 188, Watford WD2 4YX, or telephone Dr. Hargreaves at Watford (0923) 47666.

Please contact me to arrange a demonstration of the Kontron pO₂ Monitor*

Please send me further information about the pO₂ Monitor*

*delete as appropriate

Name Position

Address


..... Telephone No. ADC1

KONTRON

serving hospitals throughout the world





The Pathology of Pregnancy

*The Proceedings of a Symposium organized by the
Royal College of Pathologists*

Edited by Rosalinde Hurley

Feto-placental function: its nature and assessment—The histopathology of placental insufficiency H. FOX ● Uteroplacental vasculature W. B. ROBERTSON ● Assessment of feto-placental function by biochemical determinations T. CHARD ● The effects of placental insufficiency on the fetal lung J. S. WIGGLESWORTH ● Fetal blood sampling and gas exchange J. F. PEARSON

Haematological problems—Coagulation disorders JOHN BONNAR ● Haemoglobinopathies in pregnancy R. G. HUNTMAN ● Rhesus haemolytic disease C. R. WHITFIELD

Hypertension and renal disease—The histology of eclamptic lesions A. D. T. GOVAN ● Fibrin deposition in pregnancy A. L. STALKER ● Renal disease in pregnancy GEORGE WILLIAMS ● Renal function in preeclampsia C. W. G. REDMAN, L. J. BEILIN, AND J. BONNAR

Infections—Genital mycoplasmal infections: their relation to prematurity and other abnormalities of reproduction WILLIAM M. MCCORMACK ● Viral infections J. A. DUDGEON ● The acquisition of the fetus of bacterial infection in pregnancy and labour PAMELA A. DAVIES

Trophoblastic tumours—The histopathology of trophoblastic tumours C. W. ELSTON ● Immunogenetics of trophoblastic tumours SYLVIA D. LAWLER ● Endocrinology and treatment of trophoblastic tumours K. D. BAGSHAWE

Congenital abnormalities—Genetic counselling: A tool for the prevention of some abnormal pregnancies MARTIN BORROW ● Teratogens in the human: current problems D. F. HAWKINS ● Alphafetoprotein and neural tube defects D. J. H. BROCK ● Screening for fetal chromosome aberrations in early pregnancy M. A. FERGUSON-SMITH AND M. E. FERGUSON-SMITH

Price: Inland £5.00; Abroad US \$12.50, including postage

ORDER YOUR COPY NOW FROM: The Publisher, *Journal of Clinical Pathology*, B.M.A. House, Tavistock Square, London WC1H 9JR

PEDIATRIC RESEARCH

Volume 12, No. 3

March 1978


Contents

- Quantitative Analysis of Nuclear Population in Muscle from Malnourished and Recovered Children** 167
F. M. HANSEN-SMITH, D. PICOU, AND M. N. H. GOLDEN (Kingston, Jamaica, West Indies)
The purpose of this investigation was to determine the distribution of nuclei among the cell types in muscle of children before and after recovery from severe protein-energy malnutrition.
- The Lymphocyte Transformation Response of Fetal Hemolymphatic Tissue to Mitogens and Antigens** 171
D. M. MUMFORD, J. S. SUNG, J. O. WALLIS, AND R. H. KAUFMAN (Houston, Texas)
These authors report studies in an ontogenetic survey of human fetal lymphocytes stimulated with concanavalin A and specific antigens.
- Erythrocyte Membrane Proteins of Premature and Full-term Newborn Infants** 176
D. L. SHAPIRO AND P. PASQUALINI (New Haven, Connecticut)
Erythrocyte membrane proteins were analyzed by polyacrylamide gel electrophoresis to determine whether significant differences existed between the membrane proteins of premature infants, full-term infants, and adults.
- Effects of Diet and Behavior Therapy on Social and Motor Behavior of Retarded Phenylketonuric Adults: An Experimental Analysis** 179
D. MARHOLIN II, R. E. POHL III, R. M. STEWART, P. E. TOUCHETTE, N. M. TOWNSEND, AND E. H. KOLODNY (Boston, Massachusetts)
This study assesses the effect of a low phenylalanine diet on the social and motor behavior of severely retarded phenylketonuric adults.
- The Chronically Reserpinized Rat as a Possible Model for Cystic Fibrosis. VII. Alterations in the Secretory Response to Cholecystokinin and to Secretin from the Pancreas *in Vivo*** 188
J. PERLMUTTER, J. R. MARTINEZ, A. M. MARTINEZ AND C. COOPER (Columbia, Missouri)
The volume and composition of pancreatic juice secreted in response to cholecystokinin and to secretin stimulation was compared in rats treated with seven daily doses of reserpine and in untreated controls.
- Serum Bilirubin Binding Capacity and Free Bilirubin Concentration: A Comparison between Sephadex G-25 Filtration and Peroxidase Oxidation Techniques** 195
W. J. CASHORE, P. J. P. MONIN, AND W. OH (Providence, Rhode Island)
An adaptation of a peroxidase method was used to measure bilirubin binding capacity and was compared with results obtained following quantitative Sephadex gel filtration.
- Immunologic Studies in Arylsulfatase A in Normal and Metachromatic Leukodystrophy Liver** 199
E. SHAPIRA, R. R. DE-GREGORIO, AND H. L. NADLER (Chicago, Illinois)
Utilizing monospecific antisera to arylsulfatase (ASA) and its subunits, ASA was demonstrated to be composed of two immunologically distinct subunits.
- Uric Acid Metabolism in Therapy of Glycogen Storage Disease Type I** 204
P. J. BENKE AND S. GOLD (Miami, Florida)
In the present study, factors are examined which may explain lower serum uric acid in a new therapy of patients with glycogen storage disease type I.
- Neonatal Serum Bilirubin from Skin Reflectance** 207
R. E. HANNEMANN, D. P. DEWITT, AND J. F. WIECHEL (West Lafayette, Indiana)
These authors describe a method for the measurement of neonatal skin reflectance and correlate these measurements with serum bilirubin.
- Whole Body Protein Synthesis in Relation to Basal Energy Expenditure in Healthy Children and in Children Recovering from Burn Injury** 211
C. L. KIEN, D. K. ROHRBAUGH, J. F. BURKE, AND V. R. YOUNG (Cambridge and Boston, Massachusetts)
This study was designed to examine the relationship between energy expenditure and protein turnover in healthy children and in patients during varying states of recovery from burn injury.
- Iron Deficiency in the Rat: Biochemical Studies of Brain Metabolism** 217
B. MACKLER, R. PERSON, L. R. MILLER, A. R. INAMDAR, AND C. A. FINCH (Seattle, Washington)
These studies were undertaken to determine the effects of iron deficiency on brain metabolism.
-

Furadantin Suspension

(nitrofurantoin)

To prevent lower urinary tract reinfection
in childhood¹



Furadantin Suspension, the only liquid form of nitrofurantoin, is recommended for recurrent U.T.I. in childhood because it is bactericidal and specific to the urinary tract, being active in both the urine and the renal medulla.

Furadantin Suspension is rapidly absorbed in the G.I. tract and does not cause changes in the gut flora.

¹when used prophylactically in susceptible individuals

²Further information is available on request to the company

PL 0364/0010 PA 170/5/3

³Furadantin is a registered trade mark



Eaton Laboratories
Regent House, Woking, Surrey GU21 5AP