

## **Dräger '80. Pneumatic**

To save the lives of neonates and high-risk children.  
Dräger '80 - Infant ventilators and therapeutic equipment developed  
on the foundation of more than 30 years' experience in the medical  
field. Dräger '80 - The result of a development programme to meet  
the special needs of young patients with special equipment.  
We have extended the range of treatment options, thus increasing  
the chances of survival.  
Dräger '80 - Pneumatic equipment for the 80s.

**p.t.o.**



Neonates and high-risk children need to be protected and kept further in the protected environment of an incubator.

**Draeger '80** – The Standard Incubator 7010 allows the child to be under observation and provides a wide variety of therapies.

**New** – Incubator 7310 is basically like the 7010. Its design is more compact, particularly suited for carrying out simple intensive care.

Finally the Intensive care Incubator 7510 – to increase the chances of survival for children who are critically ill or recovering from surgery.

All incubators are equipped with accessories for suction, infusion, phototherapy etc. We recommend the use of the Babylog 1 ventilator for IPPV with integral PEEP, CPAP and IMV.

## **Draeger '80.** **A Comprehensive Programme** **Specifically for Paediatrics**



*Intensive care Incubator 7510*



*Incubator 7310*



*Intensive care Transport Incubator ITI 5300*



*Heated cot Babytherm 4200, Babylog 2*



*Intensive care Transport Incubator ITI 5400*

**Draeger '80 .**

Intensive care Transport Incubator ITI 5300 with built-in power supplies to meet all emergencies, for example cardiac patients. This incubator is equally suitable for use in rescue vehicles, ambulances or helicopters.

The ITI 5400 is a Transport Incubator for critically ill neonates and is truly a mobile intensive care unit with a modular ventilator and built-in accessories, for example Babylog 2, the time controlled ventilator for IPPV with PEEP and CPAP. The ITI 5400 has a radiant heater, therefore no fan is needed.

Babytherm 4200 – Heated cot, resuscitator and intensive care unit, yet not an incubator. A versatile and infinitely adaptable cot for neonates and critically ill children in the delivery room or maternity unit.

Finally DraegerService is second to none – our regular inspection, quick repairs on the spot, speedy parts service and maintenance contracts set us apart from the others. Get in touch with us.

## **Draeger'80 - DraegerService. Putting Safety First**

Drägerwerk AG  
P.O. Box 1339, D-2400 Lübeck 1  
Telephone (451) 882-1  
Telex 02 68 07

in Great Britain:

**Draeger Medical Ltd.**

Hertfordshire House  
Wood Lane, Hemel Hempstead, Herts. HP 2 4SU  
Telephone (0442) 3542, Telex 82 60 93

# CHARLES C THOMAS • PUBLISHER

---

**New! PSYCHOLOGICAL ASPECTS OF CHILDHOOD CANCER** edited by Jonathan Kellerman, *Univ. of Southern California School of Medicine, Los Angeles, California.* (23 Contributors) Practical information on psychosocial rehabilitation and on the psychological side-effects of cancer treatment is the focus of this book. A sampling of chapters includes *Illness Impact and Social Reintegration* and *Hypnosis for Symptom Amelioration*. '80, 352 pp., 25 il., 8 tables, \$32.50

**New! COMMUNICATIONS IN A HEALTH CARE SETTING** edited by Myron G. Eisenberg and Judith Falconer, *both of VA Medical Center, Cleveland, Ohio; and Lafaye C. Sutkin, VA Medical Center, Loma Linda, California.* '80, 288 pp., 11 il., 4 tables, \$19.75

**New! FACULTY DEVELOPMENT THROUGH WORKSHOPS** by Carole J. Bland, *Univ. of Minnesota Medical School, Minneapolis, Minnesota.* Foreword by Theodore J. Phillips. '80, 232 pp., cloth-\$13.50, paper-\$9.75

**THE X-RAY DIAGNOSIS OF CONGENITAL HEART DISEASE IN INFANTS, CHILDREN, AND ADULTS: Pathologic, Hemodynamic, and Clinical Correlations as Related to the Chest Film (2nd Ed.)** by Larry P. Elliott, *Univ. of Alabama School of Medicine, Birmingham, Alabama,* and Gerold L. Schiebler, *Univ. of Florida College of Medicine, Gainesville, Florida.* The authors have added new chapters on complex congenital heart disease and on analysis of cyanotic heart disease chest films. '79, 424 pp. (6 3/4 x 9 3/4), 405 il., 13 tables, \$36.50

**THE PHYSIOLOGY OF THE NEWBORN INFANT (4th Ed.)** edited by Clement A. Smith, *Harvard Medical School, Boston, Massachusetts,* and Nicholas M. Nelson, *Hershey Medical Center, Hershey, Pennsylvania.* (9 Contributors) This review of neonatal and significant prenatal physiology provides the foundation for understanding the management of hyperbilirubinemia, the prevention of hyaline membrane disease, and the approach to neonatal sepsis. '76, 784 pp. (6 3/4 x 9 3/4), 260 il., 122 tables, \$66.00

**New! FOOD ALLERGY: New Perspectives** edited by John W. Gerrard, *Univ. of Saskatchewan, Saskatoon, Saskatchewan, Canada.* (15 Contributors) Information is provided on genetic factors in food allergy of early childhood; hyperactivity and the tension/fatigue syndrome; prevention of food allergy; and related topics. '80, 312 pp., 31 il., 26 tables, cloth-\$28.50, paper-\$19.75

**New! BREATHING EXERCISES FOR ASTHMA** by Karen R. Butts, *Cerritos, California.* Foreword by Lillian W. Lindegren. Proven techniques designed to help the asthmatic child or adolescent prevent and control breathing problems are delineated in this well-illustrated manual. Control therapy is explained in relation to postural drainage and breathing exercises; prevention is outlined via static exercises for biochemical/hormonal balance. '80, 80 pp. (8 1/2 x 11), 26 il., \$11.75, spiral (paper)

**NORMAL AND ABNORMAL DEVELOPMENT: The Influence of Primitive Reflexes on Motor Development (4th Ptg.)** by Mary R. Fiorentino, *Newington Children's Hospital, Newington, Connecticut.* Foreword by Myron E. Shafer. '80, 80 pp. (6 3/4 x 9 3/4), 91 il., \$10.00


**New! MULTIPLE SCLEROSIS IN CHILDHOOD: Diagnosis and Prophylaxis** by E. J. Field, *Royal Victoria Infirmary, Newcastle Upon Tyne, England.* The author, basing his presentation on more than twenty years of research, demonstrates how a biochemical anomaly affecting unsaturated long chain fatty acids is involved in MS and is reflected in the surface membrane constitution of all body cells, including the oligodendrocyte. '80, 144 pp., 18 il. (3 in color), 17 tables, \$12.75

**THE HUMAN FETAL AND NEONATAL CIRCULATION: Function and Structure** by S. Zoe Walsh, *Karolinska Hospital and Institute, Stockholm, Sweden;* W. W. Meyer, *Univ. of Mainz, Mainz, West Germany;* and John Lind, *Karolinska Hospital and Institute, Stockholm, Sweden.* '74, 368 pp. (7 x 10), 275 il. (68 in color), 22 tables, \$19.00

---

Orders with remittance sent by air, postpaid

301-327 East Lawrence Avenue • Springfield • Illinois • 62717 • USA



**When  
efficacy  
is the need  
and safety  
the concern**

No need now to  
sacrifice efficacy for  
safety because Eumovate  
fulfils the need for a  
corticosteroid preparation  
with greater topical activity than hydrocortisone, yet  
with a wide margin of safety.

**Eumovate**

(clobetasone butyrate)

a unique balance of efficacy and safety

**Prescribing information**

Eumovate is suitable for treating the milder forms of eczema, seborrhoeic dermatitis and other steroid responsive skin conditions.

**Dosage and administration**

Apply up to four times a day until improvement occurs, when the frequency of application may be reduced.

**Contra-indications**

Bacterial, fungal or viral diseases of the skin.

**Precautions**

In infants and children, long-term continuous topical corticosteroid therapy should be avoided where possible, as adrenal suppression can occur. In infants, the nappin may act as an occlusive dressing, and increase absorption. Appropriate antimicrobial therapy should be used concurrently whenever treating inflammatory lesions which have become infected.

Any spread of infection requires withdrawal of topical corticosteroid therapy and, possibly, commencement of systemic chemotherapy.

As with all corticosteroids, prolonged application to the face is undesirable. Topical steroids should not be used extensively in pregnancy, i.e., in large amounts or for prolonged periods.

**Side effects**

In the unlikely event of signs of hypersensitivity appearing, application should stop immediately. If large areas were to be treated, some patients could absorb sufficient steroid to cause transient adrenal depression despite the low degree of systemic activity associated with clobetasone butyrate.

Local atrophic changes could occur where moisture increases absorption of steroid, but only after prolonged use.

**Basic NHS cost** (exclusive of VAT)  
25 gram tube £1.63 (also available 100 gram tubes).

**Product Licence numbers**

Cream: 4/0233  
Ointment: 4/0254

**Glaxo**

leaders in topical steroid therapy

Further information on Eumovate (trade mark) is available from:  
Glaxo Laboratories Limited  
Greenford, Middlesex UB6 0HE



# Early Human Development

AN INTERNATIONAL JOURNAL  
CONCERNED WITH THE CONTINUITY OF FETAL AND POSTNATAL LIFE

## Editor-in-Chief

**JOHN DOBBING**

Department of Child Health,  
University of Manchester,  
The Medical School, Oxford Road,  
Manchester M13 9PT, U.K.

## Associate Editors

**HEINZ F. R. PRECHTL**

Department of Developmental  
Neurology,  
University Hospital,  
Oostersingel 59,  
Groningen, The Netherlands

**JOHN C. SINCLAIR**

Department of Pediatrics,  
McMaster University,  
1200 Main Street West,  
Hamilton, Ontario, L8S 4J9, Canada

Now established as an authoritative voice on early human development, this journal provides a unique opportunity for researchers and clinicians to bridge the communications gap between disciplines. Creating a forum for the productive exchange of ideas concerning early

human growth and development, the journal publishes original research papers with particular emphasis on the continuum between fetal life and the perinatal period; aspects of postnatal growth influenced by early events; and the safeguarding of the quality of human survival.

Indexed in: Current Contents - Life Sciences, Index Medicus. Abstracted in: Brain information Service. Excerpta Medica.

## Editorial Board

**J. D. Baum**, Oxford, U.K. **Richard E. Behrman**, Cleveland, Ohio, U.S.A. **D. Campbell**, Hamilton, Ontario, Canada. **Stuart Campbell**, London, U.K. **J. R. G. Challis**, London, Ontario, Canada. **Ian D. Cooke**, Sheffield, U.K. **D. P. Davies**, Leicester, U.K. **G. Duc**, Zürich, Switzerland. **O. Finnström**, Linköping, Sweden. **Pamela Fitzhardinge**, Toronto, Ontario, Canada. **Lawrence M. Gartner**, Bronx, N.Y., U.S.A. **Gerald E. Gaull**, Staten Island, N.Y., U.S.A. **A. C. C. Gibbs**, Manchester, U.K. **H. J. Huisjes**, Groningen, The Netherlands. **David Hull**, Notting-

ham, U.K. **Marshall H. Klaus**, Cleveland, Ohio, U.S.A. **Jeanne-Claudie Larroche**, Paris, France. **G. C. Lig-gins**, Auckland, New Zealand. **Lewis P. Lipsitt**, Providence, R.I., U.S.A. **Lawrence D. Longo**, Loma Linda, Calif., U.S.A. **S. B. Lucas**, Manchester, U.K. **Julius Mestyán**, Pécs, Hungary. **Nicole Monod**, Paris, France. **Jiro Ogawa**, Nagoya, Japan. **F. A. Oski**, New York, N.Y., U.S.A. **Margaret Ounsted**, Oxford, U.K. **H. Papoušek**, Munich, F.R.G. **J. Patrick**, London, Ontario, Canada. **Martin P. M. Richards**, Cambridge, U.K. **Jean Sands**, Manchester, U.K. **Lauri Saxén**, Helsinki, Finland. **F. J. Schulte**, Göttingen, F.R.G. **B. Smith**, Boston, Mass., U.S.A. **Mervyn Susser**, New York, N.Y., U.S.A. **J. Volpe**, St. Louis, Mo., U.S.A. **Peter H. Wolff**, Boston, Mass., U.S.A.

## Publication Schedule and Subscription Information

1980: Volume 4 in 4 issues  
Subscription Price: US \$ 82.00 /  
Dfl. 160.00 including postage  
ISSN 0378-3782

## ELSEVIER/NORTH-HOLLAND BIOMEDICAL PRESS

For further information and/or free sample copy please write to:

In the U.S.A. and Canada:  
JOURNAL INFORMATION CENTER  
Elsevier Science Publishers  
52 Vanderbilt Ave.,  
New York, NY 10017, U.S.A.

In all other countries:  
ELSEVIER/NORTH-HOLLAND  
BIOMEDICAL PRESS  
P.O. Box 211, Amsterdam, 1000 AE,  
The Netherlands

Please send your orders to the Amsterdam address.

The Dutch guilder price is definitive. US \$ prices are subject to exchange rate fluctuations.

# New to the UK NENATAL

## the special formula for low birth-weight babies

New to the UK, NENATAL is the first product to be specifically formulated to meet the rapid growth requirements of small-for-dates and premature babies. As such, it offers a more appropriate nutritional profile than pooled breast milk or full-term formula feeds.

Please send for:

"Nenatal and the Nutritional Needs of the Low birth-weight Infant"  
—an important review of current concepts including an  
extensive reference section.



ROUSSEL  NUTRITIONAL DIVISION

Roussel Laboratories Limited,  
Roussel House, Wembley Park,  
Middlesex HA9 0NF

# Diseases of Connective Tissue

*The Proceedings of a Symposium organised by  
The Royal College of Pathologists*

**Edited by D. L. Gardner**

**The cells**—Fibroblasts ● Chondrocytes ● Synoviocytes ● The muscle cell ● **Extracellular materials**—Collagens ● Collagen and elastin fibres ● Basement membrane ● Proteoglycans of cartilage ● **Disease mechanisms**—Diseases of the collagen molecule ● Molecular abnormalities of collagen ● Lysosomes and the connective-tissue diseases ● **Genetic disease**—HLA system and rheumatic disease ● Replacement therapy in the mucopolysaccharidoses ● Genetic disease and amyloid ● **Inflammation and fibrosis**—Rheumatoid arthritis—a virus disease? ● Systemic lupus erythematosus—an autoimmune disease? ● Hepatic cirrhosis—a collagen formative disease? ● Fibrosis of lung—an environmental disease? ● **Kettle Memorial Lecture**—Atherosclerosis—disease of old age or infancy? ● **Structural and metabolic disease**—New knowledge of connective tissue ageing ● New knowledge of osteoarthritis ● New knowledge of intervertebral disc disease ● New knowledge of the pathogenesis of gout ● New knowledge of chondrocalcinosis ● **A consensus**—Connective tissue diseases: A consensus.

**Price: Inland £6.00; Abroad US\$15.00, including postage**

Payment must be enclosed with order or a surcharge of 50p will be made for rendering invoices and statements

The Publisher, *Journal of Clinical Pathology*, B.M.A. House, Tavistock Square,  
London WC1H 9JR

## New Books and new editions to keep you up to date

### Child Health In The Community

Edited by *Ross G. Mitchell*

1980 Second edition 368 pages illustrated hardback  
£16.00

A highly authoritative book embracing all aspects of child care in the community, which has been wholly revised, updated and expanded for this edition.

Reviews of the first edition include:

'... outstandingly valuable ... excellent, concise contributions ... this book is a milestone.'

*Developmental Medicine and Child Neurology*

### Advances in the Management of Cleft Palate

Edited by *M. Edwards* and *A. C. H. Watson*

1980 312 pages 97 half-tone + 73 line illustrations hardback £12.00

A much needed up to date account of all aspects of the current management of cleft palate and lip, written by an interdisciplinary team of experts.

### Acute Renal Failure

(Clinics in Critical Care Medicine Series Volume 1)

Edited by *Antoine Chapman*

1980 192 pages illustrated hardback £15.00

Provides practical, current information on the pathogenesis, diagnosis and management of patients with acute renal failure, covering its management in paediatric practice.

*Forthcoming*

### Major New Textbook

#### Essential Paediatrics

*David Hull* and *Derek I. Johnston*

316 pages 250 two colour illustrations 37 tables hardback £17.00  
paperback £10.00

Contains the essential core of knowledge required by students during their clinical course, providing a firm foundation for practical experience. Superbly illustrated with coloured drawings derived from slide packages which are closely integrated with the text.

*Important New Series*

### Modern Paediatric Cardiology

*Volume 1*

#### Clinical Diagnosis in Pediatric Cardiology

*J. R. Zuberbuhler*

A concise monograph presenting a distillate of modern clinical facts about the diagnosis of congenital heart disease.

**Churchill Livingstone**



Robert Stevenson House, 1-3 Baxter's Place, Leith Walk, Edinburgh EH1 3AF





# European Journal of Pediatrics

Volume 134 Number 2 August 1980

## The Pioneers of Pediatric Medicine 93

### Annotation

**W. Schröter:** Glycosylated Hemoglobins and Diabetes Mellitus 95

### Original Investigations

**S. Nagayoshi, H. Yamaguchi, T. Ichikawa, M. Miyazu, T. Morishima, T. Ozaki, S. Isomura, S. Suzuki, M. Hoshino:** Changes of the Rotavirus Concentration in Faeces During the Course of Acute Gastroenteritis as Determined by the Immune Adherence Hemagglutination Test 99

**W. M. Teller, B. Raue, S. B. Pal:** Urinary Excretion of  $\Delta^5$ -Pregnenetriol (5-Pregnene-3 $\beta$ ,17 $\alpha$ -20-triol) in Healthy Children 103

**C. Bachmann, J. P. Colombo:** Diagnostic Value of Orotic Acid Excretion in Heritable Disorders of the Urea Cycle and in Hyperammonemia due to Organic Acidurias 109

**U. Langenbeck, Abdolwahab Behbehani, A. Mench-Hoinowski, M. Petersen:** Absence of a Significant Renal Threshold for Two Aromatic Acids in Phenylketonuric Children Over Two Years of Age 115

**T. Meloni, S. Erre, D. Gallisai, S. Cutillo:**  $\beta$ -Thalassemia Trait and Hyperbilirubinemia in G-6-PD Deficient Newborn Infants 119

**S. Okahata, Y. Nishi, S. Hatano, Y. Kobayashi, T. Usui:** Changes in Erythrocyte Superoxide Dismutase in a Patient with Copper Deficiency 121

**D. Bratlid, P. J. Moe:** Hemoglobin and Serum Ferritin Levels in Mothers and Infants at Birth 125

**M. Hallmann, K. Kankaanpää:** Evidence of Surface Deficiency in Persistence of the Fetal Circulation 129

**W. Muntean, W. Petek:** Lupus Anticoagulant After Measles 135

**H. J. Bruyere Jr., C. Visser, J. M. Ohta, L. O. Langeter Jr., S. Ishikawa, E. G. Cant:** A Fetus with

Upper Limb Amelia, "Caudal Regression" and Dandy-Walker Defect with an Insulin-Dependent Diabetic Mother 139

**Ch. Bosch, M. Becker, H. W. Rotthauwe, W. Opferkuch:** Complement Studies in Children with Treated Coeliac Disease After Gluten Challenge 145

**B. Koehler:** Benign Paroxysmal Vertigo of Childhood: A Migraine Equivalent 149

### Short Communications

**M. Gabriel, U. Helmin, M. Albani:** Sleep Induced  $PO_2$ -Changes in Preterm Infants 153

**A. A. Roscher, A. Thetter, U. N. Wiesmann, F. Vassella:** Elevated CSF Cyclic AMP Concentrations in Patients with Inflammatory Diseases of Cerebral and Extracerebral Origin 155

**M. Le Lous, M.-C. Hors-Cayla, G. F. M. Hendrickx, P. Maroteaux:** Normal Lipid Composition of Fibroblasts from a Case of Type II Achondrogenesis 159

### Case Reports

**R. C. A. Sengers, A. M. Stadhouders, H. H. J. Jaspard, K. J. B. Lamers, J. M. F. Trijbels, S. L. H. Notermans:** Muscle Phosphorylase Deficiency in Childhood 161

**N. Böhm, G. Krebs:** Solitary Rhabdomyoma of the Heart. Clinically Silent Case with Sudden, Unexpected Death in an 11-Month-Old Boy 167

**D. Lindhout, P. G. Barth, J. Valk, T. N. Boen-Tan:** The Joubert Syndrome Associated with Bilateral Chorioretinal Coloboma 173

**A. Hanukoglu, D. Fried, A. Gotlieb:** Dyphenhydantoin Induced Hypersensitivity Reaction with an Unusual Pupillary Skin Lesion 177

Announcements 180

Indexed in Current Contents

**Subscription Information:** Volumes 133 and 134 (3 issues each) will appear in 1980. Information about obtaining back volumes and microform editions available upon request.

**North America:** Subscription rate: \$ 317.00, including postage and handling. Subscriptions are entered with prepayment only. Orders should be addressed to: Springer-Verlag New York Inc., Journal Sales Department, 44 Hartz Way Secaucus, NJ, 07094, USA. Tel. (2 01) 3 48-40 33. Telex 0023125 994

**Japan:** Subscription rate: DM 588.— including postage (surface airmail lifted) and handling. Orders can either be placed with your bookdealer or sent directly to: Springer-Verlag KG, Heidelberger Platz 3, D-1000 Berlin 33, Tel. (0 30) 82 07-1, Telex 01-83 319.

**All Other Countries:** Subscription rate: DM 556.—, plus postage and handling. Orders can either be placed with your bookdealer or sent directly to: Springer-Verlag KG, Heidelberger Platz 3, D-1000 Berlin 33, Tel. (0 30) 82 07-1.



Springer International



## C IS FOR COWS MILK INTOLERANCE?

It has long been recognised that cow's milk intolerance in infants may be responsible for failure to thrive, characterised by a number of symptoms, including diarrhoea, colic, eczema, asthma, wheezing and many more.

This variety of symptoms makes the diagnosis difficult and estimates of the incidence of cow's milk intolerance range between 0.3% and 75% of infants, which means that up to 1 in 13 may be affected.

But one thing is certain, the logical treatment requires the complete avoidance of cow's milk: In young infants who are not entirely breast fed, and in older babies and children after weaning, this presents a difficult problem. In the past, there has been no nutritionally suitable, economical and convenient alternative to milk feeds.

But now Wyeth, the makers of S-M-A, have introduced Wysoy.\*

Wysoy is an infant formula, which is prepared from soy bean protein isolate, and is devoid of milk proteins and of lactose. Yet it still provides complete and balanced nutrition for infants, without the need for supplements. It may

also be used in place of cow's milk for older babies and children.

It is available in ready-to-feed form for hospitals and, for the home, in easily reconstituted powder form.


### MILK-FREE FORMULA FOR INFANTS AND CHILDREN

Wysoy is a formula of high nutritional value for infants and children with special feeding needs.

Professional advice should be followed on matters of infant feeding. Wysoy milk-free food formula is intended to meet the nutritional needs of infants and children who are allergic to cow's milk proteins or intolerant to lactose.

Wyeth Laboratories,  
Huntercombe Lane South,  
Taplow,  
Maidenhead,  
Berkshire.

\*Trade Marks



**Milk-free nutrition for infants and children from the makers of S-M-A.\***



**CIBA**

© 1978 Ciba-Geigy Inc.  
All rights reserved.  
Ciba-Geigy Inc., Summit, NJ 07998  
Ciba-Geigy Ltd., Basel, Switzerland

**Prescribing Notes**

Indications: Liorexal is indicated for the relief of spasticity in multiple sclerosis, other spinal lesions, and also for the treatment of spasticity of cerebral origin in children and young adults (under 25 years of age). Dosage: It is advisable to commence treatment with Liorexal at a daily dosage of 15mg, taken in three divided doses, increasing slowly at intervals of at least 3 days, until the optimum effect is achieved. Satisfactory control is usually obtained with doses up to 60mg daily, but careful adjustment is often necessary to meet the requirements of individual patients. A maximum daily dose of more than 100mg is not advised unless the patient is in hospital and under careful supervision. There have been no reports of tolerance. Side effects: Nausea, vomiting, daytime sedation and confusion, muscle hypotonia and fatigue. Precautions: History of peptic ulceration; severe psychiatric disturbances; concurrent administration of anti-hypertensives; epilepsy; cerebrovascular disease; first three months of pregnancy. Each Liorexal is supplied as 10mg tablets of baclofen in Sacutin® tainer packs of 100. Basic NHS price £11.85 PLD009/0053.

---

# Monatsschrift für Kinder— heilkunde

---

Organ der Deutschen Gesellschaft für Kinderheilkunde

---

128. Band · Heft 6 · Juni 1980

## Übersichten

### M. Holm-Hadulla

Enuresis. Ätiologische Vorstellungen und therapeutische Möglichkeiten [Enuresis. Aetiological Approaches and Therapeutic Strategies] 393

### F. Daschner

Sinnvolle Desinfektion in Kinderkliniken [Useful Disinfection in Paediatric Clinics] 400

## Originalien

### H. Breithaupt, F.-J. Zerm †, H.-P. Bestehorn, G. Hildebrandt

Über die Frequenzbeziehung von Puls und Atmung im Kindesalter [On the Relationship Between the Frequency of Pulse and Respiration in Children] 405

### G. Wolff, N. Böhm, W. Pringsheim

Kongenitaler Zwerchfelldefekt bei Geschwistern. Zwei Fallberichte [Congenital Defects of the Diaphragm in Siblings. Two Case Reports] 412

### W. Droese, H. Stolley, M. Kersting

Energie- und Nährstoffversorgung im Verlauf der Kindheit. VII. Vitamine [Energy and Nutrient Supply During Childhood. VII. Vitamins] 415

### M. Borkenstein, G. Stöffler, W. Stögmann, G. Fueger, W. Falk

Normwerte für zirkulierende Schilddrüsenhormone,  $T_3$ Uptake und Thyrotropin vor und nach TRH-Gabe. Radioimmunoassay Bestimmungen an 182 euthyreoten Kindern [Normal Values for Circulating Thyroid Hormones,  $T_3$ Uptake and Thyrotropin Before and After TRH. Radioimmunoassay Determinations on 182 Euthyroid Children] 422

### F. Kotlarek, H. Zeumer

Computertomographische Detailhinweise bei neurologischen Funktionsstörungen des ZNS in der Neugeborenenperiode [Computertomographical Details of Neurological Syndromes in the Newborn Period] 428

## Kasuistik

### H. Stegner, W. Evert, G. Gaedicke

Glykogenose Typ I mit normaler Aktivität der Glucose-6-Phosphatase in vitro [Glycogen Storage Disease Type I with Normal In Vitro Activity of Glucose-6-Phosphatase] 432

### J. Kreisinger, J. Janda

Zweiterkrankung eines hämolytisch-urämischen Syndroms bei einem 8jährigen Mädchen [Recurrent Hemolytic Uremic Syndrome] 435

### Th. Riebel

Phlebographie bei Kindern mit Varikozele [Phlebography in Children with Varicocele] 438

## Diskussionen

### H. Stolley, W. Droese

Schlußwort zur Diskussionsbemerkung von W. Goebel und Ch. Rehm zur Arbeit „Zur Frage Nitratgehalt in Karotten für den Säugling in den ersten Lebensmonaten“, Monatsschr. Kinderheilkd., S. 100 (1978) 441

## Laudationes

Professor Dr. Friedrich Hartmut Dost 70 Jahre 442

Professor Dr. Heinz Spiess 60 Jahre 442

## Buchbesprechungen 443

Tagesgeschichte 444

---

Annual subscription: DM 188, - plus postage



Indexed in Current Contents

Springer-Verlag Berlin Heidelberg New York

Monatsschr. Kinderheilkd. ISSN 0026-9298 MOKIAY 128 (6) 393-444 (1980)

# *Reduced Subscription Rates for Junior Hospital Doctors Residents and Interns...*

## **Archives of Disease in Childhood**

**is available to junior hospital doctors  
in all parts of the world for a maximum  
of four consecutive years at REDUCED  
Annual Subscription Rates.**

**(Thereafter, or when reaching  
consultant status this special offer  
will no longer apply.) The following  
reduced rates are unchanged for the  
twelve issues published in 1980.**

**Inland £17.00**

**Overseas US\$40.00**

(The full rates are: Inland £29.00; Overseas US\$70.00)

*The opportunity to subscribe to this  
journal of international authority and  
repute at a substantially reduced  
subscription rate is one not to be  
missed by junior doctors seeking to  
specialise in paediatrics.*

*Please complete the adjacent order  
form and send for your subscription  
NOW.*

*Further order forms can be supplied  
on request.*

### **ORDER FORM**

BMA Publications  
BMA House, Tavistock Square  
London WC1H 9JR, England

*Please enter my subscription to*  
ARCHIVES OF  
DISEASE IN CHILDHOOD

- United Kingdom and  
Irish Republic £17.00
- Overseas US\$40.00
- My remittance for.....  
is enclosed

*(Please tick appropriate boxes)*

NAME.....

ADDRESS .....

**To be completed by Consultant**  
*I hereby confirm that the above  
mentioned doctor is a member  
of the junior hospital staff/  
resident/intern at .....*

Signed.....

# **Archives of Disease in Childhood**

---

# PEDIATRIC RESEARCH

Volume 14, No. 10

October 1980

---

## Contents

- Science and Scholarship in Pediatrics. Presidential Address, American Pediatric Society, 1979 Annual Meeting, Atlanta, Georgia .....  
N. KRETCHMER (Bethesda, Maryland)
- Twin Siblings with a Reye's-Like Syndrome Associated with an Abnormal Organic Aciduria, Hypoglycemia, Diarrhea, and Vomiting with Close Similarities to Jamaican Vomiting Sickness .....  
R. A. CHALMERS, A. M. LARSON, A. WHITELAW, AND P. PURKISS (Harrow, United Kingdom)      Close clinical and biochemical similarities between observed Reye's-like syndrome and Jamaican vomiting sickness in twin infants suggest a similar etiology in these cases.
- Patterns of Fetal Lamb Regional Cerebral Blood Flow during and after Prolonged Hypoxia .....  
S. ASHWAL, J. S. MAJCHER, N. VAIN, AND L. D. LONGO (Loma Linda, California)      Cortical, subcortical, and brainstem blood flow was measured in control and fetal lambs during intrauterine hypoxia.
- Ontogeny of Secretory Immunity: Levels of Secretory IgA and Natural Antibodies in Saliva .....  
G. R. BURGIO, A. LANZAVECCHIA, A. PLEBANI, S. JAYAKAR, AND A. G. UGAZIO (Pavia, Italy)      Levels of stimulated and unstimulated secretory IgA, free secretory component, and antibody titers were assayed in healthy subjects 2 months to 27 years of age.
- Racial Differences in Encounter Rates for Otitis Media .....  
P. J. BUSH AND D. L. RABIN (Washington, D. C.)      This study investigates factors that affect the incidence of otitis media in clinical practice.
- The Effect of Chronic Furosemide Administration on Urinary Calcium Excretion and Calcium Balance in Growing Rats .....  
B. L. WARSHAW, S. K. ANAND, A. KERIAN, AND E. LIEBERMAN (Los Angeles, California)      This study reports that furosemide-treated rats developed increased urinary calcium excretion over a 25-day period with deleterious effects on the calcium balance.
- Paradoxical Reduction in Tissue Hydration with Weight Gain in Neonatal Rabbit Pups ..  
D. M. COULTER AND M. E. AVERY (Boston, Massachusetts)      This study identifies the tissue sources of neonatal body water losses and describes the relationship between these fluid fluxes and fluid intake during the first 72 hr of life.
- Propionate Inhibition of Succinate: CoA Ligase (GDP) and the Citric Acid Cycle in Mitochondria .....  
D. A. STUMPF, J. MCAFEE, J. K. PARKS, AND L. EGUREN (Denver, Colorado)      This study suggests that propionyl CoA inhibition of succinate: CoA ligase may explain impaired oxidative metabolism produced by propionate and discusses a clinical therapeutic model for this condition.
- Continuous Positive Airway Pressure Impairs Renal Function in Newborn Goats .....  
J. E. FEWELL AND J. B. NORTON (Little Rock, Arkansas and San Francisco, California)      The authors report the effect of continuous positive airway pressure on urine flow, sodium excretion, and glomerular filtration rate in neonatal goats.
- Hidden 19S IgM Rheumatoid Factor in Juvenile Rheumatoid Arthritis .....  
T. L. MOORE, R. W. DORNER, T. D. WEISS, A. R. BALDASARE, J. ZUCKNER (St. Louis Missouri)      The authors report that hidden 19S IgM rheumatoid factor was isolated in 68% of patients with juvenile rheumatoid arthritis and suggests it to be an important predictive marker of disease activity.
- The Effect of Penicillin on the Mortality of Splenectomized Mice Exposed to an Aerosol of *Streptococcus Pneumoniae* Type 3 .....  
J. D. DICKERMAN, B. CHALMER, AND S. R. HORNER (Burlington Vermont)      The prophylactic effects of procaine penicillin were investigated in splenectomized mice exposed to type 3 *S. pneumoniae*.
-