all hospital departments has the potential to be effective in improving paediatric prescribing practice. The WBLM must work in conjunction with other measures to address human and system factors in prescribing errors. These effects should be studied with ongoing PDSA cycles.

G539(P) TRAINEE-LED QUALITY IMPROVEMENT IN ENHANCING SERVICE IN COMMUNITY PAEDIATRICS

EC Ferguson, CL Enevoldson, C Harrison, S Hashmi, E Nagmeldin, S Suri. *Department of Paediatrics, Rotherham NHS Foundation Trust, Rotherham, UK*

10.1136/archdischild-2015-308599.490

Context We planned to address two key areas of service provision in our secondary level hospital.

Firstly, in keeping with many Community Paediatric Departments, our hospital has experienced an increase in the number and complexity of referrals. As a result many families had long waits for consultations.

Secondly in our trust safeguarding work had historically represented a large proportion of the acute workload.

Problem and Assessment 1. Child Development Centre (CDC) appointments

Long waiting lists for medical appointments were negatively affecting patient care. The department was not compliant with the NICE guidance on the timeframe for assessment of children with possible social communication disorders. Patient satisfaction surveys had also identified this as an area of concern for families.

2. Child Protection Assessments

Vulnerable children completed with acute admissions for assessments and were often seen out of hours, when Consultant medical staff were not on site. Social Care had highlighted concerns about long and unpredictable waits for assessments.

Intervention Firstly, trainees in consultation with their consultant supervisors developed a flexible clinical arrangement to target service provision and meet community competencies in the CDC setting. Trainees were expected to complete six CDC clinics during their six month rotation, which were tailored to the trainee's acute rota.

Secondly, a daily child protection medical clinic was implemented and delivered by trainees under consultant supervision. Monthly safeguarding peer review meetings were initiated in line with Royal College of Paediatrics and Child Health guidance to provide support and facilitate training in this area.

Strategy for change To instigate and review the response to change, the Plan-Do-Study-Act (PDSA) cycle was used. An initial multi-disciplinary team (MDT) meeting was used to formalise plans and disseminate information, with three monthly MDT feedback meetings planned.

Measurement of improvement During the initial six month period, review of waiting lists has shown that trainee delivered CDC clinics have resulted in a reduction of waiting lists by 56 patients (the equivalent of 0.4 PA Consultant time). Urgent new patient appointments have fallen from 12 to 0, although routine new patient appointments have increased from 45 to 68. Feedback from the MDT is largely positive.

Review of child protection referrals has shown that following the instigation of child protection medical clinics the number of assessments occurring out of hours has fallen to 19% compared to 44% previously. 81% of children are now seen at a prearranged time, without delay, compared to approximately 23%

previously. Trainees report feeling more supported in carrying out safeguarding work.

A repeat CDC patient satisfaction survey and a planned audit of the child protection clinics will provide further feedback on the success of these interventions, which will lead to further action (PDSA).

Effects of changes Developing a flexible approach to encompass trainees' acute commitments, has required meticulous planning. Room availability was an unexpected factor needing close consideration in the plans. Involvement of trainees has required support and supervision both from Consultants, and the wider MDT, thus requiring some changes to their previous practice.

Lessons learnt Managing a change in service provision requires consideration of many different priorities. When trainees take a key role, it ensures the changes work at their level.

Message for others Working within the European Working Time Directive and today's financial constraints, a flexible approach to service provision is necessary. This initiative has highlighted that direct trainee involvement in the design of service delivery can result in significant changes that benefit patients, trusts and trainees alike. Moreover this venture has enhanced community training, as well as providing trainees with valuable experience in management of change.

G540(P) AN IMPROVEMENT PROJECT TO REDUCE CENTRAL LINE ASSOCIATED BLOOD STREAM INFECTION (CLABSI) IN NEWBORN INFANTS

¹S Mohamed Cassim, ²C Skiffington, ³C Lucas, ^{1,2}D Anand. ¹Neonatology, The Royal Hospital for Sick Children Yorkhill, Glasgow, UK; ²Medicine, University of Glasgow, Glasgow, UK; ³Microbiology, The Royal Hospital for Sick Children Yorkhill, Glasgow, UK

10.1136/archdischild-2015-308599.491

Context The work is being done in a level 3 neonatal unit providing intensive care for babies with surgical, cardiac, ENT and other complex problems requiring both neonatal and paediatric specialist input. All infants admitted between December 2010 and June 2014 with central lines (CL) and those that were sited during the admission period were included.

Problem There were concerns among staff regarding high rate of CLABSI and lack of standardised management of CL. This was resulting in increased morbidity and length of stay.

Assessment of problem and analysis of its causes The baseline CLABSI rate was quantified in the first 4 months by monitoring infection in all infants with CL. CLABSI was identified using pre-defined criteria. Champions were identified from all staff groups and a multidisciplinary team was formed. The practice of line insertion and maintenance; and published literature was reviewed to identify potential problems and areas for improvement. An improvement project charter was developed describing the aims and objectives, components of the care bundle and plan for measuring and monitoring of processes and outcomes.

Intervention The intervention was a care bundle comprising of 1) line trolley with standardised equipment 2) hand hygiene 3) standardised checklist of techniques for aseptic insertion and maintenance of CL 4) daily review of need for CL.

Study design The study was designed using improvement methodology. A base line rate of CLABSI per 1000 central line days (CLD) was monitored monthly during the first four months, followed by implementation of care bundle and monthly monitoring of CLABSI rates for rest of the study period.

Strategy for change Through teaching sessions and meetings, all staff were informed of the base line CLABSI rates and the

proposal to initiate an improvement project. Structured education and training was carried out by the champions in the multi-disciplinary group. Every month, a consultant neonatologist and clinical scientist in microbiology reviewed the infections for diagnosing CLABSI. Data is displayed in the unit to feedback to the staff. The initial timescale for change was 4 months.

Measurement of improvement The measurement for improvement was done through monitoring process and outcome measures. The process measures monitored were compliance with 1) hand hygiene 2) using insertion and maintenance checklists 3) changing of dressings on surgically inserted CL once a week 3) changing of hubs twice a week and 4) removing lines when not required. The data was analysed using Statistical Process Charts. Run charts were used for process measures and control charts were used for outcome measures.

Between December 2010 and June 2014, 350 children had 571 central lines during their stay. Of these, 315 were peripherally inserted central catheters (PICC), 161 were surgically inserted central catheters (SICC) and 95 umbilical lines. Together they amounted to 12,204 CLD. There were 53 CLABSI resulting in the overall rate of 4.3/1000 CLD. However, the base line rate between December 2010 and March 2011 was 8.3/1000 CLD and post intervention the rate has fallen to 3.7/1000 CLD (Figure 1).

Effects of changes The CLABSI rate was reduced by 55%. It could be inferred that in a similar proportion of patients it may have reduced the morbidity and length of stay. It is suggested that each CLABSI increases the length of stay by 3 weeks and cost of care by £10 000.

Due to problems with person dependency, CLABSI rate increased in the second year but once this issue was addressed, improvement was regained.

Lessons learnt We learnt to avoid person dependency and build CL surveillance into routine daily work.

Message for others Through this project we demonstrated that improvement methodology has a potential role in ensuring reliable delivery of evidence based medicine and improving outcomes.

G541(P) IMPROVING THE EFFICIENCY OF PROCEDURE LISTS IN PAEDIATRIC HAEMATOLOGY-ONCOLOGY - A QUALITY IMPROVEMENT PROJECT

F Kagalwala, H Salam, V Grandage, H Burgess, L Brown. *Paediatric Oncology, University College London Hospitals NHS Trust, London, UK*

10.1136/archdischild-2015-308599.492

Background Childhood cancer incidence is increasing in the United Kingdom with an average of 1574 new cases diagnosed per year. Bone marrow aspiration and delivery of intrathecal chemotherapy are routine procedures in paediatric haematology-oncology. National Institute of Clinical Excellence (NICE) Improving Outcomes in Children and Young People with Cancer acknowledges the importance of dedicated theatre slots to reduce delays in diagnosis and therapy. To ensure high quality safe patient care efficient organisation and smooth running of procedure lists is paramount.

Context This Quality Improvement Project was carried out in the Paediatric haematology-Oncology department of a tertiary oncology hospital over 5 months. It involved oncology doctors, the anaesthetics, oncology day care nurses, theatre staff, porters and laboratory staff.

Problem There were frequent delays in starting the list and interruptions resulting in the list overrunning causing staff and patient dissatisfaction and late arrival of bone marrow and lumbar puncture samples to the laboratory.

Assessment of problem and analysis of its causes Meetings with stakeholders were held to discuss the current status, identify obstacles and possible solutions. An initial audit over one month was performed to identify the start and finish times and document the reasons for delay.

The audit highlighted the following:

1. Inadequate training and use of staff resources.
2. Poor time management
3. Inadequate booking system for appointments
4. Late sample delivery to the laboratory

Abstract G540(P) Figure 1 Rate of Central line associated blood stream infection per 1000 central line days