

VITAVEL SYRUP

**VITAMIN
SUPPLEMENT
FOR ALL AGES**

Here is a liquid vitamin supplement that is truly delicious—Vitavel Syrup. This careful blend of real orange juice and liquid glucose with vitamins A, B₁, C and D is readily accepted by patients of all ages and dispositions.

One fluid ounce contains at time of manufacture:—

VITAMIN A 20,000, i.u. VITAMIN D 3,000 i.u. VITAMIN B₁ 4 mg.
VITAMIN C 80 mg. LIQUID GLUCOSE B.P. 25% w/v.

Basic price to N.H.S. 6 fl. ozs. 2/6, 40 fl. ozs. 16/-

BEMAX *stabilized wheat germ*

This richest natural vitamin-protein-mineral supplement is now available in two flavours, plain Bemax and chocolate-flavoured Bemax (of special appeal to children).

PREGNAVITE *during pregnancy*

A comprehensive vitamin-mineral supplement specifically designed to supply the enhanced dietary needs of pregnancy.

*Basic price to N.H.S.
1,000 tablets 32/9.*




VITAMINS LIMITED

(DEPT. BB6) UPPER MALL LONDON W.6.

WHEN REPOSE IS A REQUISITE

Anxiety plays its part in every illness. It produces a tense, disturbed atmosphere for treatment. It often intensifies symptoms. Whenever or however it arises, anxiety cannot be ignored for its control is important to the patient's progress, even though specific treatment for the original illness may have been instituted.



Equanil cannot remove the cause of anxiety. What it does, however, is to restore the patient's shattered repose safely, effectively and reliably by relaxing mind and muscle, thus enabling him to view his behaviour in a clearer, dispassionate light.

EQUANIL

 (MEPROBAMATE)

PACKS: Bottles of 20 and 250×400 mg. tablets.

The word 'Equanil' is the registered trade mark of

JOHN WYETH AND BROTHER LIMITED, CLIFTON HOUSE, EUSTON ROAD, LONDON, N.W.1

*Illustration:—
A detail from An Old Woman Sewing XVIIth Century Dutch School. Reproduced by permission of the Trustees of the National Gallery.
E.3.*

For the medical treatment of hypertrophic pyloric stenosis

SKOPYL

BRAND OF METHYL SCOPOLAMINE NITRATE

a powerful antispasmodic without central depressant action

SKOPYL* is one of the most powerful spasmolytics known, the effect in vitro being five times greater than that of atropine, and ten times greater than that of scopolamine. The toxicity is three times that of scopolamine. Because of the greater activity the dose and the relative toxicity are correspondingly less.

SKOPYL has been in clinical use for about ten years. Comprehensive experience has shown the preparation to be especially valuable in all conditions where spasmolysis and inhibition of secretion is desirable. Side-effects are rare and usually very slight, even when large doses are used.

IT IS in paediatrics that SKOPYL is most useful, and the value of the preparation is best seen in the treatment of hypertrophic pyloric stenosis, where it has been proved able to replace surgery in many cases. Good results have also been obtained in infantile dyspepsia, and during the spasmodic period in pertussis.

For clinical references and directions for dosage, see a special booklet that will be sent on request.

SKOPYL is available in tablets of 0.5 mg. and 0.1 mg. (SKOPYL MITE), and in 0.25% w/v solution for sublingual use.



PHARMACIA Ltd.

UPPSALA, SWEDEN

*represented by***SAVORY & MOORE, LTD.**

61 Welbeck Street, London, W.1



appetite must be controlled

Fat people die first — as any insurance company knows. To live longer, they must eat less.


'Dexedrine' is the safe, *effective* drug for the control of appetite in weight reduction. 'Dexedrine' not only makes it easier for the patient to eat less, but also prevents the irritation and depression that so often accompany the start of a reducing regimen.

Dexedrine

 — *safe, effective* appetite control

Smith Kline & French Laboratories Ltd.
Coldharbour Lane, London SE5

on to Farex



...and on ...and on



Although valued primarily for its success in introducing the infant tranquilly to the extra nutrients needed at weaning time, Farex is wisely—and widely—continued throughout the formative years. Its formula is designed to ensure that whatever other food the diet includes, a basic daily meal of Farex will provide an adequate ration of the formative nutrients the child needs.

In addition to wheat, oat and maize flours constituting a well balanced ration of fat, carbohydrate and tissue-building protein, Farex contains extra calcium and phosphorus for bone and teeth development, with added vitamins B₁, B₂ and D, plus iron for the blood.

Farex can be given a variety of flavourings.

FAREX 3 cereal food

TRADE MARK

In 10oz. cartons.

Into Farex goes all the experience of Glaxo Laboratories

GLAXO LABORATORIES LTD., GREENFORD, MIDDLESEX

BYRon 3434

**ECZEMA ?
INFECTION ?
OR BOTH ?**

The Difficult Diagnosis

Diagnosis between an infected skin condition
and an eczema is sometimes difficult

Cortibiotic



skin ointment

1.5% of Soframycin and 0.5% of prednisolone in
a bland water-miscible vehicle in 5 and 15G. tubes

Cortibiotic ointment covers both possibilities, as the
Soframycin controls the infection, while the prednisolone
checks the eczema.

Indications

Infected eczemas
Infected pruritic lesions
Otitis externa
Infected angular stomatitis
Intertrigo



847 HARROW RD.,
LONDON, N.W.10.

pleasant-tasting

Paladac



liquid


vitamin

supplement

Children take Paladac without fuss or bother because it "tastes good".

Mothers like to give it because Paladac is readily accepted, flows freely, needs no refrigeration, and may be added to milk, fruit juice and other foods, or taken direct from a teaspoon.

Doctors can prescribe Paladac with confidence since it provides a reliable daily source of vitamins—one 4 c.c. teaspoonful supplies 7 vitamins in amounts exceeding minimum daily vitamin requirements.



Primarily intended for the 3-10 age-group, Paladac is equally suitable for adolescents and adults where liquid medication may be preferred.

Paladac is supplied in bottles of 4 and 16 fl. oz.

Each teaspoonful (4 c.c.) contains:—Vitamin A 5,000 units, Vitamin D 1,000 units, Vitamin B₁ (Aneurine Hydrochloride) 3 mg., Vitamin B₂ (Riboflavin) 3 mg., Vitamin B₆ (Pyridoxine Hydrochloride) 1 mg., Nicotinamide 20 mg., Vitamin C (Ascorbic Acid) 50 mg.



Parke, Davis & COMPANY, LTD. (Inc. U.S.A.), Hounslow, Middlesex. Tel: Hounslow 2361

70

Safer Pethidine

Pethidine PLUS 'Lorfan'

A combination of pethidine with the narcotic antagonist levallorphan tartrate in proportions which minimize respiratory depression without affecting analgesia.

The administration of these two drugs in a performed mixture is an attractive idea which offers the freer use of this analgesic without incurring undue respiratory depression.

Anaesthesia, 1957, 12, 174.

'Lorfan' (levallorphan) does not diminish the analgesic effect of pethidine and clinical observations show that it may enhance the sedation produced by pethidine.

Lancet, 1957, i, 128.

The use of 'Lorfan' to diminish the respiratory depression caused by the narcotic analgesics in childbirth is one of the most valuable potentialities of this antagonist.

Lancet, 1957, i, 213.

*Pethidine 100 mg. **plus** 'Lorfan' 1.25 mg. are now combined in 2 c.c. ampoules with the trade mark*

'PETHILORFAN'

Available in boxes of 12 and 100.

ROCHE PRODUCTS LIMITED • 15 MANCHESTER SQUARE • LONDON W.1.

**Now
Available—**

Parenteral

DRAMAMINE

(BRAND OF DIMENHYDRINATE)



1 In the presence
of nausea or
vomiting

2 For
more prompt
action

Dramamine is now firmly established for the prevention and treatment of nausea, vomiting and vertigo arising from travel, pregnancy Ménière's disease and other labyrinthine disorders.

Now available **for injection** in multi-dose vials of 5 c.c., each vial containing 50 mg. dimenhydrinate per c.c. Its administration parenterally is indicated in those cases where successful oral medication is difficult or impossible. When speedier action is required, parenteral administration of Dramamine will produce a quicker effect and will give prompt symptomatic relief.

Dramamine solution may be injected intramuscularly without dilution; but for intravenous injection each c.c. should be diluted to 10 c.c. with normal saline and administered over a period of not less than two minutes.

DRAMAMINE is a Registered Trade Mark

G. D. Searle & Co., Limited, High Wycombe, Bucks.
Tel. *High Wycombe* 1770.

SEARLE

DRV: P87



The Treatment of ASPHYXIA NEONATORUM by controlled STIMULATION OF THE PHRENIC NERVE

It has long been recognised that stimulation of the phrenic nerve can induce inspiration by lowering the diaphragm. This method has the added advantage of ensuring an adequate pulmonary blood flow at the time of inspiration since there is an increase in intra-abdominal pressure when the intra-thoracic is reduced.

It is a far cry from the charged condenser method of Hufeland to the modern electronic stimulator with its controlled waveform, rate and intensity, all of which are included in the Stancoo Phrenic Nerve Stimulator.

Here, the stimulus is accurately located by small thimble electrodes and the intensity can be controlled from the panel. Audible and visual signals monitor the cycle and rate.

Full details will gladly be sent on request.

STANLEY COX LIMITED

PHYSIOTHERAPY EQUIPMENT & ELECTRO-MEDICAL APPARATUS

ELECTRIN HOUSE · 93-97 NEW CAVENDISH STREET · LONDON · W.1

Telephone: LAngham 4551-6

Telegrams: Stanlicox, Wesdo, London

NORTHERN REPRESENTATIVE: D.6, Victoria Buildings, 32 Deansgate, Manchester, 3.

SCOTTISH REPRESENTATIVE: H. A. West (X-ray) Ltd., 41 Watson Cres., Edinburgh.

MIDLANDS REPRESENTATIVE: J. W. Herbert, 19 Woodland Ave., West Hagley, Stourbridge, Worcs.

WESTERN REPRESENTATIVE: A. Brewin, 40 Frome Rd., Radstock, Nr. Bath, Somerset.

Phone: DEAnsgate 3726

Phone: Edinburgh 68538

Phone: Hagley 2728

Phone: Radstock 3189



the long-acting antihistamine

HISTRYL SPANSULE

night and day relief from allergic symptoms

with just one capsule q12h

Each 'Histryl Spansule' capsule contains 5 mg. diphenylpyraline
A 2.5 mg. strength, for young children, is also available



Smith Kline & French Laboratories Ltd Coldharbour Lane, London SE5

'Histryl' and 'Spansule' are trade marks *Brit. Pat. No. 742007

SH:PA127

Carnation Milk for infant feeding

The advantages of *Standardisation*



The diagram above shows the percentage of solids in Carnation Milk. The total solids are standardised, as required by law, to a minimum of 31%. Of this figure 9% must be butterfat.

Previous Carnation advertisements have demonstrated that, chemically and physically, ordinary milks cannot compete with the range of tolerance and digestibility of the proteins and butterfat in Carnation Milk. These superiorities in an infant food are enhanced by the uniformity obtained by standardisation.

Uniformity in practice means :—

1. Constant calorie value.
2. Accuracy and ease of measurement.
3. Control of intake where necessary.
4. Precision in dilution.
5. A milk of known value at all times — and available everywhere.



Other attributes of Carnation Milk are:

- Safety, because of sterilisation after the Carnation cans are sealed — Hypo-allergenic properties
- Homogenisation — Prophylactic D3.

"The Feeding of Infants" — a book specially prepared for doctors together with reprints of clinical investigations and Carnation feeding charts are available from : Medical Dept., General Milk Products Ltd., Bush House, Aldwych, London, W.C.2.

CARNATION MILK "*from Contented Cows*"

"... and unless the patient is very near term, this (FERROMYN 1 t.d.s.) is the method of choice in the first instance, even for severe degrees of iron-deficiency anæmia"

Ref: *BMJ* (1956) 2,638



FERROMYN for the speedy oral correction of all iron-deficiency states

FERROMYN is presented in four forms:
FERROMYN TABLETS AND FERROMYN ELIXIR.
 Each tablet/teaspoonful contains:
Ferrous Succinate 150 mg.
FERROMYN 'B' TABLETS AND ELIXIR FERROMYN 'B'.
 Each tablet/teaspoonful contains:
Ferrous Succinate 150 mg. Aneurine Hydrochloride 1 mg. Riboflavin 1 mg. Nicotinamide 10 mg.

FERROMYN

CALMIC LIMITED, CREWE
 Phone CREWE 3251-5

LONDON :
 2 Mansfield St., W.1. Phone LANgham 8038-9

AUSTRALIA : 458-468 Wattle St., Ultimo, Sydney, N.S.W.

CANADA : Terminal Building, York St., Toronto.

F5



CALADRYL* quickly and effectively relieves hot weather skin irritations, such as heat spots, sunburn, rashes, insect bites and nettle stings. It combines the soothing, mildly-astringent action of calamine with the anti-pruritic, anti-allergic effects of Benadryl. Supplied as a smooth, non-greasy lotion or as a water-miscible cream, Caladryl provides symptomatic treatment for irritative skin conditions, whether of allergic or non-allergic origin.

**Trade Mark*

CALADRYL


LOTION—*In bottles of 4 fluid ounces*

CREAM—*In tubes of approximately 1½ oz.*

DISPENSING PACK—*Lotion: bottles of 80 fluid ounces. Cream: jars of one pound*



PARKE, DAVIS & COMPANY, LTD. (Inc. U.S.A.) HOUNSLOW, MIDDLESEX. Tel: Hounslow 2361



THE HIMALAYAS

THE GREATEST RANGE OF MILK FOODS FOR EVERY BABY

COW & GATE MILK FOOD A complete food for normal infants.

HALF CREAM For delicate infants and in all cases of Fat intolerance.

SPECIAL HALF CREAM A Half Cream Food without any sugar addition for suitable cases of Fat intolerance.

SEPARATED A fat-free Milk Food for suitable cases of Fat intolerance.

HUMANISED A complete Milk Food humanised on scientific principles.

ALLERGILAC A milk food for Allergy in infancy—Dermatitis.

BEURLAC Buttermilk in Powder Form.

BRESTOL An emulsion of fats for modification of milk, particularly for backward babies and in cases of marasmus.

DALTOSE C.G. A scientific carbohydrate mixture for infants and adults. Indicated for marasmus and diarrhoea.

C. & G. GLUCOSE A suitable modified carbohydrate addition for infant foods and also suitable for invalids.

HEMOLAC A food for nutritional anaemia in infancy.

LACIDAC Lactic Acid Milk in Powder Form for gastro-intestinal disturbances, whooping cough, pneumonia, measles, diarrhoea, marasmus, vomiting. Supplied in three strengths—Separated, Half Cream and Full Cream.

PROLAC A protein milk for gastric cases.

SPRULAC A Milk Food for sprue patients.

MODILAC A Full Cream Milk Food modified with a carbohydrate mixture suitable for normal infants.

PEPTALAC The invalid Predigested Milk Diet—the ideal diet for invalids and for gastric conditions.

PRENATALAC The Milk Food for expectant and nursing mothers.

FRILAC A Milk Food for frail and premature infants.

LOW CALCIUM MILK FOOD For use in Low Calcium Diet.

LOW LACTOSE MILK FOOD For Galactosaemia.

COW & GATE CEREAL FOOD For weaning and toddlers.

*Supplies of all these products may be obtained from the principal wholesale houses
or direct from Cow & Gate Ltd., Guildford, Surrey.*



COW & GATE MILK FOODS

GUILDFORD

SURREY

5539

SPASTICS IN CHEYNE WALK

Joan St. George Saunders and Marjorie Napier

with contributions from the Staff of the Cheyne Centre

An account of the foundation and the work of the Centre for Spastic Children, Cheyne Walk, Chelsea. Members of the staff contribute clinical articles on their specialties, and the lessons learnt in the two years of the Centre's existence. The book contains much valuable information, and it has been produced in a lively format, with many illustrations, in order to make as many people as possible aware of what can be done for young spastics. 20s. net

THE VOICE AND ITS DISORDERS

Margaret Greene, L.C.S.T.

Speech Therapist, Stoke Mandeville Hospital

An extremely clearly written book which gives a comprehensive coverage to treatment for the pathological voice. The anatomy and physiology of the vocal mechanism are described, and respiration, vocalisation and resonance analysed scientifically in relation to the production of the normal voice. The many types of voice disorder are described; a full account of the aetiology, symptoms and treatment are given. Well-illustrated. A good bibliography is given. 45s. net

PITMAN MEDICAL PUBLISHING CO. LTD.

45 NEW OXFORD STREET · LONDON · WCI

From milk to mixed diet

HOW HEINZ STRAINED FOODS HELP


Mothers of 3 or 4-month-old babies often need your practical advice about how to start baby on a mixed diet.

When you suggest Heinz Strained Foods you can do so with complete confidence. The 19 different foods, introduced gradually from about 3-months onwards, between them offer scope for a varied diet. They are cooked and strained under strictly controlled conditions, with the minimum loss of food values. And, of course, they are prepared much more hygienically than they would be in an ordinary kitchen.


For full details of the nutrient values of the 19 varieties of Heinz Strained Foods, write to Dept. T5, H. J. Heinz Co. Ltd., Harlesden, London N.W.10.

HEINZ⁵⁷
Strained Foods

MEAT BROTHS · SOUPS · VEGETABLES · SWEETS · CEREAL



Why *suspension* Chloromycetin Palmitate?



Because the use of an insoluble Palmitate ester of Chloromycetin* overcomes the problem of administering the bitter-tasting parent antibiotic to children who cannot swallow capsules. The palatable suspension evolved provides easy and flexible dosage and readily permits hydrolysis in the alimentary tract to release pure Chloromycetin. With these advantages Suspension Chloromycetin Palmitate is of exceptional value in the treatment of many serious respiratory and gastro-intestinal infections.

* TRADE MARK

SUSPENSION CHLOROMYCETIN PALMITATE

BOTTLES OF 60 ML.



PARKE, DAVIS & COMPANY LTD. (Inc. U.S.A.) HOUNSLOW, MIDDXX. Tel: Hounslow 2361

116



**In your
hands . . .**



So much depends on your hands.
Regular use of Wright's Coal Tar
Soap will help to keep them medically
perfect, completely free from dirt and germs. The remarkable
antiseptic, antipruritic qualities of Liquor Carbonis Detergens,
contained in Wright's, has given this fine soap the enthusiastic
support of the medical profession for over half a century—
the only product of its type to hold such a record! Wherever
you are, keep your own tablet of Wright's handy.

WRIGHT'S COAL TAR SOAP

**THE GOLDEN TABLET
IN BATH AND TOILET
SIZES**



FORTHCOMING AND RECENT PUBLICATIONS FROM STAPLES

More about the Backward Child

HERTA LOEWY, author of *The Retarded Child* and *Training the Backward Child*, whose devoted pioneer work among handicapped children is well known, provides further guidance for parents and teachers. *November* 15s net

Psychology of Exceptional Children and Youth

WILLIAM CRICKSHANK and ten experts discuss every type of divergent child and adolescent from the hard-of-hearing to the mentally gifted. They have drawn upon extensive psychological research as well as clinical experience to show the kind, extent and degree of handicaps. 50s net

Hypnotherapy with Children

GORDON AMBROSE makes a valuable contribution to the general understanding of the important part hypnotherapy has to play in the war against nervous illness. His well-balanced and substantial argument presents a challenge to the psychiatrist, educationalist and student. 10s 6d net

STAPLES PRESS LIMITED · MANDEVILLE PLACE · LONDON · W1

E. & S. LIVINGSTONE, LTD.

DISEASE IN INFANCY AND CHILDHOOD

Second Edition. By RICHARD W. B. ELLIS, O.B.E., M.A., M.D., F.R.C.P.

718 pages. 333 illustrations. 50s.

NURSING CARE OF THE NEWLY BORN INFANT

By W. S. CRAIG, M.D., B.Sc., F.R.C.P.

480 pages. 272 illustrations. 35s.

MASKED EPILEPSY

By H. R. E. WALLIS, M.D.

61 pages. 7s.

THE SURGERY OF CHILDHOOD FOR NURSES

By RAYMOND FARROW, M.A., F.R.C.S.

322 pages. 158 illustrations. 25s.

THE DEVELOPMENT AND DISORDERS OF SPEECH IN CHILDHOOD

By MURIEL E. MORLEY, M.Sc., F.C.S.T.

46 pages. 124 illustrations. 45s.

THE BOKE OF CHYLDREN

By THOMAS PHAIRE. With Introduction, Foreword and Glossary by Professor A. V. Neale and Dr. H. R. E. Wallis.

76 pages. 3 illustrations. 7s. 6d.

Teviot Place, Edinburgh

RECENT PUBLICATIONS

Refresher Course for General Practitioners

Second Collection

Third Collection—with Classified

Contents List to Volumes I, II and III

Price 25/- each (by post—inland 26/6, overseas 26/-)

Each book contains a collection of sixty Refresher Course articles from the *British Medical Journal*. Each article, written by an acknowledged expert, has been revised by its author. The articles cover a wide range. Their object is to refresh the reader's memory of what is old and well-established and to tell him about new developments.

They are invaluable to general practitioners and residents as practical reference books, to specialists as a means of keeping in touch with developments outside their own field, and to final-year students as up-to-date and reliable text-books.

The Third Collection has a cumulative classified contents list to the three volumes of *Refresher Course for General Practitioners*.

Clinical Pathology in General Practice

321 pages. Price 21/- (by post—inland 22/3, overseas 21/9)

This handbook on clinical pathology meets the needs of the general practitioner, the houseman, and the senior student. It contains thirty-nine articles comprising a series specially written for the *British Medical Journal*. Each article has been revised and brought up-to-date by its author. The book gives authoritative information on—

- available laboratory facilities
- reliable tests and which to use
- techniques for collecting and preserving specimens
- interpretation of results and significance of abnormal findings

“Any Questions?”

Second Series

Third Series—with Cumulative Index

Price 7/6 each (by post 8/-)

These pocket-size volumes each contain some 200 questions and expert answers from the “Any Questions?” pages of the *British Medical Journal*. Each answer has been chosen for its practical value to doctors in their day-to-day work. Many deal with subjects not covered in the standard text-books.

The Third volume has a cumulative index to all the answers appearing in the three books in the series.

Obtainable from booksellers or by post from

PUBLISHING MANAGER, BRITISH MEDICAL ASSOCIATION
B.M.A. HOUSE, TAVISTOCK SQUARE, LONDON, W.C.1

Vitamins in

Prenatal

Life

Vitamins are essential for the normal development of the embryo. Severe vitamin deficiencies during pregnancy, apart from their ill-effects on the mother, lead to death or malformation of the foetus. It is known from animal experiments that riboflavin is required in the later stages of bone development. Deformities which resemble human congenital malformations have also been observed following deficiencies of folic and pantothenic acids in the maternal diet. Although it is not possible to apply these results in detail to humans, adequate nutrition during pregnancy has long been considered to be of supreme importance.

Marmite is a useful source of every known factor of the vitamin B complex and is widely recommended to expectant mothers. Its appetising flavour ensures easy administration; it may be given as a drink made with boiling water or hot milk, or in sandwiches, or used in cooking.

MARMITE

yeast extract contains RIBOFLAVIN (vitamin B₂) 1.5 mg. per oz. NIACIN (nicotinic acid) 16.5 mg. per oz.

MARMITE LIMITED, 35 SEETHING LANE, LONDON, E.C.3

ADC 5608

MODERN PROBLEMS IN PEDIATRICS-Vol. II

Symposium on Physiology and Pathology of Digestion in Infancy

Edited by

A. HOTTINGER and F. HAUSER, Basel

Contributors: Ph. Bamberger (Heidelberg), T. Baumgärtel (Gräfelfing/München), E. Berger (Basel), H. Berger (Basel), O. H. Braun (Erlangen), S. Buchs (Basel), J. Cravioto (Mexico City), R. F. A. Dean (Kampala/Uganda), G. Frontali (Rome), P. György (Philadelphia), L. E. Holt, Jr. (New York), W. Keller (Freiburg i. Br.), E. Kerpel-Fronius (Pécs), H. Lestrade (Paris), G. Maggioni (Rome), R. A. McCance (Cambridge), P. Royer (Paris), W. Straub (Paris), G. de Toni (Genova), M. Vest (Basel), E. M. Widdowson (Cambridge).

Titles of some of the articles: Development of Intestinal Flora in the Breast-Fed Infant. Observations on Fat Absorption in Infants. Metabolic Disturbances in Infantile Malnutrition. Proteins in Malnutrition. The Effect of Food and Growth on the Stability of the Internal Environment.

1957

222 pages, 90 figs.

55s.

S. KARGER, Basel, Switzerland

Agents for the U.K.

INTERSCIENCE PUBLISHERS LTD., 88-90 CHANCERY LANE, LONDON, W.C.2



Favoured Treatment

THE little luxuries extended to ailing children do not often include an ingratiating medicine. There is a need for palatable and harmless forms of the drugs given to young patients. Aspirin, one of the commonest, is, for instance, one of the most unpleasant, and can be harmful to the delicate gastric mucosa.

On the other hand, most children will readily take aspirin in the form of *Junior Paynocil*. These tablets are really pleasant to take; they disperse instantly on the tongue without water, and minimise the risk of gastric irritation due to aspirin.

Junior Paynocil tablets each contain $2\frac{1}{2}$ grains of aspirin and $1\frac{1}{4}$ grains of glycine. Besides speeding disintegration and eliminating the unpleasant aspirin flavour, glycine confers on each aspirin particle a lubricant, demulcent and protective barrier.

**Junior
PAYNOCIL**

Packages

Cartons of 20 in sealed foil strips.
Tax free dispensing packs of 240.
Basic N.H.S. cost: 12/-.

C. L. BENCARD LTD., PARK ROYAL, LONDON, N.W. 10