


common  
One in  
diagnosi  
ally des  
neconiu  
dence a  
ccepted  
. One p  
d costs

# BM-Test Meconium

'Quick Diagnostics'



The Boehringer Corporation  
(London) Ltd.,  
Bilton House,  
Uxbridge Road,  
London, W5 2TZ  
Telephone: 01-579 6944



1724-1974

# CHURCHILL LIVINGSTONE

## Surgery in Infancy and Childhood

Wallace M. Dennison

1974 Third edition 638 pages Illustrated £5.00

The third edition of this well-known book has been almost entirely rewritten. New sections have been added and many of the original illustrations have been replaced. The twenty contributors have been selected from the teaching staff of the Royal Hospital for Sick Children and the University of Glasgow and the book presents a completely up-to-date picture of undergraduate teaching in paediatric surgery in the Glasgow Medical School. While the selected bibliography at the end of each chapter has been updated, some references of historical interest have been retained.

23 RAVELSTON TERRACE, EDINBURGH EH4 3TL

### Disorders of Lipid Metabolism

The Proceedings of a Symposium  
organized by the  
Royal College of Pathologists  
Edited by  
G. K. McGowan and G. Walters

Price £2.00 (U.S.A. \$6.00)  
*including postage*

The Publishing Manager, JOURNAL OF  
CLINICAL PATHOLOGY, B.M.A. House,  
Tavistock Square, London WC1H 9JR

### Parenteral Nutrition in Acute Metabolic Illness

edited by

H. A. Lee

*St. Mary's General Hospital, Portsmouth and  
the University of Southampton, England*

April 1974, xiv + 454 pp., £9.00/\$23.25  
0-12-441750-7

This book provides an up-to-date account of the pharmacological, biochemical and clinical advances in the field of parenteral nutrition, which will be of prime importance to everyone involved in the management of "intensive care" patients, whether at clinical or laboratory level. There are important chapters which deal specifically with special applications of the techniques in paediatrics.

For a descriptive leaflet on this title, please write to the publishers

### Academic Press

London and New York  
*A Subsidiary of Harcourt Brace  
Jovanovich, Publishers*

24-28 Oval Road, London NW1, England  
111 Fifth Avenue, New York, NY10003  
USA



# Monatsschrift für Kinder— heilkunde

Organ der Deutschen Gesellschaft für Kinderheilkunde

122. Band · Heft 3 · März 1974

### Originalien

- G. Fleischhauer, R. Bucke, 'I. Gierthmühlen, P. Lie, G. Schlicksbier  
Die Behandlung kranker reif- und unreifgeborener Kinder mit antibiotischen Mitteln (Antibiotic Therapy in Premature and Full-Term Newborns) 95
- D. Gutzeit, H.-M. Bader, J. Oehme  
Die Bedeutung des  $\alpha_1$ -Fetoproteins für das Kindesalter (The Importance of  $\alpha_1$ -Fetoprotein in Infancy) 98

### Fortbildung und Praxis

#### Übersichten

- H. Lutz, R. Klöse  
D. Schönberg  
Pathophysiologie des Schocks (Pathophysiology of Shock) 101
- D. Schönberg  
Diagnostik und Therapie des Infektionsschocks unter besonderer Berücksichtigung der hyperpyretischen Toxikose des Säuglings (Diagnosis and Treatment of Infectious Shock with Special Reference to Hyperpyretic Toxicosis [Severe Hyponatremic Diarrhea] in Infancy) 107
- W. Künzer, A. H. Sutor, H. Niederhoff, W. Pringsheim, D. Karitzky, K. H. Altemeyer, W. Schenck, R. Schreiber  
Gerinnungsphysiologische Aspekte und Fibrinolytische Therapie des Schocks (The Shock-Syndrome: Aspects of Coagulation and Fibrinolytic Therapy) 116

### Kasuistik

- R. Sternberg, N. Liappis, G. Giffels  
Über die freien Aminosäuren im Serum und im Harn bei einem Fall von infantiler Hypophosphatasie (The Free Amino Acids in Serum and Urine in a Case of Infantile Hypophosphatasia) 127

### Buchbesprechungen 133

### Tagesgeschichte 134

Indexed in Current Contents



Eine spanische Ausgabe dieser Zeitschrift erscheint bei  
Editorial Lectura y Estudio, S. A., Barcelona.

Springer-Verlag Berlin · Heidelberg · New York

# In pituitary dwarfism

# CRESCORMON<sup>®</sup>

## human growth hormone

Crescormon is a highly purified preparation of human pituitary growth hormone thoroughly tested for homogeneity and potency.

Substitution therapy with Crescormon in patients suffering from GH deficiency leads to an acceleration of growth. The therapy is safe and no resistance to treatment has been reported.

Crescormon is standardized both by radio-immunological determination and by biological assay. Each vial contains 4 IU determined against IRP Growth Hormone (WHO).

#### Indications

Dwarfism due to decreased or failed incretion of pituitary growth hormone. The diagnosis should be verified before the preparation is administered by an investigation of the pituitary function.

#### Contraindication

Diabetes mellitus.

#### Precautions

In spite of rigorous requirements for the collection and careful control of the pituitary glands used in the preparation of Crescormon, the risk of transmitting hepatitis cannot be excluded. The risk may be considered extremely small, however, and no cases have as yet been reported.

#### Side Effects

In clinical trials Crescormon has elicited the formation of antibodies in low titre in a few patients, which, however, has not affected the growth rate. Otherwise no adverse reactions have been observed.

#### Dosage

The dosage is individual, but in general a dose of at least 0.5 IU per kg body weight per week, divided into two to three intramuscular injections, is recommended.

#### Administration

Crescormon should be injected intramuscularly. The solution for injection is prepared by adding 2 ml Sodium Chloride Injection to the lyophilized substance in the vial. A made-up solution should be used immediately after preparation.

#### Storage

Refrigerator (+5° C).

#### Pack

Crescormon combined package of lyophilized sterile GH 4 IU (about 2 mg) and Sodium Chloride Injection in an ampoule of 2 ml.

Product Licence No. 0022/0020

Crescormon<sup>®</sup> is manufactured by AB Kabi, Stockholm, Sweden, and is available in the U.K. only from:



Kabi Pharmaceuticals Limited,  
Bilton House, Uxbridge Road,  
Ealing, London W5 2TH.

Telephone: 01-567 4717 or 01-579 1871

from whom further information can be obtained.

Outside U.K. information and supplies are available from the respective Kabi representative or directly from AB Kabi, Fack, S-104 25 Stockholm, Sweden.

# SEPTRIN

## first

SEPTRIN presents your treatment in a nicely flavoured suspension to make it acceptable to the patient.

## fast

SEPTRIN rapidly obtains effective blood, urine, and kidney tissue levels with simple twice daily dosage.

## decisive

SEPTRIN ensures coverage against a wide range of pathogens, and SEPTRIN crushes bacterial resistance with a bactericidal action which differs essentially from that of the antibiotics.

# SEPTRIN PAEDIATRIC SUSPENSION



SEPTRIN® contains trimethoprim and sulphamethoxazole. Full prescribing information is available on request.

Wellcome Medical Division  
The Wellcome Foundation Limited, Beckenham, Kent  
P.O. Box 1000



## SEPTRIN PAEDIATRIC SUSPENSION

## PEDIATRIC RESEARCH

Volume 8, No. 4

April 1974

*Contents*

- A Noninvasive Approach to Body Composition in the Neonate: Dynamic Skinfold Measurements ..... 215  
 Y. W. BRANS, J. E. SUMMERS, H. S. DWECK, AND G. CASSADY (Birmingham, Alabama) Caliper skinfold thickness measurements made by these authors provide estimates of fat accretion and subcutaneous interstitial water dynamics during fetal life.
- Deomonstration of a Defect in the Formation of Adenosine 3',5'-Monophosphate in Vasopressin-resistant Diabetes Insipidus ..... 223  
 N. H. BELL, C. M. CLARK, JR., S. AVERY, T. SINHA, C. W. TRYGSTAD, AND D. O. ALLEN (Indianapolis, Indiana) Results from experiments undertaken by these scientists indicate that patients with vasopressin-resistant diabetes insipidus exhibit a decrease in the excretion of adenosine 3',5'-monophosphate in urine after administration of vasopressin.
- Polyamine Biosynthesis in Human Fetal Liver and Brain ..... 23  
 J. A. STURMAN AND G. E. GAULL (New York, New York) The activities of specific enzymes in human fetal liver and brain and the concentration of the relevant amines in the same tissues are reported by these scientists.
- Anoxia in Mice: Reduced Glucose in Brain with Normal or Elevated Glucose in Plasma and Increased Survival after Glucose Treatment. .... 238  
 J. HOLOWACH-THURSTON, R. E. HAUHART, AND E. M. JONES (St. Louis, Missouri) This study examines the effects of glucose on survival of young rats after anoxia and the effects of this challenge on various components of the brain involved in energy transduction.
- Adenylate Cyclase Activity in Immature Rabbit Lung ..... 244  
 C. T. BARRETT, A. SEVANIAN, AND S. A. KAPLAN (Los Angeles, California) A series of experiments were performed by these investigators to determine the effects of fetal maturation on adenyl cyclase activity and the response of this enzyme to agents which may exert a physiologic role in fetal lung development and to stressful stimuli.
- Treatment of Precocious Puberty with Cyproterone Acetate ..... 248  
 E. A. WERDER, G. MÜRSET, M. ZACHMANN, C. G. D. BROOK, AND A. PRADER (Zurich, Switzerland) The present report analyzes the experience of these scientists with cyproterone acetate in the treatment of precocious puberty in both sexes over a period of 7 years.
- Changes in Blood Flow in the Skin and Muscle with Phototherapy ..... 257  
 P. Y. K. WU, W. H. WONG, J. E. HODGMAN, AND N. LEVAN (Los Angeles, California) In order to study the effects of phototherapy on skin blood flow in newborn infants, these authors used an electrocapacitance plethysmograph with local counterpressure for measurement of the calf, and their results indicate a significant increase in the modality under study.
- Effect of Temperature on Fatty Acid Metabolism in Dissociated Cell Cultures of Developing Brain ..... 263  
 E. YAVIN AND J. H. MENKES (Los Angeles, California) The inhibition of the formation of higher polyunsaturated fatty acids from essential fatty acids by hypothermia is discussed by these workers as well as the role of hypothermia in causing brain damage in the premature infant.
- Pulmonary Extravascular Chloride Space and Albumin Content in Adult Dogs and Puppies ..... 270  
 O. R. LEVINE, R. B. DELL, E. BOWE, AND A. I. HYMAN (New York, New York) The volume and albumin content of pulmonary interstitial fluid has been determined by these authors who compare these data with measurements made of the protein concentration of lung lymph.

## PROGRAM

Annual Meeting of the American Pediatric Society and the Society for Pediatric Research 275

Washington, D.C., May 1-3, 1974

Zeitschrift für **Kinder—**  
**heilkunde**  
 Journal of Pediatrics

Band 116 Heft 4 1974

**Inhalt/Contents**


- H.-R. Wiedemann, W. Remagen, H. A. Hienz, R. J. Gorlin, P. Maroteaux:  
 Achondrogenesis within the Scope of Connately Manifested  
 Generalized Skeletal Dysplasias 223
- J. Ströder, A. M. Mingers: Coagulation in Cephalhaematomas 253
- W. Kroll, K. Fahr, Beitrag zur Pterygoarthromyodysplasia congenita (Rossi-Syndrom)  
 G. Rompe: Contribution to Pterygoarthromyodysplasia Congenita (Rossi  
 Syndrome) 263
- E. Pape, H. Stolley, Lipid Content and Fatty Acid Pattern in the Subcutaneous Adipose  
 W. Droese: Tissue during Childhood — a Function of Age and Nutrition 269
- P. Oßwald, K. H. Niessen, F. Hartmann, E. Droste, G. Brüggmann, K. Schmidt:  
 Untersuchung der Pankreas- und Gallenfunktion bei Säuglingen und  
 Kindern. I. Methodik 281  
 Investigation of Pancreas and Gallbladder Function in Children.  
 I. Methods
- K. H. Niessen, P. Oßwald, G. Brüggmann, F. Hartmann, E. Droste, K. Schmidt:  
 Untersuchung der Pankreas- und Gallenfunktion bei Säuglingen und  
 Kindern. II. Befunde bei Patienten mit Cöliakie, Mucoviscidose  
 und exokriner Pankreasinsuffizienz 291  
 Investigation of Pancreas and Gallbladder Function in Children.  
 II. Results in Patients with Celiac Disease, Cystic Fibrosis of the  
 Pancreas and Exocrine Pancreas Insufficiency
- B.-K. Jüngst: Untersuchungen über die Beurteilung der Hautdurchblutung durch  
 zentrale und periphere Temperaturmessungen 305  
 Evaluation of Skin Blood Flow by Measurement of Peripheral and  
 Central Temperature
- H. Fellier, H. Frisch, Untersuchung der LH-, Östrogen- und Testosteronausscheidung im  
 H. Gleispach: Vergleich zur Testesgröße 319  
 LH-, Estrogen- and Testosterone Excretion in Correlation with the  
 Testicle Size
- Indexed in Current Contents



Springer-Verlag  
 Berlin · Heidelberg · New York

# Metabolic Aspects of Disease

Treatment of inborn errors has advanced our basic knowledge of disease. Metabolic problems are also a frequent consequence of disease.



Day-time variations in serum phenylalanine (triangles) and tyrosine (circles) in a phenylketonuric child having his first meal as usual at 07.45 hours or fasting until 11.45 hrs. Note the phenylalanine depressing effect of the breakfast (phenylalanine-restricted meal with Albumaid (R) (Güttler, Olesen & Wamberg—Kennedy Institute—Denmark in *Enzymopenic Anaemias, Lysosomes and other papers*, pages 149-158 E. & S. Livingstone.)

## PRECISION PRODUCTS:

Designed to meet the metabolic defect are called for.

Products more fundamental than enzymes.

Products more basic than protein.

Products which enable precise nutrition.

Products which succeed where cows' milk is a failure.

## PRECISION PRODUCTS FOR:

- Phenylketonuria, Homocystinuria,
- Cystinosis, Maple Syrup Urine Disease
- Hyperglycinaemia, Hyperprolinaemia,
- Arginine Succinic Urea,
- Histidinaemia, Tyrosinosis,
- Carbohydrate and Protein Intolerance,
- Malabsorptions Cystic Fibrosis,
- Glycogen Storage Disease.

## MILNER SCIENTIFIC AND MEDICAL RESEARCH

Now maintains a world-wide interest in every aspect of metabolism in disease, and products are directly available in most countries.

*For further details please write to Sole U.K. Agents:*

**SCIENTIFIC HOSPITAL SUPPLIES LTD.  
38 QUEENSLAND STREET, LIVERPOOL 7**