

Monatsschrift für Kinder- heilkunde

Organ der Deutschen Gesellschaft für Kinderheilkunde

122. Band · Heft 5 · Mai 1974

Originalien

K. Engelhardt,
W. Schönberger,
G. Schönberger
Epidemiologische Untersuchungen zur Leptospirose im Kindesalter (Epidemiologic Studies on the Incidence of Leptospirosis in Childhood) 179

G. von Bernuth,
D. Lang, G. G. Belz
Die repetitive paroxysmale Tachykardie im Kindesalter (Repetitive Paroxysmal Tachycardia in Childhood) 183

G. Fricke, C. Mietens,
E. Schmidt
Einfluß verschiedener Nahrungsmengen auf Bilirubinspiegel, Hämoglobin und Hämatokrit von Frühgeborenen (Influence of Daily Milk Quantity on Bilirubin, Hemoglobin and Hematocrit of Premature Infants) 186

H. Waltl, H. Födisch,
R. Kurz, L. Hohenauer, G. Mitterstiel, H. Rössler
H. W. Kotlarek, H. G.
Lenard, F. J. Schulte
H.-Ch. Steinhäusen,
D. Geisz
Terminalisblutungen bei Frühgeborenen: Wirkungslosigkeit einer gerinnungsfördernden Prophylaxe (Eine kontrollierte Studie) [Terminalis Hemorrhage in Low Birth-Weight Infants: Ineffectiveness of Treatment with Coagulation Factors (A Controlled Study)] 192

Nachfolgeuntersuchungen beim Guillain-Barré-Syndrom im Kindesalter (A Follow-Up Study of Children with Guillain-Barré Syndrome) 198

H. Ch. Steinhäusen,
D. Geisz
Die psychische Entwicklung von Kindern mit operiertem Hydrocephalus (Development of Children with Surgical Treated Hydrocephalus) 203

Fortbildung und Praxis

Übersichten

D. Lüders
Hypoplasie der intrahepatischen Gallengänge und andere Formen intrahepatischer Cholestase im Säuglingsalter (Hypoplasia of Intrahepatic Bile Ducts and Other Forms of Intrahepatic Cholestasis in Infancy) 207

Kasuistik

F. Lampert, K. Harms,
F. Bilingmaier,
P. Kieffaber, P. Meister
Pernicious Anemia with Dermatologic and Neurologic Involvement in a 10-Year-Old Boy (Per-

niziöse Anämie mit Haut- und Nervenbeteiligung bei einem 10jährigen Jungen) 217

Aktuelle Fragen

Zum Projekt „Tagesmütter“ des Bundesministeriums für Jugend, Familie und Gesundheit 221

Buchbesprechungen 222

Tagesgeschichte 222

Indexed in Current Contents



Eine spanische Ausgabe dieser Zeitschrift erscheint bei
Editorial Lectura y Estudio, S. A., Barcelona.

In pituitary dwarfism CRESORMON[®] human growth hormone

Crescormon is a highly purified preparation of human pituitary growth hormone thoroughly tested for homogeneity and potency.

Substitution therapy with Crescormon in patients suffering from GH deficiency leads to an acceleration of growth. The therapy is safe and no resistance to treatment has been reported.

Crescormon is standardized both by radio-immunological determination and by biological assay. Each vial contains 4 IU determined against IRP Growth Hormone (WHO).

Indications

Dwarfism due to decreased or failed secretion of pituitary growth hormone. The diagnosis should be verified before the preparation is administered by an investigation of the pituitary function.

Contraindication

Diabetes mellitus.

Precautions

In spite of rigorous requirements for the collection and careful control of the pituitary glands used in the preparation of Crescormon, the risk of transmitting hepatitis cannot be excluded. The risk may be considered extremely small, however, and no cases have as yet been reported.

Side Effects

In clinical trials Crescormon has elicited the formation of antibodies in low titre in a few patients, which, however, has not affected the growth rate. Otherwise no adverse reactions have been observed.

Dosage

The dosage is individual, but in general a dose of at least 0.5 IU per kg body weight per week, divided into two to three intramuscular injections, is recommended.

Administration

Crescormon should be injected intramuscularly. The solution for injection is prepared by adding 2 ml Sodium Chloride Injection to the lyophilized substance in the vial. A made-up solution should be used immediately after preparation.

Storage

Refrigerator ($\pm 5^\circ\text{C}$).

Pack

Crescormon combined package of lyophilized sterile HGH 4 IU (about 2 mg) and Sodium Chloride Injection in an ampoule of 2 ml.

Product Licence No. 0022/0020

Crescormon[®] is manufactured by AB Kabi, Stockholm, Sweden, and is available in the U.K. only from:



Kabi Pharmaceuticals Limited,
Bilton House, Uxbridge Road,
Ealing, London W5 2TH.
Telephone: 01-567 4717 or 01-579 1871

from whom further information can be obtained.

Outside U.K. information and supplies are available from the respective Kabi representative or directly from AB Kabi, Fack, S-104 25 Stockholm, Sweden.

SEPTRIN®

first

SEPTRIN presents your treatment in a nicely flavoured suspension to make it acceptable to the patient.

fast

SEPTRIN rapidly obtains effective blood, urine, and kidney tissue levels with simple twice daily dosage.

decisive

SEPTRIN ensures coverage against a wide range of pathogens, and SEPTRIN crushes bacterial resistance with a bactericidal action which differs essentially from that of the antibiotics.

superior



SEPTRIN* contains trimethoprim and sulphamethoxazole.
Full prescribing information is available on request.

Wellcome Medical Division,
The Wellcome Foundation Limited, Berkhamsted, Herts.
*Trade name



**SEPTRIN
PAEDIATRIC
SUSPENSION**

PEDIATRIC RESEARCH

Volume 8, No. 6

June 1974

Contents

The Renin-Angiotensin System in the Fetal Lamb	611
F. G. SMITH, JR., A. N. LUPU, L. BARAJAS, R. BAUER, AND R. A. BASHORE (Los Angeles, California)	Findings from studies undertaken by these workers suggest that the renin-angiotensin system is present during fetal development in the sheep and that the fetus responds to stimuli which in the adult result in renin release.
Mass Spectrometer Evaluation of Ventilation-Perfusion Abnormalities in Respiratory Distress Syndrome	621
C. E. HUNT, S. MATALON, O. D. WANGENSTEEN, AND A. S. LEONARD (Minneapolis, Minnesota)	The mass spectrometer system is utilized by these scientists in an attempt to obtain a method for continuous measurement of respiration gas composition in neonatal respiratory disorders, especially in neonates who require assisted ventilation.
A New Variant of Sandhoff's Disease	628
M. W. SPENCE, B. A. RIPLEY, J. A. EMBIL, AND J. A. R. TIBBLES (Halifax, Nova Scotia, Canada)	These investigators present a new variant of Sandhoff's disease in which the levels of hexosaminidase A in serum and plasma and, to a lesser extent, in leukocytes and cultured fibroblasts, are higher than in cases reported previously.
The Renal Reabsorption of Glucose in the Developing Canine Kidney: A Study of Glomerulotubular Balance	638
B. S. ARANT, JR., C. M. EDELMANN, JR., AND M. A. NASH (Bronx, New York)	This investigation explores the maximal renal tubular reabsorption of glucose in the developing canine kidney and examines concomitantly glucose threshold and glomerulotubular balance.
The Effect of Visible Light on the Gunn Rat: Convulsive Threshold, Bilirubin Concentration, and Brain Color	647
T. R. C. SISSON, S. GOLDBERG, AND B. SLAVEN (Philadelphia, Pennsylvania)	A series of tests on hooded Gunn rats has been performed by these authors in order to determine conclusively whether phototherapy prevents brain damage from bilirubin.
Intestinal Parasite Survey of Kindergarten Children in New Orleans	652
D. W. HUBBARD, P. M. MORGAN, R. G. YAEGER, W. G. UNGLAUB, M. W. HOOD, AND R. A. WILLIS (New Orleans, Louisiana)	A survey of 5-year-old Negro kindergarten children from New Orleans public schools was conducted by these investigators in an effort to determine the prevalence of intestinal parasites.
Renal Acid-Base Titration Studies in Infants with and without Metabolic Acidosis in the Postneonatal Period	659
N. W. SVENNINGSSEN (Lund, Sweden)	Under analysis by this author are the renal hydrogen ion excretion in infants after an acute ammoniumchloride load and the renal response to bicarbonate titration with and without postneonatal metabolic acidosis.
Transport of L-Methionine in Rat Intestine and Kidney	673
C. S. BARTSOCAS, S. O. THIER, AND J. D. CRAWFORD (Boston, Massachusetts)	The accumulation of methionine in rat kidney cortex slices and intestinal mucosa is evaluated by these authors in light of defined characteristics of amino acid transport in these tissues.
Chromosomal Mosaicism in Diagnostic Amniotic Fluid Cell Cultures	679
D. M. COX, V. NIEWCZAS-LATE, M. I. RIFFELL, AND J. L. HAMERTON (Winnipeg, Manitoba, Canada)	Difficulties in prenatal diagnosis of true mosaicism as a result of the appearance of chromosomally aberrant cell types in otherwise normal amniotic fluid cell cultures are discussed by these scientists.
Arginine Esterase in Cystic Fibrosis of the Pancreas	684
G. J. S. RAO AND H. L. NADLER (Chicago, Illinois)	Results from studies performed by these authors demonstrate qualitative and quantitative differences in arginine esterase activity in plasma and fractions of plasma from control subjects and patients with cystic fibrosis of the pancreas.
Cystic Fibrosis Ciliary Inhibitor: Letter to the Editor	687
D. R. BARNETT AND B. H. BOWMAN (Galveston, Texas)	
Cystic Fibrosis Ciliary Inhibitor: Letter to the Editor	687
N. G. BERATIS, J. H. CONOVER, E. J. CONOD, R. J. BONFORTE, AND K. HIRSCHHORN (New York, New York)	

Zeitschrift für

Kinder— heilkunde

Journal of Pediatrics

Band 117 Heft 2 1974

K. H. Lichte,	L. Wille:	
	Unusual Phenotype of a Newborn with Turner's Syndrome	73
G. Mau,		
P. Netter:	Blutungen in der Frühschwangerschaft: Ein Hinweis auf kindliche Mißbildungen?	79
	Haemorrhage in Early Pregnancy: An Indication of Malformations in the Infant?	
G. Gutezeit,	K. Vietor:	
	Untersuchungen zur mono- und biauralen Diskriminationsleistung	89
	An Investigation of Monoaural and Biaural Discrimination Ability	
W. Schönberger:	Angenähte multiple Odontome und Dysphagie bei Vater und Sohn — eine syndromhafte Verknüpfung?	101
	Multiple Odontomas (Odontomatosis) and Dysphagia in Father and Son — a Syndromic Connection?	
F. R. Grosse:	The Rabenhorst Syndrome. A Cardio-Acro-Fascial Syndrome	109
J. P. Fryns,	E. Eggemont, R. Eeckels:	
	Multiple Diffuse Hemangiomatosis. Case Report and Review of the Literature	115
Chr. Petrich,	On the Regulation of 2,3-Diphosphoglycerate Concentration in the Erythrocytes of Newborns with Transitory Hyperbilirubinemia	121
U. Göbel:		
Chr. Franz,	U. Mennicken, H.-O. Bützler, L. Henscher: Angenähte Herzfehler beim Ellis-van Creveld-Syndrom. Literaturanalyse und Bericht über eine eigene Beobachtung	127
	Congenital Heart Disease in the Ellis-van Creveld Syndrome. Review of the Literature and Report of One Case	
G. Groß-Selbeck,	U. Dietze, G. Mau, G. Gutezeit: Visuelle Perzeptionsstörungen bei 5- bis 7jährigen Kindern mit und ohne Hirnschädigung	145
	Defects of Visual Perception in Children Aged 5 to 7 Years with and without Brain Damage	


Indexed in Current Contents



Springer-Verlag
Berlin · Heidelberg · New York

Metabolic Aspects of Disease

Treatment of inborn errors has advanced our basic knowledge of disease. Metabolic problems are also a frequent consequence of disease.



Day-time variations in serum phenylalanine (triangles) and tyrosine (circles) in a phenylketonuric child having his first meal as usual at 07.45 hours or fasting until 11.45 hrs. Note the phenylalanine depressing effect of the breakfast (phenylalanine-restricted meal with Albumaid (R)) (Güttler, Olesen & Wamberg—Kennedy Institute—Denmark in Enzymopenic Anaemias, Lysosomes and other papers, pages 149-158 E. & S. Livingstone.)

PRECISION PRODUCTS:

Designed to meet the metabolic defect are called for.

Products more fundamental than enzymes.

Products more basic than protein.

Products which enable precise nutrition.

Products which succeed where cows' milk is a failure.

PRECISION PRODUCTS FOR:

Phenylketonuria, Homocystinuria, Cystinosis, Maple Syrup Urine Disease Hyperglycinæmia, Hyperprolinæmia, Arginine Succinic Urea, Histidinaemia, Tyrosinosis, Carbohydrate and Protein Intolerance, Malabsorptions, Cystic Fibrosis, Glycogen Storage Disease.

MILNER SCIENTIFIC AND MEDICAL RESEARCH

Now maintains a world-wide interest in every aspect of metabolism in disease, and products are directly available in most countries.

For further details please write to Sole U.K. Agents:

SCIENTIFIC HOSPITAL SUPPLIES LTD.
38 QUEENSLAND STREET, LIVERPOOL 7