Lioresal

Relieves spasticity due to

- "... has become the agent of choice for the treatment of spinal spasticity . . . "1
- ". . . drug therapy for spinal spasticity has been revolutionised by baclofen (Lioresal)."
- "... regarded by many as the drug of choice in the treatment of spasticity due to spinal cord lesions..."2

Now also indicated for

Spasticity associated with cerebral palsy

and other allied conditions

 $\mathbf{C} \mathbf{I} \mathbf{B} \mathbf{A}$

Packs

Lioresal is supplied as 10mg tablets of baclofen in packs of 100.

References

1. Practical Therapeutics (1975) 10, 112. 2. Postgraduate Medical Journal (1975) 51, 615.

*denotes registered trademark Full prescribing information is available on

request from CIBA Laboratories, Horsham, West Sussex.

European Journal of

Vol. 129 No. 2 1978

Original Investigations

- O. Linderkamp, I. Strohhacker, H.T. Versmold, H. Klose, K. P. Riegel, K. Betke: Peripheral Circulation in the Newborn: Interaction of Peripheral Blood Flow, Blood Pressure, Blood Volume, and Blood Viscosity
- K.-M. Müller, H. Busse, F. Osmers: Anatomy of the Naso-Lacrimal Duct in New-Borns: Therapeutic Considerations
- H. Gröbe, K. Bartholome, S. Milstien, S. Kaufman: Hyperphenylalaninaemia due to Dihydropteridine Reductase Deficiency
- H. Debuch, H.-R. Wiedemann: Lymph Node Excision as a Simple Diagnostic Aid in Rare Lipidoses
- 103 H. Siemes, H. Schneider, D. Dening, F. Hanefeld: Encephalitis in Two Members of a Family with Incontinentia Pigmenti (Bloch-Sulzberger Syndrome). The Possible Role of Inflammation in the Pathogenesis of CNS Involvement
- 117 U. Göbel, C. Petrich, H. von Voss, L. Schmelzer: Alpha1-Antitrypsin and Alpha2-Macroglobulin in Newborn Infants. I. The Influence of Perinatal Complications
- 125 U. Göbel, A. Triebel, C. Petrich, H. von Voss: Alpha1-Antitrypsin and Alpha2-Macroglobulin in Newborn Infants. II. Relation to the Coagulation System

Case Reports

133 R. C. A. Sengers, A. M. Stadhouders, J. M. F. Trijbels, H. H. J. Jaspar: Recurrent Exertional Rhabdomyolysis and Stunted Growth

Indexed in Current Contents

Subscription Information: Volumes 127—129 (4 issues each) will appear in 1978. Information about obtaining back volumes and microform editions available upon request.

All Countries (Except North America). Subscription rate: DM 504.--, plus postage and handling. Orders can either be placed with your bookdealer or sent directly to: only. Orders should be addressed to: Springer-Verlag, Heidelberger Platz 3, D-1000 Berlin 33, Tel. (030) 822001.

North America. Subscription rate: \$ 228.70, including postage and handling. Subscriptions are entered with prepayment Springer-Verlag New York Inc., 175 Fifth Avenue, New York, N.Y. 10010.

Springer International




This new technique is being used on an increasing scale to supplement blood gas analysis of high risk neonates by continuously monitoring and recording cutaneous pO_2 via a temperature-stable, non-invasive sensor.

Features of the new instrument include:


- Built in chart recorder
- **♣** Dual temperature setting for sensor 43°C or 44°C
- Rapid response to changes in oxygen partial pressure
- **♣** Maximum/minimum alarm call

For demonstrations and full information about this Monitor, please complete the slip below and post to Kontron Instruments Limited, PO Box 88, St. Albans AL1 5JG, or telephone St. Albans (0727) 33221.

Address Telephone No	
Addross	
Name Position	
Please contact me to arrange a demonstration of the Kontron $p0_2$ Monit Please send me further information about the $p0_2$ Monitor* *delete as appropriate	



Simplicity itself



The Codman Shunt range, available only from Downs, has proved outstandingly popular with British surgeons. Here's why.

UNI-SHUNT'—the unique one piece shunt. Simple and easy to insert, it's one piece construction reduces the risk of infection and need for revision.

ACCU-FLO*—the guaranteed system which offers complete flexibility.

The Accu-Flo range of shunts offer the surgeon a complete system from which to choose. They are also guaranteed to function at the stated pressure. Renowned for their consistently high quality and low cost—up to 20% less than some competitive products—Accu-Flo shunts are also double sterile wrapped.

The whole range is available from stock, so there's no delay when ordering. For more details, fill in the coupon.

Downs Surgical

-simply the best

*Registered trade names

Frotect he next generation etect congenital hypothyroid Phade RIA for screening of ne

Pharmacia Diagnostics AB Uppsala · Sweden



Argentina Laboratorios Dr. Gador y Cia., Florida 868 1005 BUENOS AIRES. Australia Pharmacia (South Seas) Pty, Ltd. P. O. Box 175 NORTH RYDE N.S.W. 2113. Austria Schoeller-Pharma G.m.b.H. Postfach 103 A-1111 WIEN. Belgium N.V. Pharmacia Belga S. A. Bld. Gen. Jacqueslaan 26 B-1050 BRUSSEL. Brazil Emprésa Medimex Importação e Comercio Ltda. 40 Caixa Postal 33-2C-00 RIO DE JANEIRO. Canada Pharmacia (Canada) Ltd. 2044 St. Régis Blvd. DORVAL, Québec H9P 1H6. Denmark Pharmacia AS Herredsvejen DK-3400 HILLERØD. Eastern Europe Pharmacia G.m.b.H. Schlöglgasse 10 A-1120 WIEN. Finland Pharmacia OY Norrskensvägen 6 SF-02100 ESBO 10. France Pharmacia France S.A. Rue de Marly, Parly 2 F-78 150 LE CHESNAY. German Federal Republic Deutsche Pharmacia G.m.b.H. Postfach 5480 D-7800 FREIBURG 1. Great Britain Pharmacia (Great Britain) Ltd. Prince Regent Road Hounslow Middlesex LONDON TW3 1NE. Greece G.A. Kambanis imports-Exports-Representations 3 Iridanou Street ATHINE 612. Italy Importex Chimici Farmaceutici S.p.A. P.O. Box 467 I-34100 TRIESTE. Japan Pharmacia (Japan) K.K. Sweden Center Building 11-9, Roppongi 6-Chome Minato-Ku TOKYO 106. Mexico Internacional Cientifica S.A. Apartado Postal 2-807 MEXICO 12 D.F. The Netherlands Gist-Brocades N.V. Diagnostics Dept. P.O. Box 324 RIJSWIJK (ZH) 2109 Norway Norsk Pharmacia A'S Postboks 2005 N-OSLO 5 Portugal J.A. Baptista D'Almeida Lda. Apartado 1339 LISBOA 1. Spain Atom Paseo del Monte 34 BARCELONA 24. Sweden Pharmacia Norden AB Diagnostics Dept. Box 159 S-751 04 UPPSALA 1. Switzerland Pharmacia — pdf — (Schweiz) A. G. 214 Seefeldstrasse CH-8034 ZURICH. USA Pharmacia Diagnostics Dept. Box 159 S-751 04 UPPSALA 1. Switzerland Pharmacia — pdf — (Schweiz) A. G. 214 Seefeldstrasse CH-8034 ZURICH. USA Pharmacia Diagnostics Dept. Box 159 S-751 04 UPPSALA 1. Switzerland Pharmacia — pdf — (Schweiz) A. G. 214 Seefeldstrasse CH-8034 ZURICH. USA Pharmacia Diagnostics Dept. Po. Box 159 S-751 04 UPPSALA 1. Switzerland Pharmacia — (Schweiz) A. G. 214 Seefeldstrasse CH-8034 ZURICH. USA Pharmacia Diagno

Reduced Subscription Rates for Junior Hospital Doctors Residents and Interns...

from January 1 1979 the

Archives of Disease in Childhood

will be available to junior doctors in all parts of the world for a maximum of four consecutive years at REDUCED Annual Subscription Rates. (Thereafter, or when reaching consultant status this special offer will no longer apply.) The following subscription rates apply for the twelve issues published in 1979.

Inland £17.00 Overseas US\$40.00

(The full rates are: Inland £28.00; Overseas US\$65.50)

The opportunity to subscribe to this journal of international authority and repute at a substantially reduced subscription rate is one not to be missed by junior doctors seeking to specialise in paediatrics.

Please complete the adjacent order form and send for your subscription NOW.

Further order forms can be supplied on request.

ONDER FORM
BMA Publications BMA House, Tavistock Square London WC1H 9JR, England
Please enter my subscription to ARCHIVES OF DISEASE IN CHILDHOOD United Kingdom and Irish Republic £17.00 Overseas US\$40.00 My remittance for
is enclosed
(Please tick appropriate boxes)
ADDRESS
To be completed by Consultant I hereby confirm that the above mentioned doctor is a member of the junior hospital staff/ resident/intern at
Signed

Archives of Disease in Childhood


Bennett Air/Oxygen Mixer Delivers Accurate Oxygen Concentrations From 21% to 100%

The Bennett Air/Oxygen Mixer provides a reliable means of delivering precise oxygen concentrations for use with respiratory care equipment without prematching of inlet pressures. Infinitely adjustable oxygen concentrations can be delivered over a wide range of flows from 2-100 LPM at 50 PSI input. Accuracy is maintained within $\pm 2\%$ variation over a wide range of fluctuating flow rates and fluctuating inlet pressures. An adjustable alarm warns the operator if the pressure of either incoming source

gas drops below that indicated on the alarm setting. In the event of alarm, the mixer automatically switches output to the gas with the highest pressure and delivers only that gas. For more information, or a demonstration consult your nearest Puritan-Bennett distributor.



Puritan-Bennett, International Corp. Bognor Road, Chichester Sussex. PO19 2PH Telex: 86462. Cables: Puremade Chichester. Exclusive distributors in all European countries. the Middle East & Africa



Diseases of Connective Tissue

The Proceedings of a Symposium organised by the Royal College of Pathologists

Edited by D. L. Gardner

The cells—Fibroblasts M. ABERCROMBIE ● Chrondrocytes R. A. STOCKWELL ● Synoviocytes HONOR B. FELL ● The muscle cell J. C. SLOPER, M. C. BARRETT, AND T. A. PARTRIDGE

Extracellular materials—Collagens D. S. JACKSON • Collagen and elastin fibres A. J. BAILEY • Basement membrane John T. Ireland • Proteoglycans of cartilage Helen Muir

Disease mechanisms—Diseases of the collagen molecule C. I. LEVENE ● Molecular abnormalities of collagen F. M. POPE AND A. C. NICHOLLS ● Lysosomes and the connective-tissue diseases LUCILLE BITENSKY

Genetic disease—HLA system and rheumatic disease D. A. BREWERTON ● Replacement therapy in the mucopolysaccharidoses MICHAEL F. DEAN ● Genetic disease and amyloid J. R. HOBBS

Inflammation and fibrosis—Rheumatoid arthritis—a virus disease? A. M. DENMAN ● Systemic lupus erythematosus—an autoimmune disease? E. J. HOLBOROW ● Hepatic cirrhosis—a collagen formative disease? J. O'D. McGEE AND A. FALLON ● Fibrosis of lung—an environmental disease? P. C. ELMES AND J. C. WAGNER

Kettle Memorial Lecture—Atherosclerosis—disease of old age or infancy? C. I. LEVENE

Structural and metabolic disease—New knowledge of connective tissue ageing J. D. SCHOFIELD AND B. WEIGHTMAN • New knowledge of osteoarthrosis s. Yousuf all • New knowledge of intervertebral disc disease J. Ball • New knowledge of the pathogenesis of gout J. T. SCOTT • New knowledge of chondrocalcinosis Paul Dieppe

A consensus—Connective tissue diseases: A consensus D. L. GARDNER

Price: Inland £6.00; Abroad US \$15.00, including postage
Payment must be enclosed with order or a surcharge of 30p will be made for rendering invoices and statements

ORDER YOUR COPY NOW FROM: The Publisher, Journal of Clinical Pathology, B.M.A. House, Tavistock Square, London WC1H 9JR

Atopic Allergy?

"In children with a double parental history of atopic disease the incidence of such disease was higher than in children with a single such heredity in whom, however, the incidence was higher than in children without any parental history of atopic disease."

When history and examination are equivocal the use of IgE as a parameter for atopic allergy either for diagnostic or predictive purposes should be decisive.

Kjellman, N-I Max: Immunoglobulin E and Atopic Allergy in Children. Linköping University Medical Dissertations 36, 1976.

Phadebas IgE PRIST®

urdiry predisposition?

(Paper Radio Immuno Sorbent Test)

The test to predict atopic allergies in children.


Pharmacia Diagnostics AB Uppsala · Sweden



Argentina Laboratorios Dr. Gador y Cia., S.A.C.I. Caellia de Correo 4041 1006 BUENOS AIRES. Australia Pharmacia (South Seas) Phy. Ltd. P.O. Box 175 4 Byfield Street NORTH RYDE N.S.W. 2113. Austria Pharmacia Gesellschaft m.b.H. Rathausplatz 4 A-1010 WIEN. Beiglum N.V. Pharmacia Beigs S.A. Bld. Gen. Jacquestean 26 B-1050 BRUSSELS. Breatl Empress Medinax Importação e Comércio Lida. Rus cardoso Marinto, 40 Caixa postal 33-2-Co PRIO E JANDEROS (Canada Pharmacia) (Canada) Ld. 2044 boul. S. Rujos BNAC DORIVAL. (DORIVAL. DORIVAL. CANADA Pharmacia AS, Herredovejan DK-3400 HILLERDD. Finland Pharmacia OY Norrakenevigen 6, SF-02100 ESBD. France Pharmacia St. Rujos BNAC DORIVAL. DORIVAL. CANADA Pharmacia OY Norrakenevigen 6, SF-02100 ESBD. France Pharmacia (Sa.) Lid. Paramacia House 75 Undridge Road LONDON WS 53S. Greece G.A. Kambienis imports-Exports-Representations 3 indenou Street ATHENS 612. Itsely importes: Chimic Fharmacia (Sa.) Lid. Paramacia Congress of Canada Pharmacia Congress Cong

Furadantin Suspension To prevent lower urinary tract reinfection

in childhood



Furadantin Suspension, the only liquid form of nitrofurgation, is recommended for recurrent U.T.L.in childhood because it is bactericialal and specific to the uninary tract, being active in both the urine and the renal medulla.

Furadantin Suspension is rapidly absorbed in the G.I. tract and does not cause changes in the gut flora.

when used prophylodically in susceptible individuals

Further information is available on request to the company.


PL 0364/0010 PA 170/5/3

Foradantin' is a registered trade mark.



Eaton Laborateries Regent House, Woking, Surrey GU21 5AP

THERE'S NOTHING QUITE LIKE



paediatric oral iron-polysaccharide complex

High absorption - low toxicity

Maximum palatability – minimum gastric reaction

The only tasteless liquid iron

Detailed information is available on request.

Tillotts Laboratories Unit 24, Henlow Trading Estate, Henlow, Beds. Telephone: 0462 813933

Pitman Medical



Paediatric Diagnosis and Treatment N M Jacoby

Provides a wide pragmatic coverage of paediatric practice for all who have the care of children. Deals with diagnosis and treatment of disease. Written for senior undergraduates, postgraduates at junior staff level, and practitioners.

Contents: Diseases due to Infections. Diseases of: Alimentary Canal; Respiratory System; Heart; Central Nervous System; Blood; Renal Tract; Metabolic Origin; Bones and Joints; Liver; Endocrine Glands. Diseases Associated with Chromosome Abnormalities. Neoplastic Diseases in Children. Diseases of the New Born.

450 pages Illustrated Cased £12.00 net

From your Bookseller OR
Pitman Medical Publishing Co. Ltd.
57 High Street, Tunbridge Wells, Kent TNI 1XH

Please send me..... copy/copies of PAEDIATRIC DIAGNOSIS AND TREATMENT £12.00 (Please add 50p postage and packing)

I D	I enclose my cheque for £ OR Debit my Access/Barclaycard with amount due												
		I	Τ	Τ	Ī	I			1			Ţ	
N	an	1e	•••		•••			 	 	•••	 ••••	 	
A	dd	res	s	••••	•••		••••	 	 	•••	 	 	
Si	gn	atu	ге					 	 		 	 	

Michigan-Neonatology Fellowship

Available for July 1979

Regional Neonatal-Perinatal Center for high-risk obstetric and newborn referral service.

Contact Raymond Chan, M.D., Div. of Neonatology, Hurley Medical Center, 6th and Begole, Flint, Mi. 48502

Drugs and Disease

The Proceedings of a Symposium organized by the Royal College of Pathologists

Edited by Sheila Worlledge

Price: Inland £3.00 Abroad US \$7.50 including postage

The Publishing Manager, JOURNAL OF CLINICAL PATHOLOGY, BMA House, Tavistock Square, London WC1H 9JR

Contents

	Pregnancy and Development of Rats. I. Adverse Effects during
Pregnancy N. Schoenfeld, O. Epstein, L. Nemesh, M. Rosen, and A. Atsmon (Petah Tiqva and Ramat Aviv, Israel)	A methodical investigation on the effects of propranolol in pregnant rats was initiated in view of previous laboratory findings and reports of small placentas and fetuses in women receiving propranolol during pregnancy.
Influence of Exogenous Cortis	sol and Triglyceride Feeding on Glucose Homeostasis in the
Fasted Newborn Rat P. Ferre, J. P. Pegorier, R. ASSAN, E. B. MARLISS, AND J. GIRARD (Toronto, Ontario, Canada)	The effects of cortisol injection at birth and triglyceride feeding after birth were analysed in 16-hr-old fasted newborn rats.
Effects of Diet and Weight Los Children	ss on Plasma Glucose, Insulin, and Free Fatty Acids in Obese 757
I. DESCHAMPS, J. F. DESJEUX, S. MACHINOT, F. ROLLAND, AND H. LESTRADET (Paris, France)	Glucose, insulin, and free fatty acid changes were analysed in relation to weight loss after dieting in a sample of obese children.
Cyclic Neucleotide Phosphodie	esterase Activities of the Human Liver: Comparison between
Control and Reye's Syndrome E. S. KANG (Memphis, Tennessee)	Samples
	racellular and Extracellular Potassium in Normal and Mal- in Leukocytes
	Airway Pressure on Pulmonary Function and Blood Gases of ess Syndrome
α_1 -Antitrypsin and α_1 -Acid G. Infants with Respiratory Distr S. K. Lee, D. W. Thibeault, and D. C. Heiner (Torrance, California)	lycoprotein Levels in the Cord Blood and Amniotic Fluid of tess Syndrome
Polygraphic Studies of Norma Syndrome: Heart Rate and Va R. M. Harper, B. Leake, T. HOPPENBROUWERS, M. B. STERMAN, D. J. McGINTY, AND J. HODGMAN (Los Angeles California)	al Infants and Infants at Risk for the Sudden Infant Death ariability as a Function of State
Lymphocyte Subpopulations in J. M. Bernstein, C. Szymanski, B. Albini, M. Sun, and P. L. Ogra (Buffalo, New York)	n Otitis Media with Effusion
Selenium and Glutathione Pero N. Rudolph and S. L. Wong (Brooklyn, New York)	Oxidase Activity in Maternal and Cord Plasma and Red Cells 789 In order to define the normal range of selenium levels and to evaluate whether any correlation exists in the human between selenium and glutathione (GSH) peroxidase activity, paired samples of maternal and cord erythrocytes and plasma, respectively, were assayed for selenium and for GSH peroxidase activity.

Monatsschrift Kinderfür Kunder heikunde

Organ der Deutschen Gesellschaft für Kinderheilkunde

126. Band · Heft 8 · August 1978

A. Windorfer

Zur Geschichte der "Deutschen Gesellschaft für Kinderheilkunde" (On the History of the "Deutschen Gesellschaft für Kinderheilkunde") **461**

Übersichten

G. Nissen

Das depressive Kind (The Depressive Child) 463

H. Harbauer

Das aggressive Kind (The Aggressive Child) 472

M. K. Neidhardt, M. Hertl

Die seelische Betreuung des onkologisch kranken Kindes und seiner Eltern (Psychological Care in Pediatric Oncology: Patients, Family, and Personnel) **479**

H. Doose

Grundlagen der Genetik und der genetischen Beratung bei Epilepsie (Genetics and Genetic Counselling in Childhood Epilepsy) 487

Originalien

I. Lagenstein, R. P. Willig, E. Iffland

Behandlung frühkindlicher Anfälle mit ACTH und Dexamethason unter standardisierten Bedingungen. I. Klinische Ergebnisse (Standardised ACTH and Dexamethasone Therapy of Convulsions in Early Childhood. I. Clinical Results) 492

I. Lagenstein, R. P. Willig, E. Iffland

Behandlung frühkindlicher Anfälle mit ACTH und Dexamethason unter standardisierten Bedingungen. II. Elekrtoencephalographische Beobachtungen (Standardised ACTH and Dexamethasone Therapy of Convulsions in Early Childhood. II. EEG-Observations) 500

A. Windorfer, S. Stünkel, H. M. Weinmann

Bestimmung des Serumkonzentrationsverhältnisses von Primidon/Phenobarbital bei antikonvulsiver Primidonbehandlung als weiteres Kriterium bei der Therapiebeurteilung (Ratio of Primidone to Phenobarbital Serum Levels as a Criterion in the Assessment of Anticonvulsive Therapy with Primidone) 507

L. Weingärtner, U. Sitka, R. Patsch, J. Richter

Pharmakokinetische Untersuchungen von Sisomicin unter besonderer Berücksichtigung des frühen Kindesalters (Pharmacokinetic Investigations on Sisomicin in Children) 512

W. Eisenberg, E. Holzgraefe, M. Naim

Frühgeborenen-Apnoe. Prophylaxe mit Theophyllin (Theophylline for Prevention of Apnea in Premature Infants) 518

W. Droese, H. Stolley, M. Kersting

Energie- und Nährstoffversorgung im Verlauf der Kindheit. II. Protein (Energy and Nutrient Supply During Childhood. II. Protein Supply) 524

Buchbesprechungen 529

Tagesgeschichte 530

Indexed in Current Contents

Annual subscription: DM 154, - plus postage



Zur 75. Jahrestagung der Deutschen Gesellschaft für Kinderheilkunde vom 4. bis 6. 9. 1978 in Freiburg

Springer-Verlag Berlin Heidelberg New York

Mschr, Kinderheilk. ISSN 0026-9298 MOKIAY 126 (8) 461 – 530 (1978)