


From the first tiny tastes through to family meals

# **milupa<sup>®</sup> Infant Foods**

Almost half the range is gluten free 




Milupa Infant Foods are known and trusted by millions of mothers everywhere.

Almost half the range is gluten free  – delicious balanced nourishment for babies and just right for those first tiny tastes of solids.

The gluten free varieties are part of the whole Milupa range of breakfasts, rusks, dinner-time savouries, fruits and desserts – a 'one-step' range that takes babies

from those first steps in mixed feeding right through to family meals.



Have you tried the new 4 Seasons varieties? Winter Vegetable Casserole, Spring Vegetable Dinner, Summer Salad Variety and Autumn Fruit Harvest – 3 delicious dinners and one dessert. Spring Vegetable Dinner and Autumn Fruit Harvest are gluten free . All Milupa Infant Foods taste naturally good with no artificial flavourings added.

# **milupa<sup>®</sup>**


The new generation of Baby Foods

Send now to Milupa for free taste samples and further information.  
Department ADC10 Milupa Limited, Milupa House, Hercies Road, Hillingdon,  
Middlesex. UB10 9NA. Telephone: Uxbridge 59851

# Radiometer introduce the second generation of Transcutaneous Blood Gas Systems.



Non-Invasive Determination of the O<sub>2</sub> and CO<sub>2</sub> Partial Pressures.



The TCM2 TC OXYGEN MONITOR AND TCM20 TC CARBON DIOXIDE MONITOR are designed with a micro-processor to provide highly accurate tc-Po<sub>2</sub> and tc-Pco<sub>2</sub> values with a minimum of operator handling and a maximum of safety. They feature:


- ★ automatic electrode calibration
- ★ constant electrode temp. check
- ★ automatic instrument check
- ★ six hours' battery operation

ELECTRODE HANDLING is greatly improved by:

- ★ Snap-on Membrane Units
- ★ modified electrolytes
- ★ soft-rim fixation rings

The TCM200 DATABASE has:

- ★ two chart speeds
  - ★ three measuring ranges
  - ★ analogue and digital outputs
- When detached from the TCM200, the monitors may be battery-operated for 6 hours.



## VERSIONS AVAILABLE

One Database	
One O <sub>2</sub> Monitor	TCM222
One CO <sub>2</sub> Monitor	
One Database	
One O <sub>2</sub> Monitor	TCM202
One Database	
Two O <sub>2</sub> Monitors	TCM204
One Database	
One CO <sub>2</sub> Monitor	TCM220
One Database	
Two CO <sub>2</sub> Monitors	TCM240

All versions include accessories.

V. A. Howe & Co. Ltd.  
88 Peterborough Road,  
London, SW6 3EP.  
Tel: 01-736 8262.

# HOWE

**NOW AVAILABLE**  
single application  
**FLEXULES**


# When efficacy is the need and safety is the concern

...need now to  
...efficacy for  
...because Eumovate  
...the need for a  
...corticosteroid preparation  
with greater topical activity than hydrocortisone, yet  
with a wide margin of safety.

# Eumovate

(clobetasone butyrate)

a unique balance of efficacy and safety



#### Indicating information

Eumovate is suitable for treating the following forms of eczema, seborrhoeic dermatitis and other steroid responsive skin conditions.

#### Dosage and administration

Apply up to four times a day until improvement occurs, when the frequency of application may be reduced.

#### Contra-indications

Bacterial, fungal or viral diseases of the skin. Hypersensitivity to the preparation.

#### Precautions

In infants and children, long-term continuous topical corticosteroid therapy should be avoided where possible, as adrenal suppression can occur. In infants, the nappin may act as an occlusive dressing, and increase absorption. Appropriate antimicrobial therapy should be used concurrently whenever treating inflammatory lesions which have become infected.

Any spread of infection requires withdrawal of topical corticosteroid therapy and, possibly, commencement of systemic chemotherapy.

As with all corticosteroids, prolonged application to the face is undesirable. In general, topical steroids should not be used extensively in pregnancy, i.e., in large amounts or for prolonged periods.

#### Side effects

In the unlikely event of signs of hypersensitivity appearing, application should stop immediately. If large areas were to be treated, some patients could absorb sufficient steroid to cause transient adrenal depression despite the low degree of systemic activity associated with clobetasone butyrate.

Local atrophic changes could occur where moisture increases absorption of steroid, but only after prolonged use.

**Basic NHS cost** (exclusive of VAT)  
25 gram tube £1.63 (also available in 100 gram tubes)

20 x 1 gram Flexules £2.58

**Product Licence numbers**

Cream: 4/0233

Ointment: 4/0254

**Glaxo**

leaders in topical steroid therapy

Further information on

Eumovate is available from:

Glaxo Laboratories Limited

Greenford, Middlesex UB6 0HE

Eumovate and Flexules are

trade marks

# If a mother can't breastfeed Milupa now offer two granulated formulae



## New Aptamil<sup>®</sup>

— a fully adapted baby milk formula that may be preferred for the newborn infant where breastfeeding is not chosen or isn't possible.

- low sodium levels
- adapted protein content
- lactose is the only carbohydrate
- added trace minerals



## Milumil<sup>®</sup>

— a modern modified baby milk that is particularly suitable when baby needs a more satisfying milk food.

- easily digested fat content
- amylose and maltodextrin in addition to lactose
- experience shows good acceptability

Everyone agrees that breastfeeding gives a baby the best start in life, but when breastfeeding is not chosen or is not possible Aptamil or Milumil can be used with confidence. They meet the latest DHSS recommendations for the composition of infant formulae and are granulated for easy mixing and measuring. Aptamil and Milumil are available from your local chemist.

For further details please contact Dept. AD 10  
Milupa Limited, Milupa House,  
Hercies Road, Hillingdon, Middx. UB10

# **milupa**<sup>®</sup>

The new generation of Baby Foods

# Springer Pediatrics

*New and Recent Titles*

H. Ewerbeck

## Differential Diagnosis in Pediatrics

A Compendium of Symptoms and Findings. Translated and revised from the German edition by J. Remischovsky  
1980. 28 tables. XVI, 471 pages  
DM 38,-; approx. US \$ 17.30;  
approx. £ 8.40  
ISBN 3-540-90474-3

This is a comprehensive, symptom-oriented guide to the diagnosis of all common pediatric disorders – and many less common conditions as well. It covers thoroughly yet concisely such important problems as: fever of unknown origin, abdominal pain, diarrhea, dyspnea, hematologic, cardiac, and urinary manifestations, seizures, and exanthems. The organization by symptoms – combined with the many headings, tables, and cross-references – makes it easy to locate information quickly.

J. P. Lintermans, W. G. van Dorp

## Differential Diagnosis in Pediatric Echocardiography

1981. 110 figures, 20 tables. XVI, 234 pages  
Cloth DM 128,-; approx. US \$ 58.20;  
approx. £ 28.20  
ISBN 3-540-09810-0  
Distribution rights for Japan: Igaku Shoin Ltd., Tokyo

This substantial contribution to the use of echocardiography will be an invaluable guide to all those who employ it in aiding children afflicted with heart disease.



Springer-Verlag  
Berlin  
Heidelberg  
New York

## Diagnostic Imaging of the Kidney and Urinary Tract in Children

By A. R. Chrispin, I. Gordon, C. Hall, C. Metreweli  
1980. 271 figures in 418 separate illustrations. XVIII, 206 pages  
(Current Diagnostic Pediatrics)  
Cloth DM 118,-; approx. US \$ 53.70;  
approx. £ 26.00  
ISBN 3-540-09472-5


J. L. Gwinn, P. Stanley

## Diagnostic Imaging in Pediatric Trauma

1980. 275 figures in 468 separate illustrations. 7 tables. XIII, 199 pages  
Cloth DM 76,-; approx. US \$ 34.60;  
approx. £ 16.80  
ISBN 3-540-09473-3

## Rheumatic Valvular Disease in Children

Editors: J. B. Borman, M. S. Gotsman  
With contributions by numerous experts  
1980. 105 figures, 43 tables. IX, 231 pages  
DM 98,-; approx. US \$ 44.60;  
approx. £ 21.60  
ISBN 3-540-10079-2



External cardiac massage of the newborn infant (from: L. Wille, M. Obladen: Neonatal Intensive Care)

## Paediatric Pathology

Editor: C. L. Berry  
With contributions by numerous experts  
1981. 673 figures, approx. 66 tables.  
XII, 700 pages  
Cloth DM 170,-; approx. US \$ 77.30;  
approx. £ 37.40  
ISBN 3-540-10507-7  
Distribution rights for Japan:  
Maruzen Co. Ltd., Tokyo

P. Beighton, B. J. Cremin

## Sclerosing Bone Dysplasias

1980. 62 figures in 218 separate illustrations. IX, 191 pages  
Cloth DM 112,-; approx. US \$ 51.00;  
approx. £ 24.70  
ISBN 3-540-09471-7

## Treatment of Fractures in Children and Adolescents

Editors: B. G. Weber, C. Brunner, F. Freuler  
With contributions by numerous experts  
1980. 462 figures, 31 tables. XII, 408 pages  
Cloth DM 258,-; approx. US \$ 117.30;  
approx. £ 56.80  
ISBN 3-540-09313-3

## Neonatal Screening for Inborn Errors of Metabolism

Editors: H. Bickel, R. Guthrie, G. Hammersen  
With contributions by numerous experts  
1980. 61 figures, 119 tables.  
XVII, 345 pages  
Cloth DM 86,-; approx. US \$ 39.10;  
approx. £ 19.00  
ISBN 3-540-09779-1

*Neonatal Screening for Inborn Errors of Metabolism* provides pediatricians, geneticists, biochemists, and public health officials not only with a comprehensive overview of a rapidly developing field, but also with guidelines for the future application of an important diagnostic tool.

L. Wille, M. Obladen

## Neonatal Intensive Care

Principles and Guidelines  
With a Section on Neonatal Cardiology by H. F. Ulmer. Foreword by A. Merrit  
Translated from the German by T. C. Telger  
1981. 49 figures, 76 tables. XX, 283 pages  
DM 49.50; approx. US \$ 22.50;  
approx. £ 10.90  
ISBN 3-540-10462-3

---

## Order Form

Please deliver through my bookseller:

I order herewith: \_\_\_\_\_

Name \_\_\_\_\_

Address \_\_\_\_\_

Date/Signature \_\_\_\_\_

Springer-Verlag, P.O. Box 10 52 80,  
D-6900 Heidelberg  
Springer-Verlag New York Inc.,  
175 Fifth Avenue, New York NY 10010,  
USA

Prices are subject to change without notice



**Thanks to  
Graseby Dynamics,  
your staff can be  
where they're  
needed most.**

Even from the other end of a ward, they can hear the audio signal of an MR 10 ... safe in the knowledge that it is virtually immune from false alarms and unaffected by external influences.


This is because the only point of contact is a tiny disposable pneumatic capsule, taped unobtrusively to the baby's abdomen.

For minimal restriction and maximum safety, lightweight non-kink plastic tubing connects the capsule to a remote battery powered monitor.

The tough lightweight construction of this hand-sized monitor enables it to be used in almost any situation in hospital or the mother's home, with the added security of both audible and visible signals.

**The MR 10 Respiration Monitor**

Thankfully, the unique and economic design ensures continuous monitoring wherever it is needed most, even during transportation.



**Graseby Dynamics Ltd**  
Medical Division, Park Avenue, Bushey,  
Watford, Herts. England WD2 2BW.  
Tel: Watford (0923) 28566. Telex: 923010

*A member of the Cambridge  
Electronic Industries Group*

Graseby Dynamics Ltd is an amalgamation of Pye Dynamics Ltd with Graseby Instruments Ltd and will continue to develop and manufacture a range of professional products to the highest standard.

## Paediatrics in the Tropics

Current Review

Edited by R. G. Hendrickse

This book brings together a wide range of subjects which are of importance in paediatrics in the tropics and the sub-tropics, presented by authors who are internationally recognized experts in their fields. It includes coverage of important aspects of neonatology; nutrition and growth and development; gastroenterology; and infectious diseases. The book is intended for doctors in paediatrics practice in developing tropical countries, and it aims to provide its readers with an opportunity to revise and upgrade their knowledge of paediatrics in the light of scientific advances and new approaches to medical care. Illustrated £20

*Oxford Medical Publications*

**Oxford University Press**

*Current Topics in Immunology*

## 16 Obstetric and Perinatal Immunology

**Maurice N Cauchi**

An up-to-date and concise summary of maternal-fetal immunology with a description of immunological changes in normal and pathological pregnancy. The information is presented in a readable form and will be accessible to those without a wide background of immunological knowledge.

*£12.50 boards 160 pages  
28 illustrations*



**Edward Arnold**  
41 Bedford Square,  
London WC1B 3DQ

# Monatsschrift Kinder- heilkunde

Organ der  
Deutschen Gesellschaft  
für Kinderheilkunde

129. Band  
Heft 6  
Juni 1981

Springer-Verlag Berlin Heidelberg New York

	<b>Thema des Monats</b>	<b>This Month's Topic</b>	
	Rezidivierender HWI, VUR und asymptomatische Bakteriurie noch immer in der Diskussion	Recurring Infection of the Urinary Tract, Reflux from the Bladder, and Asymptomatic Bacteriuria Still Under Discussion	315
<b>Internationale Reflux-Studie</b>	Vergleich von medikamentöser und chirurgischer Behandlung beim primären vesiko-ureterorenalen Reflux	Comparison of Medical or Surgical Treatment in Primary Vesico-Uretero-Renal Reflux	316
M. Kienitz	Anmerkungen zu aktuellen Problemen der antibakteriellen Therapie von Harnwegsinfektionen des Kindes	Comments on Problems of the Antibiotic Therapy of Urinary Tract Infections in Children	324
J. M. Smellie	Antibiotische Prophylaxe rezidivierender Harnwegsinfektionen bei Kindern	Prophylactic Treatment with Antibiotics in Children with Recurring Infections of the Urinary Tract	328
U. Jodal, U. Lindberg, S. Märid, B. Wettergren	Betreuung von Kindern mit asymptomatischer Bakteriurie	Care for the Children with Asymptomatic Bacteriuria	332
	<b>Pädiatrie aktuell</b>	<b>Trends in Paediatrics</b>	336
	<b>Was hat das Kind?</b>	<b>What's Wrong with the Child?</b>	337
	<b>Aus Klinik und Forschung Originalen</b>	<b>Clinic and Research Originals</b>	
L. Reinken, H. Stolley, W. Droese	Wachstum der Körperoberfläche während des Kindesalters	Development of Body Surface Area During Childhood	338
D. Reinhardt, O. Richter	Mechanismen des Arzneimittelübergangs in die Muttermilch	Mechanisms of Drug Transfer into Human Milk	341
P. Neis, F. Zeuß	Über die Anwendbarkeit von Fluorescein-Dilaurat zur exokrinen Pankreasfunktionsprüfung bei Kindern	Diagnosis of Pancreatic Insufficiency Using Fluorescein-Dilaurate in Children	347
R. W. Dittmann, H. Hein, H. Wallis	Zur Psychopharmaka-Anwendung im Säuglings-, Kleinkindes- und Vorschulalter	The Use of Psychopharmaca in Infancy and Pre-school Age Results of Questioning Parents of School Beginners	349
R. Roos, B. H. Belohradsky	Diagnostische Bedeutung der Gegenstrom-elektrophorese (GSE) bei der bakteriellen Meningitis im Kindesalter	The Diagnostic Significance of Countercurrent Immunoelectrophoresis (CIE) in Bacterial Meningitis in Children	354
Y. M. Goudarzi	Zur Problematik, Klinik und Therapie gutartiger Knochentumoren im Kindes- und jugendlichen Alter	Problematic, Clinic and Treatment of Benign Bone Tumors in Childhood and Adolescence	359
	<b>Der interessante Fall</b>	<b>The Interesting Case</b>	
F. Waldhauser, H. Frisch, E. Schober	Latente Hypothyreose bei einem Säugling	Subclinical Hypothyroidism in Infancy	364
P. Heidemann, P. Stubbe	Fehleinschätzung der Schilddrüsenfunktion durch Veränderung der Serumspiegel von Thyroxin-bindendem Globulin	Misinterpretation of Thyroid Function Caused by Alteration in Thyroxine Binding Globulin Concentration	367
	<b>Wußten Sie schon?</b>	<b>Do You Know?</b>	
F. Bläker	Neues aus Therapie und Prophylaxe Antimikrobielle Therapie mit Cotrimoxazol	New Developments in Therapy and Prophylaxis Antimicrobial Therapy with Cotrimoxazol	370
R. H. Ringert	Aus der Klinik — für die Klinik Harnwegsmykosen in der Neugeborenenurologie	Clinical Tips for Clinicians Urinary Candidiasis in Neonates	371
	Auflösung und Kommentar der Fragen „Was hat das Kind?“	Solution and Commentary to the Question: „What's Wrong with the Child?“	366
	<b>Laudationes</b>	<b>Laudationes</b>	
B. Hadorn	Prof. Dr. H. Berger 60 Jahre		372
K. H. Schäfer	Prof. Dr. O. Hövels 60 Jahre		372
W. Marget	Prof. Dr. H. W. Ocklitz 60 Jahre		373
	<b>Neue Bücher</b>	<b>New Books</b>	374
	<b>Aus Gesellschaften und Berufsverband</b>	<b>Societies and Professional Organisations</b>	374
	<b>Tagese Geschichte, Personalia</b>	<b>News of the Day, Personal News</b>	375
	<b>Tagungskalender</b>	<b>Forthcoming Meetings</b>	375
	<b>Für die Dokumentation</b>	<b>Documentation</b>	A50

# European Journal of Pediatrics

Volume 137 Number 1 September 1981

A 'thank you' to David B. Grant

The Pioneers of Pediatric Medicine 1

#### Editorial

G. B. Stickler: The Fear of Recording a Negative Physical Examination 3

#### Original Investigations

H. Streb, H. G. Posselt, K. Wolter, S. W. Bender: Aldolase Activities of the Small Intestinal Mucosa in Malabsorption States and Hereditary Fructose Intolerance 5

K. R. Lyen, S. Lingam, A. M. Butterfill, W. C. Marshall, C. J. Dobbing, D. S. C. Lee: Multicystic Encephalomalacia Due to Fetal Viral Encephalitis 11

T. Onishi, J. Suzue, K. Nishikawa, M. Muramatsu, M. Miyao: Nature of Copper and Zinc Compounds in Tissues from a Patient with Menkes Kinky Hair Syndrome 17

P. J. Aggett, H. T. Delves, J. M. Thorn, D. J. Atherton, J. T. Harris, A. D. Bangham: The Therapeutic Effect of Amphotericin in Acrodermatitis Enteropathica: Hypothesis and Implications 23

F. Alvarez, J. Yvart, M. Odièvre: The Rose Bengal Test in Neonatal Cholestasis: Diagnostic and Prognostic Value 27

P. Koepf, S. Hegewisch: Effects of Guar on Plasma Viscosity and Related Parameters in Diabetic Children 31

A. Adam, Z. Josefsberg, A. Pertzlan, Z. Zadik, J. M. Chemke, Z. Laron: Occurrence of Four Types of Growth Hormone-Related Dwarfism in Israeli Communities 35

W. Beck: Normoprolactinemia in Boys with Marked Gynecomastia 41

D. C. Davidson, D. M. Isherwood, J. T. Ireland, P. G. Rae: Outcome of Pregnancy in a Phenylketonuric Mother After Low Phenylalanine Diet Introduced from the Ninth Week of Pregnancy 45

H. Siemes, M. Siegert, B. Jaroffke, F. Hanefeld: The CSF-Protein Pattern in Acute Cerebellar Ataxia of Childhood and Intracranial Midline Tumours 49

R. S. Trompeter, V. Schrubbs, J. M. Heaton, A. C. Berry: XY Sex-Reversed Campomelia 59

M. Perkkio, E. Savilahti, P. Kuitunen: Morphometric and Immunohistochemical Study of Jejunal Biopsies from Children with Intestinal Soy Allergy 63

F. Waldhauser, G. Weißenbacher, H. Frisch, A. Pollak: Pulsatile Secretion of Gonadotropins in Early Infancy 71

#### History of Pediatrics

S. S. Kottke: "Mater Puerorum": A Medieval Naming for an Enigmatic Children's Disease 75

#### Case Reports

C. R. Bartram, H. Przyrembel, U. Wendel, H. J. Bremer, J. Schaub, J. R. Haas: Glycogenosis Type Ib Complicated by Severe Granulocytopenia Resembling Inherited Neutropenia 81

G. Mau, B. Helbig, M. Mann: Discitis—a Rare Early Symptom of Ankylosing Spondylitis 85

F. Sacchi, G. Maggiore, E. Bianchi, G. Marseglia, M. Marconi, A. G. Ugazio, A. G. Siccardi: Staphylocidal Defect of Polymorphonuclear Leukocytes in a Patient with Leprechaunism 89

O. Galal, G. Osse, W. Weigel, M. Gahr: Pneumatosis Intestinalis in Children with Leukaemia: Report of Three Cases 91

H.-R. Wiedemann: Sarcoidosis: Ten Years' Follow-Up of a Relatively Severe Case 95

#### Letters to the Editor

R. A. Pfeiffer: The Joubert Syndrome Associated with Bilateral Chorioretinal Coloboma (by D. Lindhout et al.) 101

D. Lindhout, P. G. Barth, J. Valk, T. N. Boan-Tan: Authors' Reply 101

M. Stern: Cow's Milk Protein Intolerance: Severe Patchy Enteropathy in a Single Biopsy Specimen 103

#### Abstracts

10th Meeting of the European Working Group for Cystic Fibrosis (EWGCF), Berne, September 1981 105

#### Announcement 104

Indexed in Current Contents

**Subscription Information:** Volumes 135 and 136 (3 issues each) will appear in 1981. Information about obtaining back volumes and microform editions available upon request.

**North America.** Subscription rate: \$ 460.00, including postage and handling. Subscriptions are entered with prepayment only. Orders should be addressed to: Springer-Verlag New York Inc., Journal Sales Department, 44 Hartz Way, Secaucus, NJ 07094, USA. Tel. (2 01) 348-4033. Telex 0023 125 994

**Japan.** Subscription rate: DM 805.40 including postage (surface airmail lifted) and handling. Orders can either be placed with your bookdealer or sent directly to: Springer-Verlag KG, Heidelberger Platz 3, D-1000 Berlin 33, Tel. (0 30) 82 07-1, Telex 01-83319.

**All Other Countries.** Subscription rate: DM 764.00, plus postage and handling. Orders can either be placed with your bookdealer or sent directly to: Springer-Verlag KG, Heidelberger Platz 3, D-1000 Berlin 33, Tel. (0 30) 82 07-1.



Springer International



---

# PEDIATRIC RESEARCH

Volume 15, No. 5

May 1981

---

## Contents

- Lung Catecholamines and Cyclic Nucleotides during Perinatal Development in the Rat.  
Possible Relationships with Biochemical and Morphological Differentiation ..... 787  
C. TORDET, R. BERTIN, C. GARDEY, M. O. RICHARD, F. DAMERON, AND L. MARIN (Paris and Nogent Sur Marne, France)  
Endogenous levels of catecholamines and cyclic nucleotides were correlated with successive stages of lung maturation during normal fetal development.
- Neutrophils From Human Infants Exhibit Decreased Viability ..... 794  
R. G. STRAUSS AND E. L. SNYDER (Iowa City, Iowa)  
Data suggest that oxidative damage contributes to the poor survival of neonatal neutrophils in liquid cultures.
- Insulin Receptors in Human Placenta in Relation to Fetal Weight and Gestational Age.. 798  
N. POTAU, J. E. RIUDOR, AND A. BALLABRIGA (Barcelona, Spain)  
Decreased numbers of insulin receptors were found in placentas corresponding to small for gestational age infants in relation to preterms and full terms adequate for gestational age.
- Serum Immunoreactive Calcitonin in Low Birth Weight Infants ..... 803  
L. DAVID, B. L. SALLE, G. PUTET, AND D. C. GRAFMEYER (Lyon, France)  
This study investigated neonatal hypercalcitoninemia and its relationship to changes in calcium metabolism in low birth weight infants.
- The Adaptation of Neonatal Blood to Metabolic Acidosis and Its Effect on Cisternal Oxygen Tension ..... 809  
Y. BERTHAUME, M. A. BUREAU, AND R. BÉGIN (Sherbrooke, Quebec, Canada)  
Based on oxygen dissociation curves, hemoglobin in the newborn was found to respond to metabolic acidosis by increasing tissue oxygenation.
- Transitory Depression of Immune Function following *Mycoplasma pneumoniae* Infection in Children ..... 813  
A. R. SABATO, D. M. COOPER, AND Y. H. THONG (South Australia, Australia)  
Several immunologic parameters were investigated in human patients with *M. pneumoniae* infection.
- Studies of Chloramphenicol and Tetracycline Influx in the Rat Trachea ..... 817  
M. M. CLOUTIER, D. BOUCLAS, AND J. A. MANGOS (Gainesville, Florida, and Buffalo, New York)  
A tracheal tissue perfusion model was used to study the transport of chloramphenicol and tetracycline into the lumen of the airways.
- Iron Absorption from Human Milk and Formula With and Without Iron Supplementation ..... 822  
P. J. GARRY, G. M. OWEN, E. M. HOOPER, AND B. A. GILBERT (Ann Arbor, Michigan, and Albuquerque, New Mexico)  
Iron absorption was estimated in infants during the first 6 months of life.
- Pressure-Induced Deformation in Immature Airways ..... 829  
V. K. BHUTANI, D. RUBENSTEIN, AND T. H. SHAFFER (Philadelphia, Pennsylvania)  
The degree of mechanical and dimensional airway deformation was quantitated after continuously or intermittently applied pressure.
- Lung-Thorax Compliance in the Artificially Ventilated Premature Rabbit Neonate in Relation to Variations in Inspiration: Expiration Ratio ..... 833  
B. LACHMANN, G. GROSSMANN, J. FREYSE, AND B. ROBERTSON (Stockholm, Sweden, and Berlin, East Germany)  
The effect of various frequencies and inspiration-expiration ratios on tidal volume and flow was evaluated by a Fleisch tube and plethysmograph.
- The Metabolism of Sialic Acid in Cystic Fibrosis ..... 839  
Y. BEN-YOSEPH, C. L. DEFranco, AND H. L. NADLER (Chicago, Illinois)  
The synthesis, release, and metabolism of sialic acid and its incorporation into  $\alpha_2$ -macroglobulins were studied in patients with cystic fibrosis and in normal subjects.
-



**Prescribing Notes**

Indications: Lioresal is indicated for the relief of spasticity in multiple sclerosis, other spinal lesions, and also for the treatment of spasticity of cerebral origin in children and young adults (under 25 years of age). Dosage: It is advisable to commence treatment with Lioresal at a daily dosage of 15mg, taken in three divided doses, increasing slowly at intervals of at least 3 days, until the optimum effect is achieved. Satisfactory control is usually obtained with doses up to 60mg daily, but careful adjustment is often necessary to meet the requirements of individual patients. A maximum daily dose of more than 100mg should be used unless the patient is in hospital and under careful supervision. There have been reports of tolerance, dizziness, nausea, vomiting, headache, sedation and confusion; muscle hypotonia and fatigue. Precautions: History of peptic ulceration; severe hypotension; orthostatic hypotension; severe renal impairment; ankylosing spondylitis; epilepsy; cerebrovascular disease; first three months of pregnancy. Contraindications: Severe hepatic disease; severe renal impairment. Pack of 100 tablets of Lioresal in Securitainer pack ref. 100. Basic NHS price £11.88 (P.O. No. 004-0052).