

Subject index

- 21-hydroxylase**, Why is management of patients with classical congenital adrenal hyperplasia more difficult at puberty?: *review*, **266**
- 22q11.2 deletion**, Antibody deficiency and autoimmunity in 22q11.2 deletion syndrome, **422**
- abuse**, A scoring system for bruise patterns: a tool for identifying abuse, **330**
Buying the didgeridoo from Uncle, **229**
Investigating subdural haemorrhage in infants: *review*, **98**
- accident and emergency**, Head injuries in infants: the risks of bouncy chairs and car seats, **168**
- accident reporting**, Primary school accident reporting in one education authority, **91**
- acrodynia**, Acrodynia: a case report of two siblings, **453**
- acute ataxia**, Acute ataxia complicating Langherans cell histiocytosis, **130**
- acute bronchiolitis**, Short term effects of adrenaline in bronchiolitis: a randomised controlled trial, **276**
- acute limb ischaemia**, Primary antiphospholipid syndrome presenting as complicated Henoch-Schönlein purpura, **132**
- Addison's disease**, The importance of testing for adrenoleucodystrophy in males with idiopathic Addison's disease, **185**
- adhesion**, Deposition of whole blood platelets on extracellular matrix under flow conditions in preterm infants, **F127**
- adrenaline**, Adrenaline autoinjectors and schoolchildren: a community based study, **26**
Short term effects of adrenaline in bronchiolitis: a randomised controlled trial, **276**
- adrenoleucodystrophy**, The importance of testing for adrenoleucodystrophy in males with idiopathic Addison's disease, **185**
- aggregation**, Deposition of whole blood platelets on extracellular matrix under flow conditions in preterm infants, **F127**
- air rifle**, Fits, faints, or fatal fantasy? Fabricated seizures and child abuse, **230**
- albendazole**, Pelvic inflammatory disease associated with *Enterobius vermicularis*, **439**
- albumin**, Towards evidence based medicine for paediatricians, **380**
- Alder Hey report**, Learning from the sad, sorry saga at Stoke, **1**
- alkaline phosphatase**, Changes in markers of bone metabolism during dexamethasone treatment for chronic lung disease in preterm infants, **F49**
- allergy prevention**, Maternal compliance with nutritional recommendations in an allergy preventive programme, **180**
- allergy**, Adrenaline autoinjectors and schoolchildren: a community based study, **26**
No association between asthma or allergy and the CCR5Δ32 mutation, **426**
- amoxicillin**, Clinical efficacy of co-trimoxazole versus amoxicillin twice daily for treatment of pneumonia: a randomised controlled clinical trial in Pakistan, **113**
- anaemia**, Changes in haemoglobin levels in infants in Malawi: effect of low birth weight and fetal anaemia, **F182**
Pitfalls in the diagnosis of idiopathic pulmonary haemosiderosis, **436**
- anaesthesia**, Sir James Young Simpson (1811-1870) and obstetric anaesthesia: *review*, **F207**
- anaesthetic technique**, Rapid skin anaesthesia using high velocity lignocaine particles: a prospective placebo controlled trial, **309**
- anaphylaxis**, Nut allergy in schoolchildren: a survey of schools in the Severn NHS Trust, **240**
- ANCA**, Anti-neutrophil cytoplasmic autoantibody positive glomerulonephritis in monozygotic twins, **66**
- aneurysm**, Classical Kawasaki disease in a neonate, **F135**
- antenatal corticosteroids**, Perinatal risk factors for major intraventricular haemorrhage in the Australian and New Zealand Neonatal Network, 1995-97, **F86**
- antenatal steroids**, Antenatal steroids are associated with a reduction in the incidence of cerebral white matter lesions in very low birthweight infants, **F96**
- anticholinergic**, Differential response of wheezes and rattles to anticholinergics, **280**
- anticholinesterase**, Presentation and outcome of severe anticholinesterase insecticide poisoning, **352**
- anticonvulsants**, The clinical conundrum of neonatal seizures: *review*, **F75**
Phenobarbitone, neonatal seizures, and video-EEG, **F165**
- antihypertensive treatment**, Hypertension in the newborn baby
- antioxidants**, Postnatal changes in maternal and neonatal plasma antioxidant vitamins and the influence of smoking, **F36**
- antiphospholipid syndrome**, Primary antiphospholipid syndrome presenting as complicated Henoch-Schönlein purpura, **132**
- antiretroviral therapy**, Impact of antiretroviral protocols on dynamics of AIDS progression markers, **119**
- antitussive**, Should we advise parents to administer over the counter cough medicines for acute cough? Systematic review of randomised controlled trials, **170**
- Apgar score**, Joint association of Apgar scores and early neonatal symptoms with minor disabilities at school age, **F16**
- apheresis**, Neonatal alloimmune thrombocytopenia with significant HLA antibodies, **F200**
- aphthous stomatitis**, PFAPA syndrome in children evaluated for tonsillectomy, **434**
- arousals**, Evidence for persistence of upper airway narrowing during sleep, 12 years after adenotonsillectomy, **34**
- Asian**, Vitamin D deficiency in UK Asian families: activating a new concern: *review*, **147**
- asthma**, Bronchodilator therapy and hyperactivity in preschool children, **202**
Cough, airway inflammation, and mild asthma exacerbation, **270**
Inhaler devices for asthma: do we follow the guidelines?, **176**
No association between asthma or allergy and the CCR5Δ32 mutation, **426**
Parental smoking: *letter*, **138**
The effect of loratadine in exercise-induced asthma, **38**
- atopy**, The effect of brief neonatal exposure to cows' milk on atopic symptoms up to age 5, **365**
- autoimmunity**, Antibody deficiency and autoimmunity in 22q11.2 deletion syndrome, **422**
- bacterial load**, Meningococcal bacterial DNA load at presentation correlates with disease severity, **44**
- BCG**, Resurgence of paediatric tuberculosis in London, **264**
- behaviour problems**, Evaluation of a mental health outreach service for homeless families, **158**
- bifidobacteria**, Supplementation of a bovine milk formula with an oligosaccharide mixture increases counts of faecal bifidobacteria in preterm infants, **F178**
- bilirubin**, Can transcutaneous bilirubinometry reduce the need for blood tests in jaundiced full term babies?, **F190**
- birth weight**, Correlation of umbilical cord weight with birth weight: *letter*, **F140**
Genetic factors contributing to birth weight, **F2**
Maternal nutrition as a determinant of birth weight, **F4**
Social influences on birth weight, **F6**
The Health Status Questionnaire: achieving concordance with published disability criteria, **15**
- bisphosphonate**, Beneficial effect of long term intravenous bisphosphonate treatment of osteogenesis imperfecta, **356**
- bleeding**, Hermansky-Pudlak syndrome: infrequent bleeding and first report of Turkish and Pakistani kindreds, **297**
- blood pressure**, Hypertension in the newborn baby: *review*, **F78**
- blood transfusion**, A pilot randomised controlled trial of peripheral fractional oxygen extraction to guide blood transfusions in preterm infants, **F22**
Effect of blood transfusion on lipid peroxidation in preterm infants, **F46**
- blood**, Can transcutaneous bilirubinometry reduce the need for blood tests in jaundiced full term babies?, **F190**
- body mass index**, Obesity: diagnosis, prevention, and treatment: evidence based answers to common questions, **392**
- bone physiology**, Skeletal development in premature infants: a review of bone physiology beyond nutritional aspects: *review*, **F82**
- bone**, Changes in markers of bone metabolism during dexamethasone treatment for chronic lung disease in preterm infants, **F49**
- Bordetella pertussis**, *Bordetella pertussis* infection causing pulmonary hypertension, **453**
- botulinum toxin**, Treating childhood hyperhidrosis with botulinum toxin type A, **68**
- bouncy chair**, Head injuries in infants: the risks of bouncy chairs and car seats, **168**
- brain injury**, Towards evidence based medicine for paediatricians, **59**
- brain**, Magnetic resonance imaging of the infant brain: anatomical characteristics and clinical significance of punctate lesions, **F171**
Measurement of the subarachnoid space by ultrasound in preterm infants, **F124**
The clinical conundrum of neonatal seizures: *review*, **F75**
- break dancing**, Break dancer's lung: *letter*, **224**
- breast feeding**, The effect of brief neonatal exposure to cows' milk on atopic symptoms up to age 5, **365**
Weighing breast fed babies: *letter*, **F69**
- breast milk freezing**, Prevention of postnatal cytomegalovirus infection in preterm infants: *letter*, **F140**

- breath sounds analysis**, Differential response of wheezes and ruffles to anticholinergics, **280**
- bronchiectasis**, Long term results of lung resection in cystic fibrosis patients with localised lung disease, **66**
- bronchiolitis**, A hypothesis: antenatal sensitisation to respiratory syncytial virus in viral bronchiolitis, **431**
Bronchiolitis hospitalisations in the Netherlands from 1991 to 1999, **370**
- bronchodilator**, Bronchodilator therapy and hyperactivity in preschool children, **202**
Short term effects of adrenaline in bronchiolitis: a randomised controlled trial, **276**
- bronchopulmonary dysplasia**, Fibroblast mitogenic activity of lung lavage fluid from infants with chronic lung disease of prematurity, **F193**
- bruising**, A scoring system for bruise patterns: a tool for identifying abuse, **330**
- bullying**, Bullying in neonatal intensive care units: free for all: *letter*, **F68**
- Byard RW, Krous HF, editors**. Sudden infant death syndrome: problems, progress and possibilities book reviews, **454**
- C reactive protein**, Procalcitonin as a diagnostic marker of meningococcal disease in children presenting with fever and a rash, **282**
- car seat**, Head injuries in infants: the risks of bouncy chairs and car seats, **168**
- cardiology**, Neonatal/infant echocardiography by the non-cardiologist: a personal practice, past, present, and future, **F55**
- case-control study**, Testicular cancer risk in relation to use of disposable nappies, **28**
- catheters**, Positioning of long lines: *letter*, **F68**
- central nervous system**, Guillain-Barré syndrome associated with central nervous system lesions, **304**
- central venous line**, Post-thrombotic syndrome, **212**
- cerebral oedema**, Cerebral venous thrombosis during diabetic ketoacidosis, **204**
West Nile virus meningoencephalitis complicated by motor aphasia in Hodgkin's lymphoma, **441**
- cerebral palsy**, Effects of cognitive, motor, and sensory disabilities on survival in cerebral palsy, **84**
Fetal or infant death in twin pregnancy: neurodevelopmental consequence for the survivor, **F9**
- cerebral venous thrombosis**, Cerebral venous thrombosis during diabetic ketoacidosis, **204**
- Chaudhry B, Harvey D. Mosby's atlas and text of pediatrics and child health** book reviews, **455**
- chemokine**, No association between asthma or allergy and the CCR5Δ32 mutation, **426**
- chemoprophylaxis**, Increasing *Plasmodium falciparum* malaria in southwest London: a 25 year observational study, **428**
- child abuse**, Convulsions and retinal haemorrhage: should we look further?, **334**
- child development**, An evaluation of the First Parent Health Visitor Scheme, **150**
- child protection**, Investigating subdural haemorrhage in infants: *review*, **98**
Somatic and psychological problems in a cohort of sexually abused boys: a six year follow up case-control study, **164**
- chiropractic**, Towards evidence based medicine for paediatricians, **380**
- chloroform**, Sir James Young Simpson (1811–1870) and obstetric anaesthesia: *review*, **F207**
- chromosome**, Do guidelines have legal implications?, **387**
- chronic fatigue syndrome**, Family cognitive behaviour therapy for chronic fatigue syndrome: an uncontrolled study, **95**
- chronic lung disease of prematurity**, Fibroblast mitogenic activity of lung lavage fluid from infants with chronic lung disease of prematurity, **F193**
- chronic lung disease**, Home oxygen status and rehospitalisation and primary care requirements of infants with chronic lung disease, **40**
Safety and efficacy of nitric oxide in chronic lung disease, **F41**
- circumcision**, Children's Day, **75**
- cleft palate**, Examination of the neonatal palate: *letter*, **F210**
- clinical correspondence**, Randomised trial of the effects of structuring clinic correspondence, **374**
- clinical guideline**
- cognitive behaviour therapy**, Coping with sickle cell disease: a self help manual: *letter*, **385**
Family cognitive behaviour therapy for chronic fatigue syndrome: an uncontrolled study, **95**
- cognitive disability**, Effects of cognitive, motor, and sensory disabilities on survival in cerebral palsy, **84**
- cohort study**, Joint association of Apgar scores and early neonatal symptoms with minor disabilities at school age, **F16**
- colic**, Towards evidence based medicine for paediatricians, **380**
- coma**, Pulmonary oedema caused by "liquid ecstasy" ingestion, **302**
- community**, Adrenaline autoinjectors and schoolchildren: a community based study, **26**
- compliance**, Maternal compliance with nutritional recommendations in an allergy preventive programme, **180**
- computerised correspondence**, Randomised trial of the effects of structuring clinic correspondence, **374**
- conduct disorder**, Family and parenting interventions for conduct disorder and delinquency: a meta-analysis of randomised controlled trials, **251**
- congenital adrenal hyperplasia**, Why is management of patients with classical congenital adrenal hyperplasia more difficult at puberty?: *review*, **266**
- congenital anomalies**, Prevalence and secular trend of congenital anomalies in Glasgow, UK, **257**
- congenital diaphragmatic hernia**, Late presentation of congenital diaphragmatic hernia, **395**
- congenital hearing impairment**, Six year effectiveness of a population based two tier infant hearing screening programme, **245**
- congenital**, Cochrane's epitaph for cisapride in childhood gastro-oesophageal reflux, **71**
- convulsion**, Convulsions and retinal haemorrhage: should we look further?, **334**
The clinical conundrum of neonatal seizures: *review*, **F75**
- coronary artery**, Classical Kawasaki disease in a neonate, **F135**
- cortical development**, Cortical visual evoked potentials in very low birthweight premature infants, **F28**
- corticosteroid**, Changes in markers of bone metabolism during dexamethasone treatment for chronic lung disease in preterm infants, **F49**
- co-trimoxazole**, Clinical efficacy of co-trimoxazole versus amoxicillin twice daily for treatment of pneumonia: a randomised controlled clinical trial in Pakistan, **113**
- cough**, Cough, airway inflammation, and mild asthma exacerbation, **270**
Should we advise parents to administer over the counter cough medicines for acute cough? Systematic review of randomised controlled trials, **170**
- cows milk** The effect of brief neonatal exposure to cows' milk on atopic symptoms up to age 5, **365**
- cranial**, Antenatal steroids are associated with a reduction in the incidence of cerebral white matter lesions in very low birthweight infants, **F96**
- crime**, Fits, faints, or fatal fantasy? Fabricated seizures and child abuse, **230**
- critical illness**, Critical illness neuromuscular disease: clinical, electrophysiological, and prognostic aspects, **103**
- crossover trial**, Randomised trial of the effects of structuring clinic correspondence, **374**
- cystic expansion**, "Spina ventosa"—tuberculous dactylitis: *Filler*, **206**
- cystic fibrosis**, Long term results of lung resection in cystic fibrosis patients with localised lung disease, **66**
Serum hyaluronic acid concentrations are increased in cystic fibrosis patients with liver disease, **190**
Unilateral exophthalmos in a 2½/12 year old girl: *Filler*, **343**
- cytomegalovirus infection**, Prevention of postnatal cytomegalovirus infection in preterm infants: *letter*, **F140**
- dactylitis**, "Spina ventosa"—tuberculous dactylitis: *Filler*, **206**
- death**, Deaths from pertussis are underestimated in England, **336**
How dangerous is food allergy in childhood? The incidence of severe and fatal allergic reactions across the UK and Ireland, **236**
- deep vein thrombosis**, Post-thrombotic syndrome, **212**
- deficiency**, Vitamin D deficiency in UK Asian families: activating a new concern: *review*, **147**
- delinquency**, Family and parenting interventions for conduct disorder and delinquency: a meta-analysis of randomised controlled trials, **251**
- delivery**, A further complication of meconium stained liquor in the newborn: *Filler*, **F64**
- deprivation**, Primary school accident reporting in one education authority, **91**
- developing country**, Changes in haemoglobin levels in infants in Malawi: effect of low birth weight and fetal anaemia, **F182**
- development**, Follow up of a randomised trial of two different courses of dexamethasone for preterm babies at risk of chronic lung disease, **F102**
Outcome at school age following antenatal detection of absent or reversed end diastolic flow velocity in the umbilical artery, **F108**
- diabetes**, West Nile virus meningoencephalitis complicated by motor aphasia in Hodgkin's lymphoma, **441**
- diabetic ketoacidosis**, Cerebral venous thrombosis during diabetic ketoacidosis, **204**
West Nile virus meningoencephalitis complicated by motor aphasia in Hodgkin's lymphoma, **441**
- diagnosis**, A scoring system for bruise patterns: a tool for identifying abuse, **330**
Clicking ribs—a clinical sign of rib fractures, **67**
Neonatal/infant echocardiography by the non-cardiologist: a personal practice, past, present, and future, **F55**
- diarrhoea**, An evidence and consensus based guideline for acute diarrhoea management: *letter*, **138**

- diet**, Effects of dietary intervention and strength training on blood lipid level in obese children, **407**
- Genetic factors contributing to birth weight, **F2**
- disability**, The Health Status Questionnaire: achieving concordance with published disability criteria, **15**
- disease severity**, Meningococcal bacterial DNA load at presentation correlates with disease severity, **44**
- disposable nappies**, Testicular cancer risk in relation to use of disposable nappies, **28**
- Do not resuscitate**, Do Not Resuscitate orders and ethical decisions in a neonatal intensive care unit in a Muslim community, **F115**
- Doppler studies**, Outcome at school age following antenatal detection of absent or reversed end diastolic flow velocity in the umbilical artery, **F108**
- drug delivery systems**, Inhaler devices for asthma: do we follow the guidelines?, **176**
- Duchenne muscular dystrophy**, Newborn screening for Duchenne muscular dystrophy: a psychosocial study, **F91**
- duodenum**, Faecal elastase 1 concentration is a marker of duodenal enteropathy, **50**
- dyslexia**, Dyslexia and familial high blood pressure: an observational pilot study, **30**
- early detection**, Six year effectiveness of a population based two tier infant hearing screening programme, **245**
- echocardiography**, Neonatal/infant echocardiography by the non-cardiologist: a personal practice, past, present, and future, **F55**
- ecstasy**, Pulmonary oedema caused by "liquid ecstasy" ingestion, **302**
- EEG**, Phenobarbitone, neonatal seizures, and video-EEG, **F165**
- elastase 1**, Low levels of pancreatic elastase 1 in stools of preterm infants, **F198**
- electric shock**, Diabetes unmasked by electric shock, **210**
- electrolyte**, Fulminant pulmonary oedema after administration of a balanced electrolyte polyethylene glycol solution, **209**
- empowerment**, An evaluation of the First Parent Health Visitor Scheme, **150**
- encephalopathy**, Joint association of Apgar scores and early neonatal symptoms with minor disabilities at school age, **F16**
- end diastolic flow velocities**, Outcome at school age following antenatal detection of absent or reversed end diastolic flow velocity in the umbilical artery, **F108**
- endophthalmitis**, Exogenous *Pseudomonas* endophthalmitis: a cause of lens enucleation, **F204**
- endothelin 1**, Safety and efficacy of nitric oxide in chronic lung disease, **F41**
- enteral**, An observational study to evaluate micronutrient status during enteral feeding, **411**
- Enterobius vermicularis**, Pelvic inflammatory disease associated with *Enterobius vermicularis*, **439**
- enteropathy**, Faecal elastase 1 concentration is a marker of duodenal enteropathy, **50**
- environment**, Maternal nutrition as a determinant of birth weight, **F4**
- epidemiology**, Perinatal risk factors for major intraventricular haemorrhage in the Australian and New Zealand Neonatal Network, 1995–97, **F86**
- Testicular cancer risk in relation to use of disposable nappies, **28**
- epinephrine**, Short term effects of adrenaline in bronchiolitis: a randomised controlled trial, **276**
- EpiPen**, Nut allergy in schoolchildren: a survey of schools in the Severn NHS Trust, **240**
- erythropoietin**, Polycythaemia and hypertension caused by renal artery stenosis, **307**
- E-selectin**, Plasma and urinary soluble adhesion molecule expression is increased during first documented acute pyelonephritis, **218**
- ethics**, Do Not Resuscitate orders and ethical decisions in a neonatal intensive care unit in a Muslim community, **F115**
- ethnicity**, Socioeconomic status and preterm birth: New Zealand trends, 1980 to 1999, **F142**
- evidence based guideline**, An evidence and consensus based guideline for acute diarrhoea management: *letter*, **138**
- evidence based medicine**, Towards evidence based medicine for paediatricians, **59**
- ex utero intrapartum treatment (EXIT)**, Ex utero intrapartum treatment (EXIT) of severe fetal hydrothorax, **F58**
- examination**, Performance of students in the final examination in paediatrics: importance of the "short cases", **57**
- Routine examination of the newborn and maternal satisfaction: a randomised controlled trial, **F155**
- exercise**, The effect of loratadine in exercise-induced asthma, **38**
- exophthalmos**, Unilateral exophthalmos in a 2½/2 year old girl: *Filler*, **343**
- extracellular matrix**, Deposition of whole blood platelets on extracellular matrix under flow conditions in preterm infants, **F127**
- extremely low birth weight infant**, Parental stress in families of 2 year old extremely low birthweight infants, **F161**
- extubation**, Prediction of extubation failure in preterm infants, **F32**
- faecal continence**, Hirschsprung's disease: functional and psychological follow up comparing total colonic and rectosigmoid aganglionosis, **348**
- faecal elastase**, Faecal elastase 1 concentration is a marker of duodenal enteropathy, **50**
- fall**, Head injuries in infants: the risks of bouncy chairs and car seats, **168**
- family homelessness**, Evaluation of a mental health outreach service for homeless families, **158**
- family intervention**, Family and parenting interventions for conduct disorder and delinquency: a meta-analysis of randomised controlled trials, **251**
- febrile convulsions**, Febrile convulsions and sudden infant death syndrome, **125**
- feed intolerance**, Effect of enteral administration of insulin on intestinal development and feeding tolerance in preterm infants: a pilot study, **F131**
- fetal blood, T lymphocyte**, A hypothesis: antenatal sensitisation to respiratory syncytial virus in viral bronchiolitis, **431**
- fetal distress**, Perinatal risk factors for major intraventricular haemorrhage in the Australian and New Zealand Neonatal Network, 1995–97, **F86**
- fever**, Kawasaki disease: an evidence based approach to diagnosis, treatment, and proposals for future research: *review*, **286**
- fibroblasts**, Fibroblast mitogenic activity of lung lavage fluid from infants with chronic lung disease of prematurity, **F193**
- fluid management**, West Nile virus meningoencephalitis complicated by motor aphasia in Hodgkin's lymphoma, **441**
- food allergy**, How dangerous is food allergy in childhood? The incidence of severe and fatal allergic reactions across the UK and Ireland, **236**
- fractional oxygen extraction**, A pilot randomised controlled trial of peripheral fractional oxygen extraction to guide blood transfusions in preterm infants, **F22**
- fractures**, Clicking ribs—a clinical sign of rib fractures, **67**
- Friedreich's ataxia**, Antioxidant enzymes in blood of patients with Friedreich's ataxia, **376**
- gamma butyrolactone intoxication**, Pulmonary oedema caused by "liquid ecstasy" ingestion, **302**
- gastrojejunal feeding tube**, Limitations and uses of gastrojejunal feeding tubes, **134**
- gastro-oesophageal reflux disease**, Do guidelines have legal implications?, **387**
- gene**, Do guidelines have legal implications? Extreme variability of expression of a Sonic Hedgehog mutation: attention difficulties and holoprosencephaly, **293**
- Precocious puberty: a parent's perspective, **320**
- genome**, Do guidelines have legal implications?, **387**
- gestational age**, Fetal or infant death in twin pregnancy: neurodevelopmental consequence for the survivor, **F9**
- Perinatal risk factors for major intraventricular haemorrhage in the Australian and New Zealand Neonatal Network, 1995–97, **F86**
- girl**, The "thumb and wrist sign" in Marfan syndrome, **7**
- glomerulonephritis**, Anti-neutrophil cytoplasmic autoantibody positive glomerulonephritis in monozygotic twins, **66**
- glutathione peroxidase**, Antioxidant enzymes in blood of patients with Friedreich's ataxia, **376**
- glutathione S-transferase**, Antioxidant enzymes in blood of patients with Friedreich's ataxia, **376**
- gonadotrophin releasing hormone analogue**, Paediatric mastocytosis, **315**
- growth factors**, Fibroblast mitogenic activity of lung lavage fluid from infants with chronic lung disease of prematurity, **F193**
- growth**, An evaluation of the First Parent Health Visitor Scheme, **150**
- Changes in markers of bone metabolism during dexamethasone treatment for chronic lung disease in preterm infants, **F49**
- Follow up of a randomised trial of two different courses of dexamethasone for preterm babies at risk of chronic lung disease, **F102**
- Growth reference charts for use in the United Kingdom, **11**
- Outcome at school age following antenatal detection of absent or reversed end diastolic flow velocity in the umbilical artery, **F108**
- Paediatric mastocytosis, **315**
- Guillain-Barre syndrome**, Guillain-Barré syndrome associated with central nervous system lesions, **304**
- Haddad DF, Greene SE, Olver RE, editors**. Core Paediatrics and Child Health book reviews, **69**
- haemoglobin**, Changes in haemoglobin levels in infants in Malawi: effect of low birth weight and fetal anaemia, **F182**
- Evaluation of the HemoCue compared with the Coulter STKS for measurement of neonatal haemoglobin, **F188**
- haemoglobinometer**, Evaluation of the HemoCue compared with the Coulter STKS for measurement of neonatal haemoglobin, **F188**
- haemolytic**, Pitfalls in the diagnosis of idiopathic pulmonary haemosiderosis, **436**
- Haemophilus influenzae**, The UK Hib vaccine experience, **396**
- haemosiderosis**, Liver disease in transfusion dependent thalassaemia major, **344**

- head injury**, Head injuries in infants: the risks of bouncy chairs and car seats, **168**
- health effects**, The health effects of fossil fuel derived particles: *review*, **79**
- health service utilisation**, Coping and health service utilisation in a UK study of paediatric sickle cell pain, **325**
- health status**, The Health Status Questionnaire: achieving concordance with published disability criteria, **15**
- health visiting**, An evaluation of the First Parent Health Visitor Scheme, **150**
- heart**, Neonatal/infant echocardiography by the non-cardiologist: a personal practice, past, present, and future, **F55**
- HemoCue**, Evaluation of the HemoCue compared with the Coulter STKS for measurement of neonatal haemoglobin, **F188**
- Henoch-Schönlein purpura**, Primary antiphospholipid syndrome presenting as complicated Henoch-Schönlein purpura, **132**
- hepatitis B**, Hepatitis B prevalence among Somali households in Liverpool, **67**
- hepatitis C**, Hepatitis C-Z: recent advances: *review*, **339**
- hepatitis**, Hepatitis C-Z: recent advances: *review*, **339**
- Hermansky-Pudlak**, Hermansky-Pudlak syndrome: infrequent bleeding and first report of Turkish and Pakistani kindreds, **297**
- high risk pregnancy**, Outcome at school age following antenatal detection of absent or reversed end diastolic flow velocity in the umbilical artery, **F108**
- Hirschsprung's disease**, Hirschsprung's disease: functional and psychological follow up comparing total colonic and rectosigmoid aganglionosis, **348**
- histopathology**, Learning from the sad, sorry saga at Stoke, **1**
- history**, Sir Leonard Parsons of Birmingham (1879–1950) and antenatal paediatrics: *review*, **F65**
- HIV infection**, Lipid and glucose metabolism in HIV-1-infected children treated with protease inhibitors, **67**
- HIV-1**, Impact of antiretroviral protocols on dynamics of AIDS progression markers, **119**
- HLA antibodies**, Neonatal alloimmune thrombocytopenia with significant HLA antibodies, **F200**
- Hobbs CJ, Hanks HG, Wynne JM, editors. Child abuse and neglect. A clinician's handbook** book reviews, **454**
- Hodgkin's lymphoma**, West Nile virus meningoencephalitis complicated by motor aphasia in Hodgkin's lymphoma, **441**
- holoprosencephaly, attention deficit hyperactivity disorder**, Extreme variability of expression of a Sonic Hedgehog mutation: attention difficulties and holoprosencephaly, **293**
- home oxygen treatment**, Home oxygen status and rehospitalisation and primary care requirements of infants with chronic lung disease, **40**
- hospital mortality**, Risk adjusted mortality of critical illness in a defined geographical region, **194**
- hospitalisation**, Bronchiolitis hospitalisations in the Netherlands from 1991 to 1999, **370**
- Human Rights Act**, Children's Day, **75**
- human**, Development of baroreflex control of heart rate in preterm and full term infants, **F151**
- humoral immunodeficiency**, Antibody deficiency and autoimmunity in 22q11.2 deletion syndrome, **422**
- hyaline membrane disease**, Deposition of whole blood platelets on extracellular matrix under flow conditions in preterm infants, **F127**
- hyaluronic acid**, Serum hyaluronic acid concentrations are increased in cystic fibrosis patients with liver disease, **190**
- hydrocephalus**, Posthaemorrhagic ventricular dilatation: *review*, **F72**
- hydrothorax**, Ex utero intrapartum treatment (EXIT) of severe fetal hydrothorax, **F58**
- hyperactivity**, Bronchodilator therapy and hyperactivity in preschool children, **202**
- hyperhidrosis**, Treating childhood hyperhidrosis with botulinum toxin type A, **68**
- hypernatraemic dehydration**, Weighing breast fed babies: *letter*, **F69**
- hypertension**, Hypertension in the newborn baby: *review*, **F78**
Polycythaemia and hypertension caused by renal artery stenosis, **307**
Selective renal embolisation for renovascular hypertension?, **127**
- hypoallergenic diet**, Maternal compliance with nutritional recommendations in an allergy preventive programme, **180**
- hyponatraemia**, Chasing spurious hyponatraemia: *letter*, **F69**
- hypothyroidism**, Cochrane's epitaph for cisapride in childhood gastro-oesophageal reflux, **71**
- hypoxaemia**, Hypoxaemia in acute respiratory and non-respiratory illnesses in neonates and children in a developing country, **108**
- hypoxia**, Evidence for persistence of upper airway narrowing during sleep, 12 years after adenotonsillectomy, **34**
- ICAM**, Plasma and urinary soluble adhesion molecule expression is increased during first documented acute pyelonephritis, **218**
- idiopathic pulmonary haemosiderosis**, Pitfalls in the diagnosis of idiopathic pulmonary haemosiderosis, **436**
- immunisation**, Deaths from pertussis are underestimated in England, **336**
- Hepatitis B prevalence among Somali households in Liverpool, **67**
- Resurgence of paediatric tuberculosis in London, **264**
- immunoglobulin**, Guillain-Barré syndrome associated with central nervous system lesions, **304**
- imported malaria**, Increasing *Plasmodium falciparum* malaria in southwest London: a 25 year observational study, **428**
- incubator**, Stéphane Tarnier (1828–1897), the architect of perinatology in France: *review*, **F137**
- Infant Flow Driver**, Exogenous *Pseudomonas* endophthalmitis: a cause of lens enucleation, **F204**
- infant screening**, Six year effectiveness of a population based two tier infant hearing screening programme, **245**
- infant**, A hypothesis: antenatal sensitisation to respiratory syncytial virus in viral bronchiolitis, **431**
Maternal compliance with nutritional recommendations in an allergy preventive programme, **180**
- infection**, Transient lymphopenia in acutely unwell young infants, **200**
- inflammation**, Cough, airway inflammation, and mild asthma exacerbation, **270**
Faecal elastase 1 concentration is a marker of duodenal enteropathy, **50**
- influenza**, Rapid painless diagnosis of viral respiratory infection, **372**
- inhaled nitric oxide**, Safety and efficacy of nitric oxide in chronic lung disease, **F41**
- inhaled**, Bronchodilator therapy and hyperactivity in preschool children, **202**
- injury**, Fits, faints, or fatal fantasy? Fabricated seizures and child abuse, **230**
- insecticide**, Presentation and outcome of severe anticholinesterase insecticide poisoning, **352**
- insulin**, Effect of enteral administration of insulin on intestinal development and feeding tolerance in preterm infants: a pilot study, **F131**
- intensive care units**, Bullying in neonatal intensive care units: free for all: *letter*, **F68**
- intensive care**, Calibration of the paediatric index of mortality in UK paediatric intensive care units, **65**
Calibration of the paediatric index of mortality score for UK paediatric intensive care, **65**
Calibration of the paediatric index of mortality score for UK paediatric intensive care, **65**
Risk adjusted mortality of critical illness in a defined geographical region, **194**
- intrauterine growth retardation**, Perinatal risk factors for major intraventricular haemorrhage in the Australian and New Zealand Neonatal Network, 1995–97, **F86**
- intraventricular haemorrhage**, Perinatal risk factors for major intraventricular haemorrhage in the Australian and New Zealand Neonatal Network, 1995–97, **F86**
Posthaemorrhagic ventricular dilatation: *review*, **F72**
- invasive pneumococcal disease**, Invasive pneumococcal disease in England and Wales: what is the true burden and what is the potential for prevention using 7 valent pneumococcal conjugate vaccine?, **403**
- investigation**, Learning from the sad, sorry saga at Stoke, **1**
- iron deficiency anaemia**, Pitfalls in the diagnosis of idiopathic pulmonary haemosiderosis, **436**
- iron**, Precocious puberty: a parent's perspective, **320**
- jaundice**, Can transcutaneous bilirubinometry reduce the need for blood tests in jaundiced full term babies?, **F190**
- juvenile idiopathic arthritis**, Nitrous oxide analgesia during intra-articular injection for juvenile idiopathic arthritis, **416**
Polyarticular juvenile idiopathic arthritis treated with methotrexate complicated by the development of non-Hodgkin's lymphoma, **47**
- Kawasaki disease**, Classical Kawasaki disease in a neonate, **F135**
Kawasaki disease: an evidence based approach to diagnosis, treatment, and proposals for future research: *review*, **286**
- Kocher Debre Semelaigne syndrome**, Kocher Debre Semelaigne syndrome: regression of pseudohypertrophy of muscles on thyroxine: *letter*, **224**
- Kuwait University**, Performance of students in the final examination in paediatrics: importance of the "short cases", **57**
- lactase**, Effect of enteral administration of insulin on intestinal development and feeding tolerance in preterm infants: a pilot study, **F131**
- Langherans cell histiocytosis**, Acute ataxia complicating Langherans cell histiocytosis, **130**
- life expectancy**, Effects of cognitive, motor, and sensory disabilities on survival in cerebral palsy, **84**
- lipid peroxidation**, Effect of blood transfusion on lipid peroxidation in preterm infants, **F46**
- lipid**, Effects of dietary intervention and strength training on blood lipid level in obese children, **407**
- liver disease**, Hepatitis C-Z: recent advances: *review*, **339**
Serum hyaluronic acid concentrations are increased in cystic fibrosis patients with liver disease, **190**

- liver iron content**, Liver disease in transfusion dependent thalassaemia major, **344**
- Liverpool**, Hepatitis B prevalence among Somali households in Liverpool, **67**
- lobectomy**, Long term results of lung resection in cystic fibrosis patients with localised lung disease, **66**
- local anaesthesia**, Rapid skin anaesthesia using high velocity lignocaine particles: a prospective placebo controlled trial, **309**
- London**, Resurgence of paediatric tuberculosis in London, **264**
- long line**, A rare complication of neonatal central venous access, **F61**
- long lines**, Positioning of long lines: *letter*, **F68**
- loratadine**, The effect of loratadine in exercise-induced asthma, **38**
- low birth weight**, Changes in haemoglobin levels in infants in Malawi: effect of low birth weight and fetal anaemia, **F182**
- lung function**, Break dancer's lung: *letter*, **224**
- lung inflammation**, Safety and efficacy of nitric oxide in chronic lung disease, **F41**
- lung**, Neonatal pneumatocele as a complication of nasal continuous positive airway pressure, **F202**
- lungs**, Ex utero intrapartum treatment (EXIT) of severe fetal hydrothorax, **F58**
- lymphadenopathy**, Kawasaki disease: an evidence based approach to diagnosis, treatment, and proposals for future research: *review*, **286**
Kawasaki disease: an evidence based approach to diagnosis, treatment, and proposals for future research: *review*, **286**
- lymphopenia**, Transient lymphopenia in acutely unwell young infants, **200**
- magnesium sulphate**, Towards evidence based medicine for paediatricians, **380**
- magnetic resonance imaging**, Magnetic resonance imaging of the infant brain: anatomical characteristics and clinical significance of punctate lesions, **F171**
- malaria**, Changes in haemoglobin levels in infants in Malawi: effect of low birth weight and fetal anaemia, **F182**
- malondialdehyde**, Effect of blood transfusion on lipid peroxidation in preterm infants, **F46**
- management**, Adrenaline autoinjectors and schoolchildren: a community based study, **26**
Ex utero intrapartum treatment (EXIT) of severe fetal hydrothorax, **F58**
- Marfan syndrome**, The "thumb and wrist sign" in Marfan syndrome, **7**
- maternal satisfaction**, Routine examination of the newborn and maternal satisfaction: a randomised controlled trial, **F155**
- Meckel's diverticulum**, Rare spontaneous regression of patent omphalomesenteric duct after birth: *Filler*, **F63**
- meconium**, A further complication of meconium stained liquor in the newborn: *Filler*, **F64**
- melanoma**, Burn baby burn, **438**
- membranoproliferative glomerulonephritis**, Efficacy of school urinary screening for membranoproliferative glomerulonephritis type 1, **21**
- meningococcal disease, complement deficiency**, Investigation for complement deficiency following meningococcal disease, **215**
- meningococcal disease**, Improved case confirmation in meningococcal disease with whole blood Taqman PCR, **449**
Meningococcal bacterial DNA load at presentation correlates with disease severity, **44**
Procalcitonin as a diagnostic marker of meningococcal disease in children presenting with fever and a rash, **282**
- meningococcal**, Prevalence and distribution of petechiae in well babies, **291**
- meningoencephalitis**, West Nile virus meningoencephalitis complicated by motor aphasia in Hodgkin's lymphoma, **441**
- mental health outreach service**, Evaluation of a mental health outreach service for homeless families, **158**
- mercury**, Acrodynia: a case report of two siblings, **453**
- meta-analysis**, Obesity: diagnosis, prevention, and treatment; evidence based answers to common questions, **392**
- metabolism**, Lipid and glucose metabolism in HIV-1-infected children treated with protease inhibitors, **67**
- methotrexate**, Polyarticular juvenile idiopathic arthritis treated with methotrexate complicated by the development of non-Hodgkin's lymphoma, **47**
- micronutrient**, An observational study to evaluate micronutrient status during enteral feeding, **411**
- midwife**, Routine examination of the newborn and maternal satisfaction: a randomised controlled trial, **F155**
Weighing breast fed babies: *letter*, **F69**
- milk formula**, Supplementation of a bovine milk formula with an oligosaccharide mixture increases counts of faecal bifidobacteria in preterm infants, **F178**
- minor disabilities**, Joint association of Apgar scores and early neonatal symptoms with minor disabilities at school age, **F16**
- miscarriage**, Routine examination of the newborn and maternal satisfaction: a randomised controlled trial, **F155**
- misconduct**, Learning from the sad, sorry saga at Stoke, **1**
- mortality**, Calibration of the paediatric index of mortality in UK paediatric intensive care units, **65**
Calibration of the paediatric index of mortality score for UK paediatric intensive care, **65**
Calibration of the paediatric index of mortality score for UK paediatric intensive care, **65**
Deaths from pertussis are underestimated in England, **336**
Invasive pneumococcal disease in England and Wales: what is the true burden and what is the potential for prevention using 7 valent pneumococcal conjugate vaccine?, **403**
- motor disability**, Effects of cognitive, motor, and sensory disabilities on survival in cerebral palsy, **84**
- mouth**, Examination of the neonatal palate: *letter*, **F210**
- mRNA**, Precocious puberty: a parent's perspective, **320**
- mucocoele**, Unilateral exophthalmos in a 2½/2 year old girl: *Filler*, **343**
- Munchausen syndrome by proxy**, Buying the didgeridoo from Uncle, **229**
- Muslim**, Do Not Resuscitate orders and ethical decisions in a neonatal intensive care unit in a Muslim community, **F115**
- myalgic encephalitis**, Family cognitive behaviour therapy for chronic fatigue syndrome: an uncontrolled study, **95**
- myopathy**, Critical illness neuromuscular disease: clinical, electrophysiological, and prognostic aspects, **103**
- nasal continuous positive airway pressure**, Exogenous *Pseudomonas* endophthalmitis: a cause of lens enucleation, **F204**
Neonatal pneumatocele as a complication of nasal continuous positive airway pressure, **F202**
- nasal obstruction**, A further complication of meconium stained liquor in the newborn: *Filler*, **F64**
- nasal**, Rapid painless diagnosis of viral respiratory infection, **372**
- nasopharyngeal**, Rapid painless diagnosis of viral respiratory infection, **372**
- National Health Service**, Children's Day, **75**
- nebulised**, Bronchodilator therapy and hyperactivity in preschool children, **202**
Short term effects of adrenaline in bronchiolitis: a randomised controlled trial, **276**
- necropsy**, Learning from the sad, sorry saga at Stoke, **1**
- Neisseria meningitidis**, Improved case confirmation in meningococcal disease with whole blood Taqman PCR, **449**
- neonatal alloimmune thrombocytopenia (NAIT)**, Neonatal alloimmune thrombocytopenia with significant HLA antibodies, **F200**
- neonatal unit**, Prevention of postnatal cytomegalovirus infection in preterm infants: *letter*, **F140**
- nephrectomy**, Selective renal embolisation for renovascular hypertension?, **127**
- Netherlands**, Bronchiolitis hospitalisations in the Netherlands from 1991 to 1999, **370**
- neuroblastoma**, Towards evidence based medicine for paediatricians, **380**
- neurodegenerative disease**, Antioxidant enzymes in blood of patients with Friedreich's ataxia, **376**
- neurodevelopment**, Effect of salt supplementation of newborn premature infants on neurodevelopmental outcome at 10–13 years of age, **F120**
- neurological**, Neurological outcome of patients with ornithine carbamoyltransferase deficiency, **54**
- newborn**, A hypothesis: antenatal sensitisation to respiratory syncytial virus in viral bronchiolitis, **431**
Low levels of pancreatic elastase 1 in stools of preterm infants, **F198**
- nitric oxide**, Towards evidence based medicine for paediatricians, **59**
- nitrous oxide**, Nitrous oxide analgesia during intra-articular injection for juvenile idiopathic arthritis, **416**
- non-blanching spot**, Prevalence and distribution of petechiae in well babies, **291**
- non-Hodgkin's lymphoma**, Polyarticular juvenile idiopathic arthritis treated with methotrexate complicated by the development of non-Hodgkin's lymphoma, **47**
- nut allergy**, Nut allergy in schoolchildren: a survey of schools in the Severn NHS Trust, **240**
- nutrition**, An observational study to evaluate micronutrient status during enteral feeding, **411**
Effect of salt supplementation of newborn premature infants on neurodevelopmental outcome at 10–13 years of age, **F120**
Genetic factors contributing to birth weight, **F2**
- obesity**, Effects of dietary intervention and strength training on blood lipid level in obese children, **407**
Obesity: diagnosis, prevention, and treatment; evidence based answers to common questions, **392**
Type 2 diabetes in obese white children, **207**
- obstetrics**, Sir James Young Simpson (1811–1870) and obstetric anaesthesia: *review*, **F207**
Stéphane Tarnier (1828–1897), the architect of perinatology in France: *review*, **F137**

- oligosaccharides**, Supplementation of a bovine milk formula with an oligosaccharide mixture increases counts of faecal bifidobacteria in preterm infants, **F178**
- omphalomesenteric duct**, Rare spontaneous regression of patent omphalomesenteric duct after birth: *Filler*, **F63**
- ontogeny**, Development of baroreflex control of heart rate in preterm and full term infants, **F151**
- ornithine carbamoyltransferase deficiency**, Neurological outcome of patients with ornithine carbamoyltransferase deficiency, **54**
- orthosis**, Current perspectives on tinnitus, **141**
- orthotics**, Current perspectives on tinnitus, **141**
- osteocalcin**, Changes in markers of bone metabolism during dexamethasone treatment for chronic lung disease in preterm infants, **F49**
- osteogenesis imperfecta**, Beneficial effect of long term intravenous bisphosphonate treatment of osteogenesis imperfecta, **356**
- outcome assessment**, Risk adjusted mortality of critical illness in a defined geographical region, **194**
- over the counter**, Should we advise parents to administer over the counter cough medicines for acute cough? Systematic review of randomised controlled trials, **170**
- oxacillin**, Clinical validation for oxacillin susceptibility testing of coagulase negative staphylococci, **446**
- oxidative stress**, Antioxidant enzymes in blood of patients with Friedrich's ataxia, **376**
- oxygen free radicals**, Effect of blood transfusion on lipid peroxidation in preterm infants, **F46**
- oxygenation**, Effect of posture on oxygenation and respiratory muscle strength in convalescent infants, **F147**
- paedophilia**, Somatic and psychological problems in a cohort of sexually abused boys: a six year follow up case-control study, **164**
- pain assessment**, Nitrous oxide analgesia during intra-articular injection for juvenile idiopathic arthritis, **416**
- pain**, Rapid painless diagnosis of viral respiratory infection, **372**
Rapid skin anaesthesia using high velocity lignocaine particles: a prospective placebo controlled trial, **309**
- palate**, Examination of the neonatal palate: *letter*, **F210**
- pancreas**, Low levels of pancreatic elastase 1 in stools of preterm infants, **F198**
- paraneoplastic syndrome**, Acute ataxia complicating Langerhans cell histiocytosis, **130**
- parental stress**, Parental stress in families of 2 year old extremely low birthweight infants, **F161**
- parenteral nutrition**, A rare complication of neonatal central venous access, **F61**
- patent**, Rare spontaneous regression of patent omphalomesenteric duct after birth: *Filler*, **F63**
- pelvic inflammatory disease**, Pelvic inflammatory disease associated with *Enterobius vermicularis*, **439**
- percutaneous endoscopic gastrostomy**, Limitations and uses of gastrojejunal feeding tubes, **134**
- perinatal medicine**, Stéphane Tarnier (1828–1897), the architect of perinatology in France: *review*, **F137**
- periodic fever**, PFAPA syndrome in children evaluated for tonsillectomy, **434**
- peritonitis**, Pelvic inflammatory disease associated with *Enterobius vermicularis*, **439**
- pertussis**, Deaths from pertussis are underestimated in England, **336**
- petechiae**, Prevalence and distribution of petechiae in well babies, **291**
- PFAPA syndrome**, PFAPA syndrome in children evaluated for tonsillectomy, **434**
- pharyngitis**, PFAPA syndrome in children evaluated for tonsillectomy, **434**
- phenobarbitone**, Phenobarbitone, neonatal seizures, and video-EEG, **F165**
- phenytoin**, Towards evidence based medicine for paediatricians, **59**
- physiotherapy**, Current perspectives on tinnitus, **141**
- pinworm**, Pelvic inflammatory disease associated with *Enterobius vermicularis*, **439**
- placenta**, Genetic factors contributing to birth weight, **F2**
- plagiocephaly**, Current perspectives on tinnitus, **141**
- platelet activating factor**, Dyslexia and familial high blood pressure: an observational pilot study, **30**
- platelet transfusion**, Neonatal alloimmune thrombocytopenia with significant HLA antibodies, **F200**
- platelets**, Deposition of whole blood platelets on extracellular matrix under flow conditions in preterm infants, **F127**
- PM10**, The health effects of fossil fuel derived particles: *review*, **79**
- pneumatocele**, Neonatal pneumatocele as a complication of nasal continuous positive airway pressure, **F202**
- pneumococcal conjugate vaccine**, Invasive pneumococcal disease in England and Wales: what is the true burden and what is the potential for prevention using 7 valent pneumococcal conjugate vaccine?, **403**
- pneumococcal meningitis**, Invasive pneumococcal disease in England and Wales: what is the true burden and what is the potential for prevention using 7 valent pneumococcal conjugate vaccine?, **403**
- pneumococcal pneumonia**, Invasive pneumococcal disease in England and Wales: what is the true burden and what is the potential for prevention using 7 valent pneumococcal conjugate vaccine?, **403**
- pneumococcal septicaemia**, Invasive pneumococcal disease in England and Wales: what is the true burden and what is the potential for prevention using 7 valent pneumococcal conjugate vaccine?, **403**
- pneumonia**, Clinical efficacy of co-trimoxazole versus amoxicillin twice daily for treatment of pneumonia: a randomised controlled clinical trial in Pakistan, **113**
- pneumothorax**, Late presentation of congenital diaphragmatic hernia, **395**
- poisoning**, Acrodynia: a case report of two siblings, **453**
Presentation and outcome of severe anticholinesterase insecticide poisoning, **352**
- pollution**, The health effects of fossil fuel derived particles: *review*, **79**
- polycythaemia**, Polycythaemia and hypertension caused by renal artery stenosis, **307**
Towards evidence based medicine for paediatricians, **59**
- polyethylene glycol**, Fulminant pulmonary oedema after administration of a balanced electrolyte polyethylene glycol solution, **209**
- polyneuropathy**, Critical illness neuromuscular disease: clinical, electrophysiological, and prognostic aspects, **103**
- polysaccharide antibody deficiency**, Antibody deficiency and autoimmunity in 22q11.2 deletion syndrome, **422**
- positioning**, Current perspectives on tinnitus, **141**
- post-thrombotic syndrome**, Post-thrombotic syndrome, **212**
- posture**, Effect of posture on oxygenation and respiratory muscle strength in convalescent infants, **F147**
- practice guidelines**, Inhaler devices for asthma: do we follow the guidelines?, **176**
- precocious puberty**, Paediatric mastocytosis, **315**
- prediction model**, Calibration of the paediatric index of mortality in UK paediatric intensive care units, **65**
- pregnancy**, Postnatal changes in maternal and neonatal plasma antioxidant vitamins and the influence of smoking, **F36**
Skeletal development in premature infants: a review of bone physiology beyond nutritional aspects: *review*, **F82**
- prematurity**, A pilot randomised controlled trial of peripheral fractional oxygen extraction to guide blood transfusions in preterm infants, **F22**
Cortical visual evoked potentials in very low birthweight premature infants, **F28**
Home oxygen status and rehospitalisation and primary care requirements of infants with chronic lung disease, **40**
Prediction of extubation failure in preterm infants, **F32**
The Health Status Questionnaire: achieving concordance with published disability criteria, **15**
- preterm birth**, Socioeconomic status and preterm birth: New Zealand trends, 1980 to 1999, **F142**
Chasing spurious hyponatraemia: *letter*, **F69**
Effect of enteral administration of insulin on intestinal development and feeding tolerance in preterm infants: a pilot study, **F131**
Effect of salt supplementation of newborn premature infants on neurodevelopmental outcome at 10–13 years of age, **F120**
Follow up of a randomised trial of two different courses of dexamethasone for preterm babies at risk of chronic lung disease, **F102**
Low levels of pancreatic elastase 1 in stools of preterm infants, **F198**
Measurement of the subarachnoid space by ultrasound in preterm infants, **F124**
Posthaemorrhagic ventricular dilatation: *review*, **F72**
Prevention of postnatal cytomegalovirus infection in preterm infants: *letter*, **F140**
Supplementation of a bovine milk formula with an oligosaccharide mixture increases counts of faecal bifidobacteria in preterm infants, **F178**
- prevalence**, Prevalence and secular trend of congenital anomalies in Glasgow, UK, **257**
- primary school**, Primary school accident reporting in one education authority, **91**
- procalcitonin**, Procalcitonin as a diagnostic marker of meningococcal disease in children presenting with fever and a rash, **282**
- prognosis**, Efficacy of school urinary screening for membranoproliferative glomerulonephritis type 1, **21**
Magnetic resonance imaging of the infant brain: anatomical characteristics and clinical significance of punctate lesions, **F171**
- programme evaluation**, Six year effectiveness of a population based two tier infant hearing screening programme, **245**
- progression markers**, Impact of antiretroviral protocols on dynamics of AIDS progression markers, **119**

- protease inhibitors**, Lipid and glucose metabolism in HIV-1-infected children treated with protease inhibitors, **67**
- Pseudomonas aeruginosa*** Exogenous *Pseudomonas* endophthalmitis: a cause of lens enucleation, **F204**
- psychological adjustment**, Hirschsprung's disease: functional and psychological follow up comparing total colonic and rectosigmoid aganglionosis, **348**
- psychological coping**, Coping and health service utilisation in a UK study of paediatric sickle cell pain, **325**
- psychometric**, Dyslexia and familial high blood pressure: an observational pilot study, **30**
- psychosocial genetics**, Newborn screening for Duchenne muscular dystrophy: a psychosocial study, **F91**
- puberty**, The "thumb and wrist sign" in Marfan syndrome, **7**
Why is management of patients with classical congenital adrenal hyperplasia more difficult at puberty?: *review*, **266**
- puerperal fever**, Stéphane Tarnier (1828–1897), the architect of perinatology in France: *review*, **F137**
- pulmonary hypertension**, *Bordetella pertussis* infection causing pulmonary hypertension, **453**
Towards evidence based medicine for paediatricians, **59**
- pulmonary oedema**, Fulminant pulmonary oedema after administration of a balanced electrolyte polyethylene glycol solution, **209**
Pulmonary oedema caused by "liquid ecstasy" ingestion, **302**
- punctate lesion**, Magnetic resonance imaging of the infant brain: anatomical characteristics and clinical significance of punctate lesions, **F171**
- pyelonephritis**, Plasma and urinary soluble adhesion molecule expression is increased during first documented acute pyelonephritis, **218**
- radiography**, Positioning of long lines: *letter*, **F68**
- randomised controlled trial**, A pilot randomised controlled trial of peripheral fractional oxygen extraction to guide blood transfusions in preterm infants, **F22**
Family and parenting interventions for conduct disorder and delinquency: a meta-analysis of randomised controlled trials, **251**
Obesity: diagnosis, prevention, and treatment; evidence based answers to common questions, **392**
Randomised trial of the effects of structuring clinic correspondence, **374**
The effect of brief neonatal exposure to cows' milk on atopic symptoms up to age 5, **365**
- rash**, Kawasaki disease: an evidence based approach to diagnosis, treatment, and proposals for future research: *review*, **286**
Prevalence and distribution of petechiae in well babies, **291**
- reference chart**, Growth reference charts for use in the United Kingdom, **11**
- reflux nephropathy**, Selective renal embolisation for renovascular hypertension?, **127**
- religion**, Children's Day, **75**
- renal artery stenosis**, Polycythaemia and hypertension caused by renal artery stenosis, **307**
- research**, Learning from the sad, sorry saga at Stoke, **1**
- respiration**, A further complication of meconium stained liquor in the newborn: *Filler*, **F64**
Prediction of extubation failure in preterm infants, **F32**
- respiratory disease**, Follow up of a randomised trial of two different courses of dexamethasone for preterm babies at risk of chronic lung disease, **F102**
- respiratory effort**, Evidence for persistence of upper airway narrowing during sleep, 12 years after adenotonsillectomy, **34**
- respiratory failure**, Pulmonary oedema caused by "liquid ecstasy" ingestion, **302**
- respiratory illness**, Hypoxaemia in acute respiratory and non-respiratory illnesses in neonates and children in a developing country, **108**
- respiratory muscle strength**, Effect of posture on oxygenation and respiratory muscle strength in convalescent infants, **F147**
- respiratory problems**, Home oxygen status and rehospitalisation and primary care requirements of infants with chronic lung disease, **40**
- respiratory syncytial virus**, A hypothesis: antenatal sensitisation to respiratory syncytial virus in viral bronchiolitis, **431**
Bronchiolitis hospitalisations in the Netherlands from 1991 to 1999, **370**
- resuscitation**, Transient lymphopenia in acutely unwell young infants, **200**
- retinal haemorrhage**, Convulsions and retinal haemorrhage: should we look further?, **334**
- review**, Vitamin D deficiency in UK Asian families: activating a new concern: *review*, **147**
- ribavirin**, West Nile virus meningoencephalitis complicated by motor aphasia in Hodgkin's lymphoma, **441**
- ricketts**, Vitamin D deficiency in UK Asian families: activating a new concern: *review*, **147**
- Rigby M, Ross E, Begg NT, editors**. Management for Child Health Services book reviews, **454**
- risk factors**, Social influences on birth weight, **F6**
- rattles**, Differential response of wheezes and rattles to anticholinergics, **280**
- salbutamol**, Bronchodilator therapy and hyperactivity in preschool children, **202**
- Scandinavia**, Breast feeding and the sudden infant death syndrome in Scandinavia, 1992–95, **400**
- school accident**, Primary school accident reporting in one education authority, **91**
- schoolchildren**, Nut allergy in schoolchildren: a survey of schools in the Severn NHS Trust, **240**
Efficacy of school urinary screening for membranoproliferative glomerulonephritis type 1, **21**
- screening**, Newborn screening for Duchenne muscular dystrophy: a psychosocial study, **F91**
Type 2 diabetes in obese white children, **207**
- secular trend**, Prevalence and secular trend of congenital anomalies in Glasgow, UK, **257**
- seizure**, Buying the didgeridoo from Uncle, **229**
Phenobarbitone, neonatal seizures, and video-EEG, **F165**
Classical Kawasaki disease in a neonate, **F135**
The clinical conundrum of neonatal seizures: *review*, **F75**
- self help**, Coping with sickle cell disease: a self help manual: *letter*, **385**
- senior house officer (SHO)**, Routine examination of the newborn and maternal satisfaction: a randomised controlled trial, **F155**
- sensory disability**, Effects of cognitive, motor, and sensory disabilities on survival in cerebral palsy, **84**
- severe reaction**, How dangerous is food allergy in childhood? The incidence of severe and fatal allergic reactions across the UK and Ireland, **236**
- sexual abuse**, Somatic and psychological problems in a cohort of sexually abused boys: a six year follow up case-control study, **164**
- sibling study**, Febrile convulsions and sudden infant death syndrome, **125**
- sickle cell disease**, Coping with sickle cell disease: a self help manual: *letter*, **385**
- sickle cell pain**, Coping and health service utilisation in a UK study of paediatric sickle cell pain, **325**
- SIDS**, Breast feeding and the sudden infant death syndrome in Scandinavia, 1992–95, **400**
- skeletal development**, Skeletal development in premature infants: a review of bone physiology beyond nutritional aspects: *review*, **F82**
- sleep apnoea**, Evidence for persistence of upper airway narrowing during sleep, 12 years after adenotonsillectomy, **34**
- smoking**, Parental smoking: *letter*, **138**
Postnatal changes in maternal and neonatal plasma antioxidant vitamins and the influence of smoking, **F36**
- snoring**, Evidence for persistence of upper airway narrowing during sleep, 12 years after adenotonsillectomy, **34**
- social class**, Socioeconomic status and preterm birth: New Zealand trends, 1980 to 1999, **F142**
- social influences**, Maternal nutrition as a determinant of birth weight, **F4**
- sodium**, Effect of salt supplementation of newborn premature infants on neurodevelopmental outcome at 10–13 years of age, **F120**
- soluble adhesion molecule**, Plasma and urinary soluble adhesion molecule expression is increased during first documented acute pyelonephritis, **218**
- Somali**, Hepatitis B prevalence among Somali households in Liverpool, **67**
- sonic hedgehog**, Extreme variability of expression of a Sonic Hedgehog mutation: attention difficulties and holoprosencephaly, **293**
- soothers**, A diatribe on dummies: *Filler*, **222**
- spina ventosa**, "Spina ventosa"—tuberculous dactylitis: *Filler*, **206**
- spontaneous baroreflex**, Development of baroreflex control of heart rate in preterm and full term infants, **F151**
- sputum**, Cough, airway inflammation, and mild asthma exacerbation, **270**
- staphylococcus**, Clinical validation for oxacillin susceptibility testing of coagulase negative staphylococci, **446**
- status asthmaticus**, Towards evidence based medicine for paediatricians, **380**
- steroids**, Follow up of a randomised trial of two different courses of dexamethasone for preterm babies at risk of chronic lung disease, **F102**
- Stoke**, Learning from the sad, sorry saga at Stoke, **1**
- stools**, Low levels of pancreatic elastase 1 in stools of preterm infants, **F198**
- strength training**, Effects of dietary intervention and strength training on blood lipid level in obese children, **407**
- subarachnoid space**, Measurement of the subarachnoid space by ultrasound in preterm infants, **F124**
- subdural haemorrhage**, Investigating subdural haemorrhage in infants: *review*, **98**
- sudden infant death syndrome**, Breast feeding and the sudden infant death syndrome in Scandinavia, 1992–95, **400**

- Febrile convulsions and sudden infant death syndrome, **125**
- sunburn**, Burn baby burn, **438**
- superoxide dismutase**, Antioxidant enzymes in blood of patients with Friedreich's ataxia, **376**
- surveillance**, Deaths from pertussis are underestimated in England, **336**
- survival**, Effects of cognitive, motor, and sensory disabilities on survival in cerebral palsy, **84**
- susceptibility testing**, Clinical validation for oxacillin susceptibility testing of coagulase negative staphylococci, **446**
- sympathovagal balance**, Development of baroreflex control of heart rate in preterm and full term infants, **F151**
- systematic review**, Obesity: diagnosis, prevention, and treatment; evidence based answers to common questions, **392**
- Taqman PCR**, Improved case confirmation in meningococcal disease with whole blood Taqman PCR, **449**
- testicular cancer**, Testicular cancer risk in relation to use of disposable nappies, **28**
- thalassaemia**, Liver disease in transfusion dependent thalassaemia major, **344**
- thyroxine**, Cochrane's epitaph for cisapride in childhood gastro-oesophageal reflux, **71**
Kocher Debre Semelaigne syndrome: regression of pseudohypertrophy of muscles on thyroxine: *letter*, **224**
- tissue plasminogen activator**, Posthaemorrhagic ventricular dilatation: *review*, **F72**
- tonsillectomy**, PFAPA syndrome in children evaluated for tonsillectomy, **434**
- topical**, Rapid skin anaesthesia using high velocity lignocaine particles: a prospective placebo controlled trial, **309**
- total colonic aganglionosis**, Hirschsprung's disease: functional and psychological follow up comparing total colonic and rectosigmoid aganglionosis, **348**
- transcatheter embolisation**, Selective renal embolisation for renovascular hypertension?, **127**
- transcutaneous bilirubinometry**, Can transcutaneous bilirubinometry reduce the need for blood tests in jaundiced full term babies?, **F190**
- transforming growth factor β** , Posthaemorrhagic ventricular dilatation: *review*, **F72**
- translational regulation**, Precocious puberty: a parent's perspective, **320**
- trends**, Socioeconomic status and preterm birth: New Zealand trends, 1980 to 1999, **F142**
- tuberculosis**, "Spina ventosa"—tuberculous dactylitis: *Filler*, **206**
Resurgence of paediatric tuberculosis in London, **264**
- Turkey**, Hermansky-Pudlak syndrome: infrequent bleeding and first report of Turkish and Pakistani kindreds, **297**
- twin**, Anti-neutrophil cytoplasmic autoantibody positive glomerulonephritis in monozygotic twins, **66**
Fetal or infant death in twin pregnancy: neurodevelopmental consequence for the survivor, **F9**
- twin-twin transfusion**, Fetal or infant death in twin pregnancy: neurodevelopmental consequence for the survivor, **F9**
- type 1 diabetes**, Diabetes unmasked by electric shock, **210**
- type 2 diabetes**, Type 2 diabetes in obese white children, **207**
- UK**, Deaths from pertussis are underestimated in England, **336**
The UK Hib vaccine experience, **396**
Vitamin D deficiency in UK Asian families: activating a new concern: *review*, **147**
- ultrasonography**, Measurement of the subarachnoid space by ultrasound in preterm infants, **F124**
- ultrasound scans**, Antenatal steroids are associated with a reduction in the incidence of cerebral white matter lesions in very low birthweight infants, **F96**
Renal ultrasound findings and vesicoureteral reflux in children hospitalised with urinary tract infection, **419**
- umbilical cord weight**, Correlation of umbilical cord weight with birth weight: *letter*, **F140**
- urea cycle**, Neurological outcome of patients with ornithine carbamoyltransferase deficiency, **54**
- urinary screening**, Efficacy of school urinary screening for membranoproliferative glomerulonephritis type 1, **21**
- urinary tract infection**, Renal ultrasound findings and vesicoureteral reflux in children hospitalised with urinary tract infection, **419**
- UV light**, Burn baby burn, **438**
- vaccine**, The UK Hib vaccine experience, **396**
- venous catheter**, A rare complication of neonatal central venous access, **F61**
- ventilation**, Neonatal pneumatocele as a complication of nasal continuous positive airway pressure, **F202**
Prediction of extubation failure in preterm infants, **F32**
- very long chain fatty acid**, The importance of testing for adrenoleucodystrophy in males with idiopathic Addison's disease, **185**
- vesicoureteral reflux**, Renal ultrasound findings and vesicoureteral reflux in children hospitalised with urinary tract infection, **419**
- video-EEG**, Phenobarbitone, neonatal seizures, and video-EEG, **F165**
- visual development**, Cortical visual evoked potentials in very low birthweight premature infants, **F28**
- visual evoked potentials**, Cortical visual evoked potentials in very low birthweight premature infants, **F28**
- vitamins**, Vitamin D deficiency in UK Asian families: activating a new concern: *review*, **147**
Postnatal changes in maternal and neonatal plasma antioxidant vitamins and the influence of smoking, **F36**
- voiding cystourethrogram**, Renal ultrasound findings and vesicoureteral reflux in children hospitalised with urinary tract infection, **419**
- West Nile fever**, West Nile virus meningoencephalitis complicated by motor aphasia in Hodgkin's lymphoma, **441**
- wheeze**, Differential response of wheezes and rattles to anticholinergics, **280**
Short term effects of adrenaline in bronchiolitis: a randomised controlled trial, **276**
- white cell count**, Procalcitonin as a diagnostic marker of meningococcal disease in children presenting with fever and a rash, **282**
- white matter lesions**, Antenatal steroids are associated with a reduction in the incidence of cerebral white matter lesions in very low birthweight infants, **F96**