

# Subject index

- 21-hydroxylase deficiency**, Longitudinal analysis of growth and puberty in 21-hydroxylase deficiency patients, **139**
- abdominal compartment syndrome**, Gastric tonometry after gastroschisis repair, **339**
- absorption**, Maldigestion and malabsorption of dietary lipid during severe childhood malnutrition, **522**
- abuse**, Problems with scoring bruises, **449**
- accelerometer**, Accelerometers identify inactive and potentially obese children (EarlyBird 3), **166**
- acute admission**, Assessment of acute admissions by middle grade trainees and consultants will reduce the need for overnight hospital admissions, **357**
- acute asthma**, Spacer compliance after discharge following a mild to moderate asthma attack, **302**
- acute lymphoblastic leukaemia**, Why do infants being treated for acute lymphoblastic leukaemia fail to thrive?, **562**
- acute polyradiculopathy**, Hyperextension of spine: unusual presentation of Guillain-Barré syndrome, **359**
- acute**, Economic evaluation of an acute paediatric hospital at home clinical trial, **489**
- acylcarnitine**, Fat oxidation defect presenting with overwhelming ketonuria, **428**
- adolescent**, Long term medical conditions: career prospects, **291**
- adrenal crisis**, Inhaled corticosteroids and adrenal insufficiency, **455**  
Survey of adrenal crisis associated with inhaled corticosteroids in the United Kingdom, **457**
- adrenal suppression**, Cushing's syndrome, growth impairment, and occult adrenal suppression associated with intranasal steroids, **45**
- adrenaline**, Towards evidence based medicine for paediatricians, **548**
- adverse drug reaction**, Surveillance for fatal suspected adverse drug reactions in the UK, **462**
- advertising**, No smoke without ads?, **271**
- advocacy**, Are paediatricians failing at school?, **173**
- aerosol**, Two administration methods for inhaled salbutamol in intubated patients, **49**
- AIDS**, Health services: who are the best advocates for children?, **175**
- albumin**, Correction of the anion gap for albumin in order to detect occult tissue anions in shock, **526**
- allergic seasonal rhinitis**, Towards evidence based medicine for paediatricians, **411**
- allergy**, Breast feeding and allergic diseases in infants—a prospective birth cohort study, **478**
- ALSPAC**, Factors associated with different hygiene practices in the homes of 15 month old infants, **30**  
Hygiene levels in a contemporary population cohort are associated with wheezing and atopic eczema in preschool infants, **26**
- analgesic**, Poisoning in children 1: General management, **392**
- angiogenesis**, Improving ischaemic skin revascularisation by nerve growth factor in a child with crush syndrome, **446**
- angioneurotic oedema**, Juvenile dermatomyositis associated with hereditary angioneurotic oedema, **563**
- anion gap**, Correction of the anion gap for albumin in order to detect occult tissue anions in shock, **526**
- annual review**, Are annual blood tests in preschool cystic fibrosis patients worthwhile?, **518**
- antenatal diagnosis**, Parental attitudes: antenatal diagnosis of cystic fibrosis, **284**
- anticonvulsants**, Towards evidence based medicine for paediatricians, **258**
- antidote**, Obesity in Iranian children, **388**
- aplastic anaemia**, Aplastic anaemia associated with parvovirus B19 infection, **436**
- arteries**, Arterial distensibility in children and teenagers: normal evolution and the effect of childhood vasculitis, **348**
- arthrogryposis**, ARC syndrome: an expanding range of phenotypes, **171**
- ascites**, Natural history and risk factors in fulminant hepatic failure, **54**
- Asian**, The prevalence of rickets among non-Caucasian children, **263**
- asthma**, Breast feeding and allergic diseases in infants—a prospective birth cohort study, **478**  
Carers' perception of childhood asthma and its management in a selected Pakistani community, **287**  
Hospital management of asthma, **356**  
Hygiene levels in a contemporary population cohort are associated with wheezing and atopic eczema in preschool infants, **26**  
Reduced lung function both before bronchiolitis and at 11 years, **417**  
Towards evidence based medicine for paediatricians, **411**
- asylum seeker**, The mental health of refugee children, **366**
- ataxia**, Unusual cerebellar ataxia: "worm wobble" revisited, **333**
- atmospheric pollution**, The impact of atmospheric pollution on vitamin D status of infants and toddlers in Delhi, India, **111**
- atopy**, Hygiene levels in a contemporary population cohort are associated with wheezing and atopic eczema in preschool infants, **26**
- atropine**, Intravenous atropine treatment in infantile hypertrophic pyloric stenosis, **71**
- autism**, Recall bias, MMR, and autism, **493**
- autistic savant**, "Of stupidity or folly": Thomas Willis's perspective on mental retardation, **555**
- behaviour problems**, Improving mental health through parenting programmes: block randomised controlled trial, **472**  
Long term behavioural outcome after neonatal arterial switch operation for transposition of the great arteries, **506**  
Need and demand for parenting programmes in general practice, **468**
- beneficence**, Auto-autonomy: the ethics of end of road-life issues, **551**
- benzodiazepine**, Respiratory depression in the acute management of seizures, **225**
- bereavement**, Bereavement support following sudden and unexpected death: guidelines for care, **36**  
Should paediatric units have bereavement support posts?, **40**
- bioethics**, Auto-autonomy: the ethics of end of road-life issues, **551**
- birth weight**, The treatment of parental height as a biological factor in studies of birth weight and childhood growth, **184**
- blood potassium**, Seasonal plasma electrolyte fluctuations in childhood diarrhoea, **426**
- blood sodium**, Seasonal plasma electrolyte fluctuations in childhood diarrhoea, **426**
- bloody diarrhoea**, Daily bowel movements and *Escherichia coli* O157 infection, **335**
- blunt abdominal trauma**, Duodenal perforation: a diagnostic pitfall in non-accidental injury, **432**
- body composition**, Reference data for bone density and body composition measured with dual energy x ray absorptiometry in white children and young adults, **341**
- body mass index**, Growth charts for Down's syndrome from birth to 18 years of age, **97**  
Longitudinal analysis of growth and puberty in 21-hydroxylase deficiency patients, **139**  
Obesity in Iranian children, **388**  
Prepubertal growth in congenital disorder of glycosylation type Ia (CDG-Ia), **324**  
The importance of using ethnically appropriate reference ranges for growth assessment in sickle cell disease, **352**
- bone density**, Reference data for bone density and body composition measured with dual energy x ray absorptiometry in white children and young adults, **341**
- bone mineral density**, Bone mineral density in patients with classic galactosaemia, **57**
- bone**, Breast feeding, **91**
- Borrelia**, *Borrelia* lymphocytoma ("lymphadenosis benigna cutis"), **12**
- bottom shuffling**, Do "Shufflebottoms" bottom shuffle?, **552**
- BPSU**, The role of the expert witness, **267**
- brain**, Quantitative magnetic resonance imaging of the brain in survivors of very low birth weight, **279**
- breast feeding**, Achieving a coat of arms, **90**  
Breast feeding and allergic diseases in infants—a prospective birth cohort study, **478**
- breath holding**, Towards evidence based medicine for paediatricians, **77**
- British**, New cross sectional stature, weight, and head circumference references for Down's syndrome in the UK and Republic of Ireland, **104**
- bronchiectasis**, Primary ciliary dyskinesia, **363**
- bronchiolitis**, How do we treat wheezing infants? Evidence or anecdote, **546**  
Reduced lung function both before bronchiolitis and at 11 years, **417**  
Towards evidence based medicine for paediatricians, **548**
- bronchodilator**, How do we treat wheezing infants? Evidence or anecdote, **546**  
Two administration methods for inhaled salbutamol in intubated patients, **49**
- bruise**, Problems with scoring bruises, **449**

- cardiac surgery**, Long term behavioural outcome after neonatal arterial switch operation for transposition of the great arteries, **506**
- career**, Long term medical conditions: career prospects, **291**
- carer**, Carers' perception of childhood asthma and its management in a selected Pakistani community, **287**
- carriage**, Does cefotaxime eradicate nasopharyngeal carriage of *N meningitidis*, **449**
- case-control study**, Controlled study of respiratory viruses and wheezing, **221**
- cataplexy**, Cataplexy in the Prader–Willi syndrome, **170**
- catheter fracture**, Percutaneous retrieval of central venous catheter fragments, **149**
- cefotaxime**, Does cefotaxime eradicate nasopharyngeal carriage of *N meningitidis*, **449**
- central nervous system tumour**, Neurofibromatosis type 1 and sporadic optic gliomas, **65**
- central venous catheter**, Percutaneous retrieval of central venous catheter fragments, **149**
- cerebral oedema**, Hypopituitarism following cerebral oedema with diabetic ketoacidosis, **337**
- Physiologic management of DKA, **451**
- cerebrospinal fluid**, Lactic dehydrogenase isoenzymes in cerebrospinal fluid of children with Guillain–Barré syndrome, **255**
- CFTR mutation**, Urogenital abnormalities in male children with cystic fibrosis, **135**
- chronic secretory otitis media**, Primary ciliary dyskinesia, **363**
- cigarettes**, No smoke without ads?, **271**
- cilia**, Primary ciliary dyskinesia, **363**
- cleanliness**, Factors associated with different hygiene practices in the homes of 15 month old infants, **30**
- clinical effectiveness**, Randomised controlled trial comparing an acute paediatric hospital at home scheme with conventional hospital care, **371**
- What's the use of Archimedes?, **168**
- clinical trial**, Economic evaluation of an acute paediatric hospital at home clinical trial, **489**
- Clostridium difficile**, *C difficile* induced pneumatosis intestinalis in a neutropenic child, **85**
- coagulation screen**, Atypical bleeding due to idiopathic thrombocytopenia in association with low factor VIII levels, **227**
- coeliac disease**, Coeliac disease and liver dysfunction, **293**
- Screening for coeliac disease in type 1 diabetes, **495**
- cognition**, Impaired cognition and schooling in adults with end stage renal disease since childhood, **380**
- Cohen M, Neri G, Weksberg R. Overgrowth syndromes** book reviews, **264**
- colic**, Excessive infant crying: definitions determine risk groups, **43**
- community acquired methicillin resistant Staphylococcus aureus**, Clinical and radiographic spectrum of septic pulmonary embolism, **312**
- compliance**, Spacer compliance after discharge following a mild to moderate asthma attack, **302**
- computed tomography**, Duodenal perforation: a diagnostic pitfall in non-accidental injury, **432**
- congenital adrenal hyperplasia**, Longitudinal analysis of growth and puberty in 21-hydroxylase deficiency patients, **139**
- congenital diaphragmatic hernia**, Adult outcome of congenital lower respiratory tract malformations, **500**
- congenital disorders of glycosylation**, Prepubertal growth in congenital disorder of glycosylation type Ia (CDG-Ia), **324**
- congenital heart disease**, Congenital heart disease and neuroblastoma: just coincidence?, **61**
- congenital malformations**, Adult outcome of congenital lower respiratory tract malformations, **500**
- connexions**, Long term medical conditions: career prospects, **291**
- consultation**, Unexplained extra visits to general practitioners before the diagnosis of first urinary tract infection: a case-control study, **530**
- contact dermatitis**, Parents' accounts of wheeze and asthma related symptoms: a qualitative study, **131**
- coronary arteritis**, Fatal Kawasaki disease caused by early occlusive coronary artery disease, **145**
- coronary artery occlusion**, Fatal Kawasaki disease caused by early occlusive coronary artery disease, **145**
- corticosteroid**, Breast feeding, **91**
- How do we treat wheezing infants? Evidence or anecdote, **546**
- Towards evidence based medicine for paediatricians, **411**
- cows' milk sensitive enteropathy**, Upregulated eotaxin expression and T cell infiltration in the basal and papillary epithelium in cows' milk associated reflux oesophagitis, **124**
- coxsackievirus group A**, Diagnosis of group A coxsackieviral infection using polymerase chain reaction, **316**
- crush syndrome**, Improving ischaemic skin revascularisation by nerve growth factor in a child with crush syndrome, **446**
- CSF**, Lactic dehydrogenase isoenzymes in cerebrospinal fluid of children with Guillain–Barré syndrome, **255**
- Cushing's syndrome**, Cushing's syndrome, growth impairment, and occult adrenal suppression associated with intranasal steroids, **45**
- cyclosporin A**, Treatment with cyclosporin A in a patient with Omenn's syndrome, **231**
- cystic fibrosis**, Are annual blood tests in preschool cystic fibrosis patients worthwhile?, **518**
- Clinical improvement in cystic fibrosis with early insulin treatment, **430**
- Early airway infection, inflammation, and lung function in cystic fibrosis, **306**
- Managed clinical networks, **1**
- Parental attitudes: antenatal diagnosis of cystic fibrosis, **284**
- Urogenital abnormalities in male children with cystic fibrosis, **135**
- cystic malformations**, Adult outcome of congenital lower respiratory tract malformations, **500**
- daily bowel movements**, Daily bowel movements and *Escherichia coli* O157 infection, **335**
- day**, Are risk factors for sudden infant death syndrome different at night?, **274**
- death**, Bereavement support following sudden and unexpected death: guidelines for care, **36**
- Fetal, perinatal, and infant death with congenital renal anomaly, **114**
- Incidence of severe and fatal reactions to foods, **450**
- decision support**, Paediatric clinical decision support systems, **361**
- developing world**, Hospital management of asthma, **356**
- diabetes**, Clinical improvement in cystic fibrosis with early insulin treatment, **430**
- Physiologic management of DKA, **451**
- Screening for coeliac disease in type 1 diabetes, **495**
- Shortage of vaccines: USA, Europe, who next?, **9**
- diabetic ketoacidosis**, Hypopituitarism following cerebral oedema with diabetic ketoacidosis, **337**
- Physiologic management of DKA, **451**
- diagnosis**, Fetal, perinatal, and infant death with congenital renal anomaly, **114**
- diagnostic tool**, Paediatric clinical decision support systems, **361**
- dialysis**, Outcome of reaching end stage renal failure in children under 2 years of age, **511**
- digestion**, Maldigestion and malabsorption of dietary lipid during severe childhood malnutrition, **522**
- distensibility**, Arterial distensibility in children and teenagers: normal evolution and the effect of childhood vasculitis, **348**
- divorce**, Nuclear family, **416**
- Down's syndrome**, Growth charts for Down's syndrome from birth to 18 years of age, **97**
- New cross sectional stature, weight, and head circumference references for Down's syndrome in the UK and Republic of Ireland, **104**
- Towards evidence based medicine for paediatricians, **411**
- dummies**, Problems involved with the use of comforters, **170**
- duodenal perforation**, Duodenal perforation: a diagnostic pitfall in non-accidental injury, **432**
- DXA**, Bone mineral density in patients with classic galactosaemia, **57**
- dynamic plantar pressure**, The use of multidisciplinary assessment and scientific measurement in advanced juvenile idiopathic arthritis can categorise gait deviations to guide treatment, **160**
- E coli O157**, Daily bowel movements and *Escherichia coli* O157 infection, **335**
- echocardiography**, Echocardiography on the neonatal unit, **171**
- economic analysis**, Towards evidence based medicine for paediatricians, **77**
- economic evaluation**, Economic evaluation of an acute paediatric hospital at home clinical trial, **489**
- eczema**, Early respiratory and skin symptoms in relation to ethnic background: the importance of socioeconomic status; the PIAMA study, **482**
- education**, **education**, **education**
- electronic stethoscope**, Heart murmurs recorded by a sensor based electronic stethoscope and e-mailed for remote assessment, **297**
- embolisation**, Percutaneous retrieval of central venous catheter fragments, **149**
- empyema**, Pigtail catheter drain in the treatment of empyema thoracis, **331**
- encephalitis**, Parkinson-like syndrome, Parkinson-like syndrome as the major presenting symptom of Epstein–Barr virus encephalitis, **358**
- encephalitis**, Advances in the prevention and treatment of paediatric HIV infection in the United Kingdom, **178**
- encephalopathy**, Acute encephalopathy with parvovirus B19 infection in sickle cell disease, **541**
- eotaxin**, Upregulated eotaxin expression and T cell infiltration in the basal and papillary epithelium in cows' milk associated reflux oesophagitis, **124**
- epinephrine**, Towards evidence based medicine for paediatricians, **548**
- Epstein-Barr virus**, Parkinson-like syndrome as the major presenting symptom of Epstein–Barr virus encephalitis, **358**

- erythromelalgia**, Erythromelalgia: an endothelial disorder responsive to sodium nitroprusside, **229**
- ethics**, Towards evidence based medicine for paediatricians, **258**
- ethnic**, Early respiratory and skin symptoms in relation to ethnic background: the importance of socioeconomic status; the PIAMA study, **482**
- euthanasia**, Auto-autonomy: the ethics of end of road-life issues, **551**
- evidence based practice**, What's the use of Archimedes?, **168**
- facial dysmorphism**, Familial neurofibromatosis microdeletion syndrome complicated by rhabdomyosarcoma, **444**
- factor VIII**, Atypical bleeding due to idiopathic thrombocytopenia in association with low factor VIII levels, **227**
- failure to thrive**, Prepubertal growth in congenital disorder of glycosylation type Ia (CDG-Ia), **324**  
Why do infants being treated for acute lymphoblastic leukaemia fail to thrive?, **562**
- family**, No smoke without ads?, **271**  
Nuclear family, **416**
- Fanconi syndrome**, ARC syndrome: an expanding range of phenotypes, **171**
- fat oxidation defect**, Fat oxidation defect presenting with overwhelming ketonuria, **428**
- fatality**, Surveillance for fatal suspected adverse drug reactions in the UK, **462**
- febrile convulsion**, When to do a lumbar puncture, **235**
- ferritin**, Respiratory function in patients with thalassaemia major: relation with iron overload, **328**
- final height**, Longitudinal analysis of growth and puberty in 21-hydroxylase deficiency patients, **139**
- fistula**, Multiple magnet ingestion and gastrointestinal morbidity, **539**
- flashlamp pulsed dye laser**, Pulsed dye laser for Sturge–Weber syndrome, **434**
- fluid management**, Physiologic management of DKA, **451**
- folate cycle**, Nature and nurture in vitamin B<sub>12</sub> deficiency, **75**
- food allergy**, Incidence of severe and fatal reactions to foods, **450**
- foreign body**, Multiple magnet ingestion and gastrointestinal morbidity, **539**
- FVIII:C**, Atypical bleeding due to idiopathic thrombocytopenia in association with low factor VIII levels, **227**
- galactosaemia**, Bone mineral density in patients with classic galactosaemia, **57**
- Gambia**, Leptin, malnutrition, and immune response in rural Gambian children, **192**
- gastrointestinal perforation**, Multiple magnet ingestion and gastrointestinal morbidity, **539**
- gastrointestinal tract**, Maldigestion and malabsorption of dietary lipid during severe childhood malnutrition, **522**
- gastroschisis**, Gastric tonometry after gastroschisis repair, **339**
- general practice**, Need and demand for parenting programmes in general practice, **468**  
Unexplained extra visits to general practitioners before the diagnosis of first urinary tract infection: a case-control study, **530**
- genetics**, No smoke without ads?, **271**
- genotype-phenotype correlation**, Urogenital abnormalities in male children with cystic fibrosis, **135**
- Griffiths Scale**, A common metric for the Griffiths Scales, **109**
- grommet**, Towards evidence based medicine for paediatricians, **258**
- ground reaction force**, The use of multidisciplinary assessment and scientific measurement in advanced juvenile idiopathic arthritis can categorise gait deviations to guide treatment, **160**
- group A streptococcus**, Causes of morbilliform rash in a highly immunised English population, **202**
- growth chart**, Growth charts for Down's syndrome from birth to 18 years of age, **97**  
Growth charts for height and weight—statement, **563**
- growth failure**, Cushing's syndrome, growth impairment, and occult adrenal suppression associated with intranasal steroids, **45**
- growth hormone secretion**, Safety of the insulin tolerance test, **354**
- growth hormone**, High dose growth hormone treatment induces acceleration of skeletal maturation and an earlier onset of puberty in children with idiopathic short stature, **215**
- growth reference**, New cross sectional stature, weight, and head circumference references for Down's syndrome in the UK and Republic of Ireland, **104**
- growth**, Breast feeding, **91**  
Managed clinical networks, **1**  
Prepubertal growth in congenital disorder of glycosylation type Ia (CDG-Ia), **324**  
The importance of using ethnically appropriate reference ranges for growth assessment in sickle cell disease, **352**  
The treatment of parental height as a biological factor in studies of birth weight and childhood growth, **184**
- guidelines**, Hospital management of asthma, **356**
- Guillain-Barre syndrome**, Hyperextension of spine: unusual presentation of Guillain–Barré syndrome, **359**
- Lactic dehydrogenase isoenzymes in cerebrospinal fluid of children with Guillain–Barré syndrome, **255**
- haemophilia**, Atypical bleeding due to idiopathic thrombocytopenia in association with low factor VIII levels, **227**
- head circumference**, Growth charts for Down's syndrome from birth to 18 years of age, **97**  
New cross sectional stature, weight, and head circumference references for Down's syndrome in the UK and Republic of Ireland, **104**  
Prepubertal growth in congenital disorder of glycosylation type Ia (CDG-Ia), **324**
- health problem**, Long term medical conditions: career prospects, **291**
- health service**, Are paediatricians failing at school?, **173**
- heart murmur**, Heart murmurs recorded by a sensor based electronic stethoscope and e-mailed for remote assessment, **297**
- height**, Growth charts for height and weight—statement, **563**
- henna**, Parents' accounts of wheeze and asthma related symptoms: a qualitative study, **131**
- hepatitis**, Natural history and risk factors in fulminant hepatic failure, **54**
- herpangina**, Diagnosis of group A coxsackieviral infection using polymerase chain reaction, **316**
- high-dose fluticasone**, Inhaled corticosteroids and adrenal insufficiency, **455**  
Survey of adrenal crisis associated with inhaled corticosteroids in the United Kingdom, **457**
- HIV**, Health services: who are the best advocates for children?, **175**  
The impact of human immunodeficiency virus 1 on laryngeal airway obstruction in children, **212**
- hospital at home**, Economic evaluation of an acute paediatric hospital at home clinical trial, **489**  
Randomised controlled trial comparing an acute paediatric hospital at home scheme with conventional hospital care, **371**
- hospital stay**, Assessment of acute admissions by middle grade trainees and consultants will reduce the need for overnight hospital admissions, **357**
- human herpesvirus type 6**, Causes of morbilliform rash in a highly immunised English population, **202**
- human parvovirus B19**, Aplastic anaemia associated with parvovirus B19 infection, **436**
- hydrocephalus**, Ventriculoperitoneal shunt block: what are the best predictive clinical indicators?, **198**
- hygiene**, Factors associated with different hygiene practices in the homes of 15 month old infants, **30**  
Hygiene levels in a contemporary population cohort are associated with wheezing and atopic eczema in preschool infants, **26**
- hyperparathyroidism**, Respiratory failure due to pulmonary calcification in primary hyperparathyroidism, **257**
- hypoglycaemia**, Fat oxidation defect presenting with overwhelming ketonuria, **428**  
Safety of the insulin tolerance test, **354**
- hypopituitarism**, Hypopituitarism following cerebral oedema with diabetic ketoacidosis, **337**
- hypothyroidism**, Managed clinical networks, **1**
- idiopathic short stature**, High dose growth hormone treatment induces acceleration of skeletal maturation and an earlier onset of puberty in children with idiopathic short stature, **215**
- idiopathic thrombocytopenia**, Atypical bleeding due to idiopathic thrombocytopenia in association with low factor VIII levels, **227**
- immune response**, Leptin, malnutrition, and immune response in rural Gambian children, **192**
- immunisation**, Antivaccination activists on the world wide web, **22**  
Causes of morbilliform rash in a highly immunised English population, **202**  
Paediatricians' misconceptions on childhood immunisations, **264**  
The meningococcus tamed?, **13**
- immunoglobulin**, Immunoglobulin levels in methotrexate treated paediatric rheumatology patients, **147**
- inactivity**, Accelerometers identify inactive and potentially obese children (EarlyBird 3), **166**
- infantile diarrhoea**, Seasonal plasma electrolyte fluctuations in childhood diarrhoea, **426**
- infantile hypertrophic pyloric stenosis**, Intravenous atropine treatment in infantile hypertrophic pyloric stenosis, **71**
- infant**, Achieving a coat of arms, **90**  
Excessive infant crying: definitions determine risk groups, **43**  
Why do infants being treated for acute lymphoblastic leukaemia fail to thrive?, **562**
- infection**, Early airway infection, inflammation, and lung function in cystic fibrosis, **306**
- infertility**, Primary ciliary dyskinesia, **363**
- inflammation**, Early airway infection, inflammation, and lung function in cystic fibrosis, **306**
- influenza virus**, Controlled study of respiratory viruses and wheezing, **221**
- inhalation**, Two administration methods for inhaled salbutamol in intubated patients, **49**

- inhaled corticosteroids**, Inhaled corticosteroids and adrenal insufficiency, **455**  
Survey of adrenal crisis associated with inhaled corticosteroids in the United Kingdom, **457**
- insulin tolerance test**, Safety of the insulin tolerance test, **354**
- insulin**, Shortage of vaccines: USA, Europe, who next?, **9**
- intensive care**, A comparison of three scoring systems for mortality risk among retrieved intensive care patients, **421**  
Genuine reduction in meningococcal deaths results from teamwork, **560**  
Interhospital transport to paediatric intensive care by specialised staff: experience of the South Thames combined transport service, 1998–2000, **245**  
Inter-unit comparisons are flawed, **559**  
Mortality in meningococcal disease: please report the figures accurately, **559**  
Mortality in meningococcal disease: please report the figures accurately, **560**  
Reduction in case fatality rate from meningococcal disease is due to genuine teamwork, **561**  
The impact of human immunodeficiency virus 1 on laryngeal airway obstruction in children, **212**
- interhospital transport**, Interhospital transport to paediatric intensive care by specialised staff: experience of the South Thames combined transport service, 1998–2000, **245**
- internet**, Antivaccination activists on the world wide web, **22**  
Paediatric clinical decision support systems, **361**  
Use of the internet by parents of paediatric outpatients, **534**
- interrupter technique**, Airway resistance measured by the interrupter technique: normative data for 2–10 year olds of three ethnicities, **248**
- intestinal lavage**, Acute pulmonary oedema complicating polyethylene glycol intestinal lavage, **537**
- intracranial hypertension**, Idiopathic intracranial hypertension: is papilloedema inevitable?, **223**
- intranasal steroid**, Cushing's syndrome, growth impairment, and occult adrenal suppression associated with intranasal steroids, **45**
- Iran**, Obesity in Iranian children, **388**
- iron**, Towards evidence based medicine for paediatricians, **77**
- justice**, Auto-autonomy: the ethics of end of road-life issues, **551**
- juvenile dermatomyositis**, Juvenile dermatomyositis associated with hereditary angioneurotic oedema, **563**
- juvenile idiopathic arthritis**, The use of multidisciplinary assessment and scientific measurement in advanced juvenile idiopathic arthritis can categorise gait deviations to guide treatment, **160**
- Kartagener's syndrome**, Primary ciliary dyskinesia, **363**
- Kawasaki disease**, Fatal Kawasaki disease caused by early occlusive coronary artery disease, **145**  
Kawasaki disease following meningococcal septicaemia, **170**
- lactate**, Correction of the anion gap for albumin in order to detect occult tissue anions in shock, **526**
- lactic dehydrogenase isoenzyme**, Lactic dehydrogenase isoenzymes in cerebrospinal fluid of children with Guillain-Barré syndrome, **255**
- laryngeal airway obstruction**, The impact of human immunodeficiency virus 1 on laryngeal airway obstruction in children, **212**
- lateral neck radiograph**, Use of tonsil size in the evaluation of obstructive sleep apnoea, **156**
- learning difficulty**, "Of stupidity or folly": Thomas Willis's perspective on mental retardation, **555**  
Quantitative magnetic resonance imaging of the brain in survivors of very low birth weight, **279**
- leptin**, Leptin, malnutrition, and immune response in rural Gambian children, **192**
- leukaemia**, *C difficile* induced pneumatosis intestinalis in a neutropenic child, **85**
- lipid**, Maldigestion and malabsorption of dietary lipid during severe childhood malnutrition, **522**
- liver dysfunction**, Coeliac disease and liver dysfunction, **293**
- locomotion**, Do "Shufflebottoms" bottom shuffle?, **552**
- longitudinal analysis of growth**, Longitudinal analysis of growth and puberty in 21-hydroxylase deficiency patients, **139**
- longitudinal study**, Reduced lung function both before bronchiolitis and at 11 years, **417**
- lumbar puncture**, Advances in the prevention and treatment of paediatric HIV infection in the United Kingdom, **178**  
The emergence of resistant pneumococcal meningitis—implications for empiric therapy, **207**  
Time off, **234**  
When to do a lumbar puncture, **235**
- lung abscess**, Lung abscess complicating post-varicella pneumonia, **110**
- lung herniation**, Coughing up a lung, **545**
- lymphadenosis**, *Borrelia lymphocytoma* ("lymphadenosis benigna cutis"), **12**
- lymphocyte activation**, Upregulated eotaxin expression and T cell infiltration in the basal and papillary epithelium in cows' milk associated reflux oesophagitis, **124**
- lymphocytoma**, *Borrelia lymphocytoma* ("lymphadenosis benigna cutis"), **12**
- magnetic resonance imaging**, Respiratory function in patients with thalassaemia major: relation with iron overload, **328**
- magnet**, Multiple magnet ingestion and gastrointestinal morbidity, **539**
- Malawi**, Male biased mortality among 1–2 year old children in rural Malawi, **386**
- male urogenital anomaly**, Urogenital abnormalities in male children with cystic fibrosis, **135**
- malnutrition**, Leptin, malnutrition, and immune response in rural Gambian children, **192**  
Maldigestion and malabsorption of dietary lipid during severe childhood malnutrition, **522**
- mechanical ventilator**, Two administration methods for inhaled salbutamol in intubated patients, **49**
- medical error**, Paediatric clinical decision support systems, **361**
- melatonin**, Towards evidence based medicine for paediatricians, **258**
- meningitis**, Advances in the prevention and treatment of paediatric HIV infection in the United Kingdom, **178**  
Improved outcome in severe meningococcal disease, **560**  
The emergence of resistant pneumococcal meningitis—implications for empiric therapy, **207**  
The meningococcus tamed?, **13**  
Time off, **234**  
When to do a lumbar puncture, **235**
- meningococcal disease**, Genuine reduction in meningococcal deaths results from teamwork, **560**  
Improved outcome in severe meningococcal disease, **560**  
Inter-unit comparisons are flawed, **559**  
Mortality in meningococcal disease: please report the figures accurately, **559**  
Mortality in meningococcal disease: please report the figures accurately, **560**  
Reduction in case fatality rate from meningococcal disease is due to genuine teamwork, **561**
- meningococcal septic shock**, Procalcitonin as a prognostic marker in children with meningococcal septic shock, **450**
- meningococcal septicaemia**, Kawasaki disease following meningococcal septicaemia, **170**
- meningococcus**, The meningococcus tamed?, **13**
- mental development**, A common metric for the Griffiths Scales, **109**
- mental health**, The mental health of refugee children, **366**
- mental retardation**, "Of stupidity or folly": Thomas Willis's perspective on mental retardation, **555**
- meta-analysis**, Short compared with standard duration of antibiotic treatment for urinary tract infection: a systematic review of randomised controlled trials, **118**
- method assessment**, Heart murmurs recorded by a sensor based electronic stethoscope and e-mailed for remote assessment, **297**
- methotrexate**, Immunoglobulin levels in methotrexate treated paediatric rheumatology patients, **147**
- microdeletion**, Familial neurofibromatosis microdeletion syndrome complicated by rhabdomyosarcoma, **444**
- microvascular disease**, Shortage of vaccines: USA, Europe, who next?, **9**
- MMR vaccine**, Recall bias, MMR, and autism, **493**
- morality**, Auto-autonomy: the ethics of end of road-life issues, **551**
- mortality risk**, A comparison of three scoring systems for mortality risk among retrieved intensive care patients, **421**
- mortality**, Male biased mortality among 1–2 year old children in rural Malawi, **386**
- MRI**, Quantitative magnetic resonance imaging of the brain in survivors of very low birth weight, **279**
- MTHFR polymorphism**, Nature and nurture in vitamin B<sub>12</sub> deficiency, **75**
- multidisciplinary gait assessment**, The use of multidisciplinary assessment and scientific measurement in advanced juvenile idiopathic arthritis can categorise gait deviations to guide treatment, **160**
- Munchausen syndrome**, Munchausen syndrome involving pets by proxies, **263**
- muscular dystrophy**, Managed clinical networks, **1**
- nasal continuous positive airway pressure**, The use of nasal continuous positive airway pressure to treat obstructive sleep apnoea, **438**
- nationality**, Is this a Pom I see before me?, **108**
- needles**, The Position Statement on Injection Technique, **452**
- Neisseria meningitidis**, Does cefotaxime eradicate nasopharyngeal carriage of *N meningitidis*, **449**
- neonatal respiratory distress**, Primary ciliary dyskinesia, **363**
- nerve growth factor**, Improving ischaemic skin revascularisation by nerve growth factor in a child with crush syndrome, **446**

- neuroblastoma**, Congenital heart disease and neuroblastoma: just coincidence?, **61**
- neurofibromatosis type 1**, Familial neurofibromatosis microdeletion syndrome complicated by rhabdomyosarcoma, **444**  
Neurofibromatosis type 1 and sporadic optic gliomas, **65**
- neurotoxicity**, Unusual cerebellar ataxia: "worm wobble" revisited, **333**
- neutropenia**, *C difficile* induced pneumatosis intestinalis in a neutropenic child, **85**
- night**, Are risk factors for sudden infant death syndrome different at night?, **274**
- nocturnal enuresis**, A visual motor psychological test as a predictor to treatment in nocturnal enuresis, **188**
- non-maleficence**, Auto-autonomy: the ethics of end of road-life issues, **551**
- normative data**, Airway resistance measured by the interrupter technique: normative data for 2–10 year olds of three ethnicities, **248**
- NTX**, Bone mineral density in patients with classic galactosaemia, **57**
- nutrition**, Achieving a coat of arms, **90**
- obese**, Accelerometers identify inactive and potentially obese children (EarlyBird 3), **166**
- obesity**, Obesity in Iranian children, **388**  
Thyroid hormones before and after weight loss in obesity, **320**
- obstruction**, Multiple magnet ingestion and gastrointestinal morbidity, **539**
- obstructive sleep apnoea**, The use of nasal continuous positive airway pressure to treat obstructive sleep apnoea, **438**  
Use of tonsil size in the evaluation of obstructive sleep apnoea, **156**
- oesophageal mucosa**, Upregulated eotaxin expression and T cell infiltration in the basal and papillary epithelium in cows' milk associated reflux oesophagitis, **124**
- Omenn's syndrome**, Treatment with cyclosporin A in a patient with Omenn's syndrome, **231**
- omeprazole**, Towards evidence based medicine for paediatricians, **77**
- optic glioma**, Neurofibromatosis type 1 and sporadic optic gliomas, **65**
- osteogenesis imperfecta**, Osteogenesis imperfecta and intravenous pamidronate, **562**
- pain**, Towards evidence based medicine for paediatricians, **77**
- Pakistan**, Carers' perception of childhood asthma and its management in a selected Pakistani community, **287**
- pamidronate**, Osteogenesis imperfecta and intravenous pamidronate, **562**
- pancreatic insufficiency**, Urogenital abnormalities in male children with cystic fibrosis, **135**
- papilloedema**, Idiopathic intracranial hypertension: is papilloedema inevitable?, **223**
- parental height**, The treatment of parental height as a biological factor in studies of birth weight and childhood growth, **184**
- parenting programme**, Improving mental health through parenting programmes: block randomised controlled trial, **472**  
Need and demand for parenting programmes in general practice, **468**
- partial anomalous venous drainage**, Scimitar syndrome as a differential diagnosis in a child with recurrent wheeze, **357**
- parvovirus B19**, Causes of morbilliform rash in a highly immunised English population, **202**
- parvovirus**, Acute encephalopathy with parvovirus B19 infection in sickle cell disease, **541**
- patient information**, Use of the internet by parents of paediatric outpatients, **534**
- Pearson J. Handbook of Paediatric Intensive Care** book reviews, **264**
- percutaneous retrieval**, Percutaneous retrieval of central venous catheter fragments, **149**
- perianal dermatitis**, Towards evidence based medicine for paediatricians, **258**
- peritonitis**, Natural history and risk factors in fulminant hepatic failure, **54**
- pet**, Munchausen syndrome involving pets by proxies, **263**
- phase angle**, Phase angle and n-3 polyunsaturated fatty acids in sickle cell disease, **252**
- phenylketonuria**, Managed clinical networks, **1**
- phylogenetic**, Diagnosis of group A coxsackievirus infection using polymerase chain reaction, **316**
- pigtail catheter**, Pigtail catheter drain in the treatment of empyema thoracis, **331**
- piperazine**, Unusual cerebellar ataxia: "worm wobble" revisited, **333**
- pneumatosis intestinalis**, *C difficile* induced pneumatosis intestinalis in a neutropenic child, **85**
- pneumococcal vaccine**, Should the new pneumococcal vaccine be used in high-risk children?, **18**
- Pneumocystis carinii pneumonia**, *Pneumocystis carinii* pneumonia in an infant with transient hypogammaglobulinaemia of infancy, **449**
- pneumonia**, Lung abscess complicating post-varicella pneumonia, **110**
- poisoning**, Obesity in Iranian children, **388**  
Poisoning in children 1: General management, **392**  
Poisoning in children 2: Painkillers, **397**  
Poisoning in children 3: Common medicines, **400**  
Poisoning in children 4: Household products, plants, and mushrooms, **403**
- polyarteritis nodosa**, Arterial distensibility in children and teenagers: normal evolution and the effect of childhood vasculitis, **348**
- polyethylene glycol**, Acute pulmonary oedema complicating polyethylene glycol intestinal lavage, **537**
- polymerase chain reaction**, Diagnosis of group A coxsackievirus infection using polymerase chain reaction, **316**
- polyunsaturated fatty acid**, Phase angle and n-3 polyunsaturated fatty acids in sickle cell disease, **252**
- port wine stain**, Pulsed dye laser for Sturge–Weber syndrome, **434**
- Prader–Willi syndrome**, Cataplexy in the Prader–Willi syndrome, **170**
- pregnancy**, Fetal, perinatal, and infant death with congenital renal anomaly, **114**
- preschool**, A parent completed questionnaire to describe the patterns of wheezing and other respiratory symptoms in infants and preschool children, **376**
- prevalence**, Excessive infant crying: definitions determine risk groups, **43**
- Prevenar**, Should the new pneumococcal vaccine be used in high-risk children?, **18**
- prevention**, Breast feeding and allergic diseases in infants—a prospective birth cohort study, **478**
- primary care**, Improving mental health through parenting programmes: block randomised controlled trial, **472**
- primary ciliary dyskinesia**, Primary ciliary dyskinesia, **363**
- procalcitonin**, Procalcitonin as a prognostic marker in children with meningococcal septic shock, **450**
- prolonged seizures**, Respiratory depression in the acute management of seizures, **225**
- prone sleep position**, Are risk factors for sudden infant death syndrome different at night?, **274**
- psoas abscess**, Low back pain at presentation in a newly diagnosed diabetic, **543**
- PTSD**, The mental health of refugee children, **366**
- puberty**, High dose growth hormone treatment induces acceleration of skeletal maturation and an earlier onset of puberty in children with idiopathic short stature, **215**  
Longitudinal analysis of growth and puberty in 21-hydroxylase deficiency patients, **139**
- pulmonary calcification**, Respiratory failure due to pulmonary calcification in primary hyperparathyroidism, **257**
- pulmonary function test**, Respiratory function in patients with thalassaemia major: relation with iron overload, **328**
- pulmonary oedema**, Acute pulmonary oedema complicating polyethylene glycol intestinal lavage, **537**
- pulse oximetry**, Toe deformity from prolonged pulse oximetry, **533**
- quality of life**, Long term behavioural outcome after neonatal arterial switch operation for transposition of the great arteries, **506**
- questionnaire design**, Parents' accounts of wheeze and asthma related symptoms: a qualitative study, **131**
- randomised controlled trial**, Randomised controlled trial comparing an acute paediatric hospital at home scheme with conventional hospital care, **371**
- rash**, Causes of morbilliform rash in a highly immunised English population, **202**  
Parents' accounts of wheeze and asthma related symptoms: a qualitative study, **131**
- recall bias**, Recall bias, MMR, and autism, **493**
- recruitment**, No smoke without ads?, **271**
- recurrent wheeze**, How do we treat wheezing infants? Evidence or anecdote, **546**
- reflux oesophagitis**, Towards evidence based medicine for paediatricians, **77**  
Upregulated eotaxin expression and T cell infiltration in the basal and papillary epithelium in cows' milk associated reflux oesophagitis, **124**
- refugee**, The mental health of refugee children, **366**
- renal anomaly**, Fetal, perinatal, and infant death with congenital renal anomaly, **114**
- renal failure**, Outcome of reaching end stage renal failure in children under 2 years of age, **511**
- renal replacement therapy**, Impaired cognition and schooling in adults with end stage renal disease since childhood, **380**
- renal scarring**, Unexplained extra visits to general practitioners before the diagnosis of first urinary tract infection: a case-control study, **530**
- respiratory depression**, Respiratory depression in the acute management of seizures, **225**
- respiratory failure**, Respiratory failure due to pulmonary calcification in primary hyperparathyroidism, **257**
- respiratory function testing**, Early airway infection, inflammation, and lung function in cystic fibrosis, **306**

- Reduced lung function both before bronchiolitis and at 11 years, **417**
- respiratory questionnaire**, A parent completed questionnaire to describe the patterns of wheezing and other respiratory symptoms in infants and preschool children, **376**
- respiratory symptom**, Parents' accounts of wheeze and asthma related symptoms: a qualitative study, **131**
- respiratory syncytial virus**, Controlled study of respiratory viruses and wheezing, **221**
- retrieval**, A comparison of three scoring systems for mortality risk among retrieved intensive care patients, **421**
- review**, Controversies and advances in the management of Wilms' tumour, **241**
- Rey-Osterrieth test**, A visual motor psychological test as a predictor to treatment in nocturnal enuresis, **188**
- rhabdomyosarcoma**, Familial neurofibromatosis microdeletion syndrome complicated by rhabdomyosarcoma, **444**
- rheumatology**, Immunoglobulin levels in methotrexate treated paediatric rheumatology patients, **147**
- ricketts**, The prevalence of ricketts among non-Caucasian children, **263**
- risk factor**, Excessive infant crying: definitions determine risk groups, **43**
- schooling**, Impaired cognition and schooling in adults with end stage renal disease since childhood, **380**
- scimitar syndrome variant**, Scimitar syndrome as a differential diagnosis in a child with recurrent wheeze, **357**
- screening**, Coeliac disease and liver dysfunction, **293**  
Managed clinical networks, **1**  
Shortage of vaccines: USA, Europe, who next?, **9**
- septic pulmonary embolism**, Clinical and radiographic spectrum of septic pulmonary embolism, **312**
- severe reaction**, Incidence of severe and fatal reactions to foods, **450**
- sex**, Male biased mortality among 1–2 year old children in rural Malawi, **386**
- shock**, Correction of the anion gap for albumin in order to detect occult tissue anions in shock, **526**
- shunt blockage**, Ventriculoperitoneal shunt block: what are the best predictive clinical indicators?, **198**
- sickle cell disease**, Acute encephalopathy with parvovirus B19 infection in sickle cell disease, **541**  
Phase angle and n-3 polyunsaturated fatty acids in sickle cell disease, **252**  
The importance of using ethnically appropriate reference ranges for growth assessment in sickle cell disease, **352**
- SIDS**, Are risk factors for sudden infant death syndrome different at night?, **274**
- skeletal maturation**, High dose growth hormone treatment induces acceleration of skeletal maturation and an earlier onset of puberty in children with idiopathic short stature, **215**
- sleep**, Towards evidence based medicine for paediatricians, **411**
- smoking**, Are risk factors for sudden infant death syndrome different at night?, **274**  
No smoke without ads?, **271**
- social deprivation**, Are risk factors for sudden infant death syndrome different at night?, **274**
- socioeconomic status**, Early respiratory and skin symptoms in relation to ethnic background: the importance of socioeconomic status; the PIAMA study, **482**
- sodium nitroprusside**, Erythromelalgia: an endothelial disorder responsive to sodium nitroprusside, **229**
- spacer**, Spacer compliance after discharge following a mild to moderate asthma attack, **302**
- speech**, Towards evidence based medicine for paediatricians, **258**
- spinal cord imaging**, Investigation of daytime wetting: when is spinal cord imaging indicated?, **151**
- spinal epidural abscess**, Low back pain at presentation in a newly diagnosed diabetic, **543**
- staff support**, Should paediatric units have bereavement support posts?, **40**
- standard score**, A common metric for the Griffiths Scales, **109**
- Staphylococcus aureus**, Low back pain at presentation in a newly diagnosed diabetic, **543**
- stature**, New cross sectional stature, weight, and head circumference references for Down's syndrome in the UK and Republic of Ireland, **104**
- stem cell transplantation**, Treatment with cyclosporin A in a patient with Omenn's syndrome, **231**
- Streptococcus pneumoniae**, The emergence of resistant pneumococcal meningitis—implications for empiric therapy, **207**
- stupidity**, "Of stupidity or folly": Thomas Willis's perspective on mental retardation, **555**
- Sturge-Weber syndrome**, Pulsed dye laser for Sturge-Weber syndrome, **434**
- Sub-Saharan Africa**, Male biased mortality among 1–2 year old children in rural Malawi, **386**
- sucrose**, Towards evidence based medicine for paediatricians, **77**
- surname**, Do "Shufflebottoms" bottom shuffle?, **552**
- surveillance**, Causes of morbilliform rash in a highly immunised English population, **202**  
Surveillance for fatal suspected adverse drug reactions in the UK, **462**  
The role of the expert witness, **267**
- survey**, Need and demand for parenting programmes in general practice, **468**
- survival**, Genuine reduction in meningococcal deaths results from teamwork, **560**  
Inter-unit comparisons are flawed, **559**  
Mortality in meningococcal disease: please report the figures accurately, **559**  
Mortality in meningococcal disease: please report the figures accurately, **560**  
Reduction in case fatality rate from meningococcal disease is due to genuine teamwork, **561**
- systematic review**, Short compared with standard duration of antibiotic treatment for urinary tract infection: a systematic review of randomised controlled trials, **118**
- tattoo**, Parents' accounts of wheeze and asthma related symptoms: a qualitative study, **131**
- teeth**, Problems involved with the use of comforters, **170**
- telemedicine**, Heart murmurs recorded by a sensor based electronic stethoscope and e-mailed for remote assessment, **297**
- thalassaemia**, Respiratory function in patients with thalassaemia major: relation with iron overload, **328**
- Thomas Willis**, "Of stupidity or folly": Thomas Willis's perspective on mental retardation, **555**
- thyroxine**, Thyroid hormones before and after weight loss in obesity, **320**
- toe deformity**, Toe deformity from prolonged pulse oximetry, **533**
- tonometry**, Gastric tonometry after gastroschisis repair, **339**
- tonsillar hypertrophy**, Use of tonsil size in the evaluation of obstructive sleep apnoea, **156**
- tracheo-oesophageal fistula**, Adult outcome of congenital lower respiratory tract malformations, **500**
- training**, Paediatricians' misconceptions on childhood immunisations, **264**
- transient hypogammaglobulinaemia of infancy**, *Pneumocystis carinii* pneumonia in an infant with transient hypogammaglobulinaemia of infancy, **449**
- transposition of the great arteries**, Long term behavioural outcome after neonatal arterial switch operation for transposition of the great arteries, **506**
- treatment duration**, Short compared with standard duration of antibiotic treatment for urinary tract infection: a systematic review of randomised controlled trials, **118**
- trial**, Improving mental health through parenting programmes: block randomised controlled trial, **472**
- triiodothyronine**, Thyroid hormones before and after weight loss in obesity, **320**
- ultrasonography**, Intravenous atropine treatment in infantile hypertrophic pyloric stenosis, **71**
- ultrasound**, Urogenital abnormalities in male children with cystic fibrosis, **135**
- ultraviolet B radiation**, The impact of atmospheric pollution on vitamin D status of infants and toddlers in Delhi, India, **111**
- urinary tract infection**, Short compared with standard duration of antibiotic treatment for urinary tract infection: a systematic review of randomised controlled trials, **118**  
Unexplained extra visits to general practitioners before the diagnosis of first urinary tract infection: a case-control study, **530**
- vaccination**, Antivaccination activists on the world wide web, **22**  
Shortage of vaccines: USA, Europe, who next?, **9**  
The Position Statement on Injection Technique, **452**
- vaccine**, The meningococcus tamed?, **13**
- vancomycin**, The emergence of resistant pneumococcal meningitis—implications for empiric therapy, **207**
- varicella**, Lung abscess complicating post-varicella pneumonia, **110**
- vasculitis**, Acute encephalopathy with parvovirus B19 infection in sickle cell disease, **541**  
Arterial distensibility in children and teenagers: normal evolution and the effect of childhood vasculitis, **348**
- vasodilatation**, Erythromelalgia: an endothelial disorder responsive to sodium nitroprusside, **229**
- ventriculoperitoneal shunt**, Ventriculoperitoneal shunt block: what are the best predictive clinical indicators?, **198**
- very low birth weight**, Quantitative magnetic resonance imaging of the brain in survivors of very low birth weight, **279**
- viral**, Natural history and risk factors in fulminant hepatic failure, **54**
- vitamin B12 deficiency**, Nature and nurture in vitamin B<sub>12</sub> deficiency, **75**
- vitamin D**, The impact of atmospheric pollution on vitamin D status of infants and toddlers in Delhi, India, **111**
- VLCAD**, Fat oxidation defect presenting with overwhelming ketonuria, **428**

- voiding**, Investigation of daytime wetting: when is spinal cord imaging indicated?, **151**
- vomiting**, Intravenous atropine treatment in infantile hypertrophic pyloric stenosis, **71**
- weight loss**, Thyroid hormones before and after weight loss in obesity, **320**
- weight**, Growth charts for height and weight—statement, **563**  
New cross sectional stature, weight, and head circumference references for Down's syndrome in the UK and Republic of Ireland, **104**
- wetting**, Investigation of daytime wetting: when is spinal cord imaging indicated?, **151**
- wheeze**, Parents' accounts of wheeze and asthma related symptoms: a qualitative study, **131**
- wheezing**, Controlled study of respiratory viruses and wheezing, **221**  
Early respiratory and skin symptoms in relation to ethnic background: the importance of socioeconomic status; the PIAMA study, **482**
- Wilms tumour**, Controversies and advances in the management of Wilms' tumour, **241**
- world wide web**, Antivaccination activists on the world wide web, **22**
- x ray absorptiometry**, Reference data for bone density and body composition measured with dual energy x ray absorptiometry in white children and young adults, **341**