

PMAD and LOS Comparisons								
Facility:	A	B	C	D	E	F	G	Totals
N	4,671	4,780	4,096	4,691	5,302	5,795	3,941	33,276
GA Breakdown (% of total)	1.6 / 4.9 / 93.5	2.5 / 7.1 / 90.5	2.8 / 6.1 / 91.1	3.7 / 8.0 / 88.3	2.5 / 5.8 / 91.7	2.3 / 6.3 / 91.4	2.9 / 7.3 / 89.8	2.6 / 6.5 / 90.9
< 34 Weeks GA								
N	75	118	116	172	132	136	113	862
BW, grams (median, mean ± SD)	1620, 1599 ± 501.2	1560, 1530 ± 503.2	1405, 1457 ± 502.7	1547, 1521 ± 509.6	1598, 1566 ± 527.8	1524, 1554 ± 568.2	1565, 1577 ± 515.2	1560, 1540 ± 520.1
GA, weeks (median, mean ± SD)	32.0, 30.9 ± 2.4	32.0, 30.9 ± 2.5	31.0, 30.2 ± 2.5	31.0, 30.4 ± 2.6	31.0, 30.3 ± 2.6	31.0, 30.4 ± 2.6	31.0, 30.6 ± 2.4	31.0, 30.5 ± 2.5
LOS, hours (median, mean ± SD)	527.9, 744.6 ± 636.4	621.5, 772.4 ± 637.4	803.4, 965.8 ± 676.0	683.6, 912.6 ± 666.6	683.7, 898.5 ± 711.9	674.6, 933.4 ± 692.4	722.5, 944.9 ± 639.1	672.3, 891.3 ± 670.9
PMAD, weeks (median, mean ± SD)	34.9, 35.3 ± 1.9	35.0, 35.4 ± 2.1	35.3, 35.9 ± 2.4	35.2, 35.8 ± 2.2	35.1, 35.7 ± 2.3	35.4, 36.1 ± 2.3	35.7, 36.2 ± 2.0	35.3, 35.8 ± 2.2
12-Hr SNAP-II (median, mean ± SD)	8.0, 10.5 ± 12.8	9.0, 11.2 ± 11.0	8.0, 11.7 ± 12.7	5.0, 7.7 ± 10.4	9.0, 11.5 ± 13.0	13.5, 13.3 ± 10.4	5.0, 9.2 ± 10.7	8.0, 10.6 ± 11.6
% Admitted to NICU	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
% Brief NICU Admit	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
% w/home visit by 72 hrs	72.0	76.3	79.3	13.4	30.3	69.9	35.4	50.3
% w/outpatient visit by 72 hrs	16.0	4.2	10.3	18.0	21.2	16.2	47.8	19.0
% w/any follow-up by 72 hrs	74.7	76.3	81.9	27.9	42.4	72.8	72.6	61.0
% Rehospi within 14 days*	6.7	1.7	3.4	2.9	2.3	1.5	4.4	3.0
% who Received Home Phototherapy	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

\* Includes home phototherapy

PMAD and LOS Comparisons								
Facility:	A	B	C	D	E	F	G	Totals
N	4,671	4,780	4,096	4,691	5,302	5,795	3,941	33,276
GA Breakdown (% of total)	1.6 / 4.9 / 93.5	2.5 / 7.1 / 90.5	2.8 / 6.1 / 91.1	3.7 / 8.0 / 88.3	2.5 / 5.8 / 91.7	2.3 / 6.3 / 91.4	2.9 / 7.3 / 89.8	2.6 / 6.5 / 90.9
34-36 Weeks GA								
N	229	337	250	375	308	365	289	2,153
BW, grams (median, mean ± SD)	2520, 2589 ± 491.8	2570, 2603 ± 524.2	2449, 2465 ± 469.5	2620, 2654 ± 475.0	2655, 2651 ± 521.2	2590, 2614 ± 462.3	2615, 2621 ± 457.1	2585, 2606 ± 489.1
GA, weeks (median, mean ± SD)	36.0, 35.4 ± 0.8	36.0, 35.3 ± 0.8	35.0, 35.3 ± 0.8	36.0, 35.3 ± 0.8	36.0, 35.3 ± 0.8	36.0, 35.5 ± 0.7	36.0, 35.4 ± 0.8	1560, 1540 ± 520.1
LOS, hours (median, mean ± SD)	71.0, 123.6 ± 268.6	56.3, 118.6 ± 465.3	88.3, 153.5 ± 228.8	66.3, 125.5 ± 192.4	96.3, 147.5 ± 200.4	48.0, 84.3 ± 81.2	88.8, 154.8 ± 155.0	73.0, 127.6 ± 254.1
PMAD, weeks (median, mean ± SD)	36.1, 36.2 ± 1.6	36.1, 36.0 ± 2.9	36.1, 36.2 ± 1.4	36.1, 36.0 ± 1.2	36.3, 36.2 ± 1.2	36.1, 36.0 ± 0.7	36.4, 36.3 ± 1.0	36.1, 36.1 ± 1.6
12-Hr SNAP-II (median, mean ± SD)	0.0, 4.1 ± 6.1	0.0, 5.0 ± 7.8	0.0, 4.8 ± 7.4	0.0, 4.0 ± 7.9	5.0, 6.8 ± 8.0	0.0, 4.6 ± 6.3	0.0, 3.8 ± 7.5	0.0, 4.8 ± 7.4
% Admitted to NICU	53.3	30.0	47.6	40.5	51.3	45.8	54.7	45.4
% Brief NICU Admit	11.4	2.1	1.2	1.1	4.2	5.2	7.6	4.4
% w/home visit by 72 hrs	43.7	22.0	71.6	0.3	4.2	84.7	43.9	37.3
% w/outpatient visit by 72 hrs	44.5	65.6	14.8	63.7	40.9	7.4	42.6	40.6
% w/any follow-up by 72 hrs	80.3	83.1	80.8	63.7	44.2	88.8	80.3	74.2
% Rehospi within 14 days*	3.9	3.3	4.8	7.2	6.2	1.1	4.2	4.4
% who Received Home Phototherapy	0.9	4.7	0.0	0.0	0.0	4.7	0.3	1.7

\* Includes home phototherapy

PMAD and LOS Comparisons								
Facility:	A	B	C	D	E	F	G	Totals
N	4,671	4,780	4,096	4,691	5,302	5,795	3,941	33,276
GA Breakdown (% of total)	1.6 / 4.9 / 93.5	2.5 / 7.1 / 90.5	2.8 / 6.1 / 91.1	3.7 / 8.0 / 88.3	2.5 / 5.8 / 91.7	2.3 / 6.3 / 91.4	2.9 / 7.3 / 89.8	2.6 / 6.5 / 90.9
37+ Weeks GA								
N	4,367	4,325	3,730	4,144	4,862	5,294	3,539	30,261
BW, grams (median, mean ± SD)	3440, 3467 ± 492.4	3445, 3469 ± 493.2	3458, 3465 ± 490.9	3515, 3527 ± 488.9	3570, 3577 ± 483.5	3330, 3338 ± 456.3	3415, 3438 ± 492.0	3450, 3467 ± 489.8
GA, weeks (median, mean ± SD)	39.0, 39.3 ± 1.2	39.0, 39.3 ± 1.1	40.0, 39.6 ± 1.2	39.0, 39.3 ± 1.1	40.0, 39.5 ± 1.2	39.0, 39.1 ± 1.2	39.0, 39.4 ± 1.2	39.0, 39.3 ± 1.2
LOS, hours (median, mean ± SD)	37.2, 45.7 ± 46.9	35.9, 43.9 ± 45.2	47.7, 55.5 ± 63.6	34.3, 43.0 ± 78.4	37.0, 46.2 ± 56.3	24.0, 41.6 ± 42.6	42.0, 51.6 ± 50.1	38.2, 46.3 ± 55.6
PMAD, weeks (median, mean ± SD)	39.4, 39.6 ± 1.2	39.4, 39.6 ± 1.2	40.1, 39.9 ± 1.2	39.4, 39.5 ± 1.2	40.1, 39.7 ± 1.2	39.3, 39.4 ± 1.2	39.6, 39.7 ± 1.3	39.4, 39.6 ± 1.2
12-Hr SNAP-II (median, mean ± SD)	0.0, 4.2 ± 7.9	8.0, 11.0 ± 10.9	5.0, 6.5 ± 9.0	0.0, 4.6 ± 7.0	5.0, 8.0 ± 9.3	0.0, 4.6 ± 7.8	0.0, 3.9 ± 6.9	0.0, 5.7 ± 8.6
% Admitted to NICU	10.7	3.2	6.6	3.6	6.4	7.2	5.9	6.3
% Brief NICU Admit	2.2	0.6	0.5	0.4	1.4	1.3	0.7	1.0
% w/home visit by 72 hrs	11.5	10.0	47.8	0.1	0.5	81.6	52.2	29.4
% w/outpatient visit by 72 hrs	69.9	77.0	23.8	86.5	45.9	9.2	32.7	48.7
% w/any follow-up by 72 hrs	79.8	85.4	67.9	86.6	46.2	88.2	82.5	76.5
% Rehosp within 14 days*	2.4	1.4	1.9	1.8	2.5	1.0	3.6	2.0
% who Received Home Phototherapy	0.3	0.6	0.0	0.0	0.0	1.4	0.0	0.4

\* Includes home phototherapy

PMAD and LOS Comparisons									
Facility:	A	B	C	D	E	F	G	Totals	
N	4,671	4,780	4,096	4,691	5,302	5,795	3,941	33,276	
GA Breakdown (% of total)	1.6 / 4.9 / 93.5	2.5 / 7.1 / 90.5	2.8 / 6.1 / 91.1	3.7 / 8.0 / 88.3	2.5 / 5.8 / 91.7	2.3 / 6.3 / 91.4	2.9 / 7.3 / 89.8	2.6 / 6.5 / 90.9	
Totals									
BW, grams (median, mean ± SD)	3400, 3394 ± 575.3	3385, 3361 ± 616.0	3399, 3347 ± 633.6	3445, 3384 ± 653.2	3520, 3473 ± 613.8	3280, 3250 ± 557.9	3360, 3324 ± 612.0	3395, 3361 ± 611.3	
GA, weeks (median, mean ± SD)	39.0, 39.0 ± 1.8	39.0, 38.8 ± 2.0	40.0, 39.1 ± 2.2	39.0, 38.6 ± 2.3	39.0, 39.0 ± 2.1	39.0, 38.7 ± 2.0	39.0, 38.8 ± 2.2	39.0, 38.9 ± 2.1	
LOS, hours (median, mean ± SD)	38.3, 60.7 ± 141.1	37.5, 67.2 ± 199.9	49.0, 87.3 ± 206.8	36.4, 81.5 ± 226.7	38.8, 73.3 ± 189.0	38.9, 65.3 ± 177.4	45.7, 84.8 ± 195.4	40.4, 73.5 ± 191.9	
PMAD, weeks (median, mean ± SD)	39.3, 39.4 ± 1.5	39.3, 39.2 ± 1.8	40.1, 39.6 ± 1.7	39.3, 39.1 ± 1.7	39.4, 39.4 ± 1.6	39.1, 39.1 ± 1.5	39.4, 39.3 ± 1.6	39.3, 39.3 ± 1.6	
12-Hr SNAP-II (median, mean ± SD)	0.0, 5.0 ± 8.7	5.0, 9.3 ± 10.5	5.0, 7.4 ± 10.0	0.0, 5.6 ± 8.8	5.0, 8.6 ± 10.2	5.0, 6.5 ± 8.8	0.0, 5.3 ± 8.5	5.0, 6.7 ± 9.5	
% Admitted to NICU	14.2	7.5	11.8	10.1	11.4	11.8	12.2	11.3	
% Brief NICU Admit	2.6	0.7	0.5	0.4	1.5	1.5	1.2	1.2	
% w/home visit by 72 hrs	14.0	12.5	50.2	0.6	1.4	81.5	51.1	30.5	
% w/outpatient visit by 72 hrs	67.8	74.4	22.9	82.2	45.0	9.2	33.8	47.4	
% w/any follow-up by 72 hrs	79.8	85.0	69.1	82.6	46.0	87.8	82.1	75.9	
% Rehospi within 14 days*	2.6	1.6	2.1	2.3	2.7	1.0	3.7	2.2	
% who Received Home Phototherapy	0.4	0.9	0.0	0.0	0.0	1.5	0.0	0.5	

\* Includes home phototherapy