

**WEB-EXTRA TABLE: Demographic and Health Survey wasting results in detail. (Countries are ordered by prevalence of WHZ <-2 among infants aged <6 months)**

Country (year of DHS survey)	Infants (<6m)	Children (6 to <60m)	% who are <6m (of 0 to <60m)	% who are female (of 0 to <60m)	% of 0 to <60m with age, sex, weight & height measure- ments	% of previous column with valid WHZ <sup>†</sup>	% of infants with WHZ <-2 (NCHS)			% of infants with WHZ <-2* (WHO)			% of children with WHZ <-2 (NCHS)			% of children with WHZ <-2* (WHO)		
	N	N					% of infants with WHZ <-3 (NCHS)	% of infants with WHZ <-3 to <-2 (NCHS)	% of infants with WHZ <-3 (WHO)	% of infants with WHZ <-3 to <-2 (WHO)	% of children with WHZ <-3 (NCHS)	% of children with WHZ <-3 to <-2 (NCHS)	% of children with WHZ <-3 (WHO)	% of children with WHZ <-3 to <-2 (WHO)				
Peru (2000)	855	9652	8.1	49.3	90.5	98.8	1.1	0.5	0.6	2.0	1.2	0.8	0.9	0.2	0.7	1.0	0.3	0.7
Turkey (2003)	338	3334	9.2	48.4	92.4	99.4	1.2	0.3	0.9	4.4	1.5	3.0	0.7	0.3	0.4	0.7	0.3	0.4
Tanzania (2004)	759	6509	10.4	50.0	98.3	97.8	1.2	0.0	1.2	4.6	2.0	2.6	3.4	0.4	3.0	3.5	0.8	2.7
Mozambique (2003/4)	939	7297	11.4	50.5	94.1	96.2	1.4	0.1	1.3	6.3	1.9	4.4	4.3	1.0	3.3	5.2	1.9	3.3
Guatemala (1998/9)	317	3291	8.8	48.7	85.9	97.5	1.6	0.0	1.6	4.1	1.6	2.5	2.6	1.0	1.6	2.8	1.4	1.4
Cote D'Ivoire (1998/9)	149	1561	8.7	50.6	92.9	96.5	2.0	0.7	1.3	6.0	1.3	4.7	8.5	0.8	7.7	6.9	1.8	5.1
Cameroon (2004)	341	2848	10.7	50.3	95.6	96.1	2.3	0.3	2.1	8.8	3.8	5.0	5.6	1.1	4.6	5.5	1.8	3.7
Bangladesh (2004)	582	5397	9.7	49.2	94.6	97.9	3.1	0.7	2.4	15.8	5.8	10.0	14.0	1.3	12.7	14.6	3.1	11.5
Cambodia (2005)	277	3067	8.3	51.4	97.3	97.5	3.2	0.4	2.9	15.2	7.6	7.6	8.0	0.7	7.2	7.9	1.3	6.7
Zambia (2001/2)	544	4683	10.4	49.9	97.2	96.1	3.5	0.7	2.8	9.9	4.2	5.7	5.2	1.2	4.0	5.6	1.9	3.7
Malawi (2004)	752	7083	9.6	50.1	89.6	92.3	3.7	0.8	2.9	10.5	4.1	6.4	5.4	1.8	3.6	5.5	2.6	2.9
Kenya (2003)	500	4410	10.2	49.6	94.9	97.2	4.0	0.6	3.4	8.6	3.8	4.8	5.9	1.5	4.4	5.8	2.2	3.6
Niger (2006)	453	3523	11.4	48.1	96.6	95.2	5.1	0.7	4.4	17.4	7.7	9.7	11.4	1.7	9.7	12.5	4.1	8.3
Madagascar (2003/4)	526	4546	10.4	51.7	96.8	93.7	5.9	0.8	5.1	16.7	8.0	8.7	13.8	3.1	10.7	14.7	4.9	9.7
Ghana (2003)	249	2679	8.5	49.7	94.5	96.7	6.0	2.0	4.0	15.7	6.8	8.8	7.2	1.3	5.9	7.7	2.2	5.4
Egypt (2005)	1073	11129	8.8	49.2	99.2	94.2	6.4	1.0	5.4	15.1	8.5	6.6	3.6	0.8	2.8	3.7	1.3	2.4
Ethiopia (2005)	407	3961	9.3	49.0	95.6	93.0	6.6	1.5	5.2	17.7	8.6	9.1	11.2	2.5	8.7	11.6	4.1	7.5
Nigeria (2003)	523	3993	11.6	49.8	96.1	91.5	7.5	2.5	5.0	17.2	7.6	9.6	9.8	2.2	7.6	10.4	4.2	6.3
Mali (2006)	1244	9761	11.3	48.9	96.8	94.3	10.5	2.1	8.4	22.7	10.4	12.3	14.1	3.2	10.9	14.6	5.4	9.3
India (2005/6)	3725	41673	8.2	47.5	91.4	95.0	10.7	3.2	7.5	32.7	15.4	17.3	17.7	3.1	14.7	18.9	5.8	13.1
Burkina Faso (2003)	981	7297	11.9	48.6	96.8	92.8	15.0	4.4	10.6	34.1	18.1	16.0	19.4	5.2	14.1	20.1	8.7	11.3

<sup>†</sup> For clarity, all other columns in this table represent infants and children with valid WHZ scores (see methods for exclusion criteria)

\* Where WHZ <-3 and WHZ -3 to <-2 columns do not add up exactly to the WHZ <-2 column, this is due to rounding.